



## Safety Data Sheet

# Heavy Duty Degreaser

### SECTION 1. IDENTIFICATION

<b>Product Identifier</b>	Heavy Duty Degreaser
<b>Part number</b>	TNDS8008
<b>Product Family</b>	Blend of petroleum based solvents and detergents
<b>Recommended Use</b>	Degreaser.
<b>Restrictions on Use</b>	None known.
<b>Manufacturer</b>	Shrader Canada Limited 830 Progress Court Oakville, Ontario Canada L6L 6K1 +1.905.847.0222 www.titanchemicals.com
<b>Emergency Phone No.</b>	Immediately contact your local poison control centre. CANUTEC, +1.613.996.6666, for transportation emergencies.

### SECTION 2. HAZARD IDENTIFICATION

Classified according to Canada's Hazardous Products Regulations (WHMIS 2015).

#### Classification

Flammable aerosol - Category 2; Gas under pressure - Compressed gas; Skin irritation - Category 2; Serious eye damage - Category 1; Aspiration hazard - Category 1

#### Label Elements



Danger

Flammable aerosol.  
Pressurized container: may burst if heated.  
Contains gas under pressure; may explode if heated.  
May be fatal if swallowed and enters airways.  
Causes skin irritation.  
Causes serious eye damage.  
Keep away from heat, sparks, open flames, and hot surfaces. – No smoking.  
Do not spray on an open flame or other ignition source.  
Do not pierce or burn, even after use.  
Pressurized container: Do not pierce or burn, even after use.

Product Identifier: Heavy Duty Degreaser - Ver. 1  
Date of Preparation: January 04, 2019  
Date of Last Revision:

SDS No.: TNDS8008

Page 01 of 09

Wash hands and skin thoroughly after handling.

Wear protective gloves, eye protection, face protection.

IF SWALLOWED: Immediately call a POISON CENTRE or doctor.

Do NOT induce vomiting.

IF ON SKIN: Wash with plenty of water.

If skin irritation occurs: Get medical advice or attention.

Take off contaminated clothing and wash it before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Store locked up.

Protect from sunlight. Do not expose to temperatures exceeding 50 °C (122 °F).

Store in a well-ventilated place.

Dispose of contents and container in accordance with local, regional, national and international regulations.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture:

Chemical Name	CAS No.	%	Other Identifiers	Other Names
Stoddard solvent	8052-41-3	10-30		
Solvent naphtha (petroleum), light aromatic	64742-95-6	7-13		
Tall oil, fatty acids	61790-12-3	7-13		
1,2,4-Trimethylbenzene	95-63-6	7-13		
Petroleum gases, liquefied	68476-85-7	7-13		
Alcohols, C9-11, ethoxylated, liquids	68439-46-3	1-5		
Ethylene glycol	107-21-1	1-5		
1,3,5-Trimethylbenzene	108-67-8	1-5		
n-Nonane	111-84-2	0.5-1.5		
Xylene (mixed isomers)	1330-20-7	0.1-1.0		
Potassium hydroxide	1310-58-3	0.1-1.0		
Diethylbenzene	25340-17-4	0.1-1.0		
Cumene	98-82-8	0.1-1.0		
2-aminoethanol	141-43-5	0.1-1.0		
Ethylbenzene	100-41-4	0.1-1.0		
Naphthalene	91-20-3	0.1-1.0		

#### Notes

Any concentration shown as a range is due to batch processing.

### SECTION 4. FIRST-AID MEASURES

#### First-aid Measures

##### Inhalation

Remove source of exposure or move to fresh air. If breathing is difficult, trained personnel should administer emergency oxygen if advised to do so by Poison Centre or doctor. If breathing has stopped, trained personnel should begin rescue breathing. Get medical attention immediately.

##### Skin Contact

Take off immediately contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Wash gently and thoroughly with lukewarm, gently flowing water and mild soap for 5 minutes. If skin irritation occurs, get medical advice or attention.

##### Eye Contact

Product Identifier: Heavy Duty Degreaser - Ver. 1

Date of Preparation: January 04, 2019

Date of Last Revision:

SDS No.: TND8008

Page 02 of 09

Immediately rinse the contaminated eye(s) with lukewarm, gently flowing water for 15-20 minutes, while holding the eyelid(s) open. Remove contact lenses, if present and easy to do. Continue rinsing.

Get immediate medical attention.

#### **Ingestion**

Never give anything by mouth if person is rapidly losing consciousness, or is unconscious or convulsing. Do not induce vomiting. Drink two glasses of water. If vomiting occurs naturally, lie on your side in the recovery position. Rinse mouth with water again. Seek medical attention.

#### **First-aid Comments**

Get medical advice or attention if you feel unwell or are concerned.

## **SECTION 5. FIRE-FIGHTING MEASURES**

### **Extinguishing Media**

#### **Suitable Extinguishing Media**

Carbon dioxide or dry chemical.

#### **Unsuitable Extinguishing Media**

Do not use a direct stream of water.

### **Specific Hazards Arising from the Product**

Flammable aerosol. contents under pressure.

Contains gas under pressure; may explode if heated. Vapours are heavier than air. May travel a considerable distance to a source of ignition and flash back to a leak or open container.

Carbon oxides, and other unidentified organic compounds.

### **Special Protective Equipment and Precautions for Fire-fighters**

Use extreme caution, fight fire from a safe distance or a protected location.

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

### **Personal Precautions, Protective Equipment, and Emergency Procedures**

Evacuate the area immediately. Isolate the hazard area. Keep out unnecessary and unprotected personnel. Distant ignition and flashback are possible.

### **Environmental Precautions**

If the spill is inside a building, prevent product from entering drains, ventilation systems and confined areas. Do not allow into any sewer, on the ground or into any waterway.

### **Methods and Materials for Containment and Cleaning Up**

Stop or reduce leak if safe to do so. Contain and soak up spill with absorbent that does not react with spilled product. Contaminated absorbent poses the same hazard as the spilled product. Place used absorbent into suitable, covered, labelled containers for disposal.

## **SECTION 7. HANDLING AND STORAGE**

### **Precautions for Safe Handling**

It is good practice to: avoid breathing product; avoid skin and eye contact and wash hands after handling. Eliminate heat and ignition sources such as sparks, open flames, hot surfaces and static discharge. Post "No Smoking" signs. Only use where there is adequate ventilation. Containers of this material may contain hazardous residues when "emptied". Do not weld, cut or perform hot work on empty container until all traces of product have been removed. Do not use on hot vehicles.

### **Conditions for Safe Storage**

Store at temperatures not exceeding: 40°C.

Store in an area that is: cool, dry, well-ventilated.

Keep from freezing.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control Parameters

Chemical Name	ACGIH® TLV®		OSHA PEL	
	TWA	STEL [C]	TWA	Ceiling
Ethylbenzene	20 ppm A3	Not established	100 ppm	Not established
Ethylene glycol	Not established	100 mg/m3 A4	Not established	50 ppm
1,3,5-Trimethylbenzene	25 ppm	Not established	Not established	Not established
n-Nonane	200 ppm	Not established	Not established	Not established
Xylene (mixed isomers)	100 ppm A4	150 ppm A4	435 mg/m3	Not established
2-aminoethanol	3 ppm	6 ppm		
Alcohols, C9-11, ethoxylated, liquids	Not established			
Stoddard solvent	100 ppm	Not established	Not established	Not established
Naphthalene	10 ppm	15 ppm	10 ppm	Not established
1,2,4-Trimethylbenzene	25 ppm	Not established	Not established	Not established
Cumene	50 ppm	Not established	50 ppm	Not established

### Appropriate Engineering Controls

Sufficient mechanical ventilation to maintain exposures below the TLV. Under normal conditions of use, general ventilation should be satisfactory. Local ventilation is recommended if the product is misted or used in a confined space or if the TLV is exceeded. Make up air should always be supplied to balance air exhausted.

Provide safety shower in work area, if contact or splash hazard exists.

### Individual Protection Measures

#### Eye/Face Protection

Safety glasses with side shields. Contact lenses should not be worn, they may contribute to the severity of the injury.

#### Skin Protection

Wear chemical protective clothing e.g. gloves, aprons, boots.  
Suitable materials are: neoprene rubber, nitrile rubber.

#### Respiratory Protection

Not normally required if product is used as directed.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

### Basic Physical and Chemical Properties

Appearance	Clear yellow Aerosol.
Odour	Not available
Odour Threshold	Not available
pH	9.9 (10% solution)
Melting Point/Freezing Point	Not available (melting); Not available (freezing)
Initial Boiling Point/Range	Not available
Flash Point	49 °C (closed cup)
Evaporation Rate	Not available
Flammability (solid, gas)	Flammable aerosol
Upper/Lower Flammability or Explosive Limit	Not available (upper); Not available (lower)
Vapour Pressure	Not available
Vapour Density (air = 1)	> 1
Relative Density (water = 1)	0.88 at 15 °C

Product Identifier: Heavy Duty Degreaser - Ver. 1

Date of Preparation: January 04, 2019

Date of Last Revision:

SDS No.: TND8008

Page 04 of 09

<b>Solubility</b>	Partial in water
<b>Partition Coefficient, n-Octanol/Water (Log Kow)</b>	Not available
<b>Auto-ignition Temperature</b>	Not available
<b>Decomposition Temperature</b>	Not available
<b>Viscosity</b>	< 14 centistokes at 40°C (kinematic)
<b>Other Information</b>	
<b>VOC %</b>	66.2
<b>Flame projection</b>	Not applicable
<b>NFPA Classification</b>	Aerosol, Level 2

## SECTION 10. STABILITY AND REACTIVITY

### Reactivity

Not reactive under normal conditions of use.

### Chemical Stability

Stable at ambient temperatures and pressures.

### Possibility of Hazardous Reactions

None expected under normal conditions of storage and use.

### Conditions to Avoid

Open flames, sparks, static discharge, heat and other ignition sources.

### Incompatible Materials

Increased risk of fire and explosion on contact with: strong oxidizing agents (e.g. perchloric acid).

### Hazardous Decomposition Products

Carbon oxides. And other unidentified organic compounds.

## SECTION 11. TOXICOLOGICAL INFORMATION

Information presented below is for the entire product, unless otherwise specified.

### Likely Routes of Exposure

Inhalation;  
Skin contact;  
Eye contact;  
Ingestion.

### Acute Toxicity

Chemical Name	LC50	LD50 (oral)	LD50 (dermal)
Ethylbenzene	~ 4000 ppm (rat) (4-hour exposure)	3500 mg/kg (rat)	15380 mg/kg (rabbit)
Ethylene glycol	2725 mg/m3 (rat) (4-hour exposure)	4700 mg/kg (rat)	10600 mg/kg (rabbit)
1,3,5-Trimethylbenzene	24000 mg/m3 (rat) (4-hour exposure)	Not available	Not available
n-Nonane	3200 ppm (rat) (4-hour exposure)	> 15000 mg/kg (rat)	Not available
Potassium hydroxide	Not available	250 mg/kg (rat)	> 1260 mg/kg (rabbit)
Xylene (mixed isomers)	6350 ppm (male rat) (4-hour exposure)	3523 mg/kg (rat)	> 1700 mg/kg (rabbit)
2-aminoethanol	> 1210 mg/m3 (mouse)	1720 mg/kg (female rat)	1000 mg/kg (rabbit)

Product Identifier: Heavy Duty Degreaser - Ver. 1  
Date of Preparation: January 04, 2019  
Date of Last Revision:

SDS No.: TNSD8008

Page 05 of 09

	(4-hour exposure)		
Diethylbenzene	> 30000 mg/m3 (mouse)	1200 mg/kg (rat)	> 5000 mg/kg (rabbit)
Solvent naphtha (petroleum), light aromatic	> 14.4 mg/L (rat) (6-hour)	8400 mg/kg (rat)	> 3160 mg/kg (rabbit)
Stoddard solvent	> 5500 mg/m3 (rat) (4-hour exposure)	> 5000 mg/kg (rat)	> 3000 mg/kg (rabbit)
Naphthalene	141 ppm (rat) (4-hour exposure)	490 mg/kg (rat)	> 20000 mg/kg (rabbit)
1,2,4-Trimethylbenzene	18000 mg/m3 (rat) (4-hour exposure)	5000 mg/kg (rat)	Not available
Cumene	39 mg/L (rat) (4-hour exposure)	1400 mg/kg (rat)	10627 mg/kg (rabbit)

28% of the mixture consists of an ingredient or ingredients of unknown acute toxicity (inhalation)

28% of the mixture consists of an ingredient or ingredients of unknown acute toxicity (oral)

41% of the mixture consists of an ingredient or ingredients of unknown acute toxicity (dermal)

#### Skin Corrosion/Irritation

Moderate skin irritant.

#### Serious Eye Damage/Irritation

Moderate irritant.

#### STOT (Specific Target Organ Toxicity) - Single Exposure

##### Inhalation

No hazard under normal conditions of use.

At high concentrations depression of the central nervous system, nose and throat irritation. Symptoms may include headache, nausea, dizziness, drowsiness and confusion.

##### Skin Absorption

No information was located.

##### Ingestion

Harmful based on information for closely related materials. Can cause effects as described for inhalation.

#### Aspiration Hazard

Aspiration into the lungs during swallowing or subsequent vomiting may cause chemical pneumonitis, which can be fatal.

#### STOT (Specific Target Organ Toxicity) - Repeated Exposure

No information was located.

#### Respiratory and/or Skin Sensitization

Not known to be a respiratory sensitizer.

Not known to be a skin sensitizer.

#### Carcinogenicity

Chemical Name	ACGIH®	IARC	NTP	OSHA
Ethylbenzene	A3	Group 2B	Not Listed	Not Listed
Ethylene glycol	Not designated	Not evaluated	Not Listed	Not Listed
Potassium hydroxide	Not designated	Not evaluated	Not Listed	
Xylene (mixed isomers)	A4	Group 3	Not Listed	Not Listed
Solvent naphtha (petroleum), light aromatic	Not Listed	Not evaluated	Not Listed	Not Listed
Naphthalene	A4	Group 2B	Reasonably anticipated	Not Listed
Cumene	Not designated	Group 2B	Not Listed	Not Listed

Product Identifier: Heavy Duty Degreaser - Ver. 1

SDS No.: TND8008

Date of Preparation: January 04, 2019

Date of Last Revision:

Page 06 of 09

Petroleum gases, liquefied	Not Listed	Not Listed	Not Listed	Not Listed
----------------------------	------------	------------	------------	------------

Contains. (Ethylbenzene) which has been classified as a Group 2B carcinogen (possibly carcinogenic to humans)  
contains. (2,2-iminodiethanol) which has been classified as a Group 2B carcinogen (possibly carcinogenic to humans)  
contains. (Naphthalene) which has been classified as a Group 2B carcinogen (possibly carcinogenic to humans)  
contains. (Cumene) which has been classified as a Group 2B carcinogen (possibly carcinogenic to humans).

#### Key to Abbreviations

ACGIH® = American Conference of Governmental Industrial Hygienists. A3 = Animal carcinogen. A4 = Not classifiable as a human carcinogen.

IARC = International Agency for Research on Cancer. Group 2B = Possibly carcinogenic to humans. Group 3 = Not classifiable as to its carcinogenicity to humans.

NTP = National Toxicology Program. Reasonably anticipated = Reasonably anticipated human carcinogen.

No information was located for: Development of Offspring, Sexual Function and Fertility, Effects on or via Lactation, Germ Cell Mutagenicity, Interactive Effects

## SECTION 12. ECOLOGICAL INFORMATION

This section is not required by WHMIS.

This section is not required by OSHA HCS 2012.

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal Methods

Contents under pressure. Empty containers retain product residue. Follow label warnings even if container appears to be empty. The container for this product can present explosion or fire hazards, even when emptied. Do not cut, puncture, or weld on or near this container.

Dispose of in accordance with municipal, provincial/state or federal regulations.

## SECTION 14. TRANSPORT INFORMATION

Regulation	UN No.	Proper Shipping Name	Transport Hazard Class(es)	Packing Group
Canadian TDG	UN1950	Aerosols	2.1	---
IMDG (Marine)	UN1950	Aerosols	2.1	---
IATA (Air)	UN1950	Aerosols, flammable	2.1	---

**Special Precautions** Not applicable

### Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

**Emergency Response** 126 EmS F-D, S-U

### Guide No.

### Other Information

ICAO/IATA PI Y203/203

Product may ship as LTD QTY if TDG, ICAO/IATA or IMDG Limited Quantity provisions are met.

## SECTION 15. REGULATORY INFORMATION

### Safety, Health and Environmental Regulations

#### Canada

#### Domestic Substances List (DSL) / Non-Domestic Substances List (NDSL)

All ingredients are listed on the DSL/NDSL.

#### CEPA - National Pollutant Release Inventory (NPRI)

(Ethylbenzene) Part 1A.

(Ethylene glycol) Part 1A.

Product Identifier: Heavy Duty Degreaser - Ver. 1

SDS No.: TND8008

Date of Preparation: January 04, 2019

Date of Last Revision:

Page 07 of 09

(2,2-iminodiethanol) Part 1A.  
(Xylene (mixed isomers)) Part 1A.  
(Solvent naphtha (petroleum), light aromatic) Part 5.  
(Stoddard solvent) Part 5.  
(Naphthalene) Part 1A.  
(1,2,4-Trimethylbenzene) Part 1A.  
(Cumene) Part 1A.

## USA

### Toxic Substances Control Act (TSCA) Section 8(b)

All ingredients are listed on the TSCA Inventory.

### Additional USA Regulatory Lists

CERCLA. (Ethylbenzene). (Ethylene glycol). (2,2-iminodiethanol). (Potassium hydroxide). (Xylene (mixed isomers)). (Naphthalene). (Cumene)

SARA Title III - Section 302:

SARA Title III - Section 313. (Ethylbenzene). (Ethylene glycol). (2,2-iminodiethanol). (Xylene (mixed isomers)). (Naphthalene). (1,2,4-Trimethylbenzene). (Cumene)

California Proposition 65. (Ethylbenzene). (Naphthalene)

Massachusetts Right To Know: Not applicable.

New Jersey Right To Know. (Ethylbenzene). (Ethylene glycol). (2,2-iminodiethanol). (n-Nonane). (Potassium hydroxide). (Xylene (mixed isomers)). (2-aminoethanol). (Diethylbenzene). (Glycerine). (Stoddard solvent). (Naphthalene). (1,2,4-Trimethylbenzene). (Cumene). (Petroleum gases, liquefied)

Pennsylvania Right To Know. (Ethylbenzene). (Ethylene glycol). (2,2-iminodiethanol). (n-Nonane). (Potassium hydroxide). (Xylene (mixed isomers)). (2-aminoethanol). (Glycerine). (Stoddard solvent). (Naphthalene). (1,2,4-Trimethylbenzene). (Cumene). (Petroleum gases, liquefied)

## SECTION 16. OTHER INFORMATION

<b>NFPA Rating</b>	<b>Health - 1</b>	<b>Flammability - 2</b>	<b>Instability - 0</b>
<b>SDS Prepared By</b>	Regulatory Compliance		
<b>Phone No.</b>	800.201.9486		
<b>Date of Preparation</b>	January 04, 2019		
<b>Key to Abbreviations</b>	ACGIH® = American Conference of Governmental Hygienists CANUTEC = Canadian Transport Emergency Centre CAS = Chemical Abstract Service CCOHS = Canadian Centre for Occupational Health & Safety CNS = Central nervous system GESTIS = GESTIS Substance Database HSDB® = Hazardous Substances Data Bank IARC = International Agency for Research on Cancer ICAO = International Civil Aviation Organization IMDG = International Maritime Dangerous Goods Code LC = Lethal concentration LC = Lethal dose NFPA = National Fire Protection Association NTP = National Toxicology Program OSHA = US Occupational Safety and Health Administration PPM = Parts per million RTECS® = Registry of Toxic Effects of Chemical Substances STEL = Short term exposure limit TDG = Transportation of Dangerous Goods Regulations (Canada) TWA = Time weighted average		
<b>References</b>	Material Safety Data Sheet from manufacturer. CHEMINFO database. Canadian Centre for Occupational Health and Safety (CCOHS). HSDB® database. US National Library of Medicine. Available from Canadian Centre for Occupational Health and Safety (CCOHS).		

Product Identifier: Heavy Duty Degreaser - Ver. 1

SDS No.: TND8008

Date of Preparation: January 04, 2019

Date of Last Revision:

Page 08 of 09



Registry of Toxic Effects of Chemical Substances (RTECS®) database. Dassault Systèmes/BIOVIA ("BIOVIA"). Available from Canadian Centre for Occupational Health and Safety (CCOHS).

ECHA - European Chemical Agency, Classification and Labelling Inventory

GESTIS Substance Database

OECD - The Global Portal to Information on Chemical Substances - eChemPortal, 2015.

**Disclaimer**

The information contained herein is offered only as a guide to the use and handling of this specific material and has been prepared in good faith. It is not intended to be all-inclusive, and the manner and conditions of use and handling may involve other and additional considerations. No warranty of any kind is given or implied. Shrader Canada Limited will not be liable for any damages, losses, injuries or consequential damages which may result from the use of or reliance on any information contained herein.

---

Product Identifier: Heavy Duty Degreaser - Ver. 1

SDS No.: TND8008

Date of Preparation: January 04, 2019

Date of Last Revision:

Page 09 of 09