# SAFETY DATA SHEET

1. Identification

**Product identifier** 11111-BT207 425 G BETTER THAN BACTERICIDE LB 12PK

Other means of identification

Product code 1000020730 Recommended use DISINFECTANT Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name K-G Spray-Pak Inc. P.O. Box 89 **Address** 8001 Keele Street

Vaughan, Ontario L4K 1Y8

Canada

**Telephone** General Assistance 1-905-669-9855

E-mail aerosols@kgpackaging.com

**Emergency phone number** Emergency - US 1-866-836-8855

Emergency - Outside US 1-952-852-4046

**Supplier** Not available.

2. Hazard(s) identification

Physical hazards Flammable aerosols Category 1

Not classified. Health hazards

Label elements



Signal word Danger

**Hazard statement** Extremely flammable aerosol.

**Precautionary statement** 

Prevention Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use.

Avoid release to the environment.

Wash hands after handling. Response

Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Storage

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

**Environmental hazards** Hazardous to the aquatic environment, acute Category 3

hazard

Hazardous to the aquatic environment, Category 3

long-term hazard

Other hazards None known.

**Supplemental information** None.

#### 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Ethyl Alcohol		64-17-5	30 - 60
Propane		74-98-6	3 - 7

Product name: 11111-BT207 425 G BETTER THAN BACTERICIDE LB 12PK 1/10 Product #: 1000020730 Version #: 01 Issue date: 05-24-2019

Chemical name Common name and synonyms  Propylene Glycol Methyl Ether		CAS number	%
		107-98-2	3 - 7
Triethylene Glycol		112-27-6	3 - 7
Morpholine		110-91-8	0.1 - 1
Sodium Nitrite		7632-00-0	0.1 - 1
Other components below reportable	levels		30 - 60

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

#### 4. First-aid measures

Inhalation If symptoms develop move victim to fresh air. Get medical attention if symptoms persist. Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Rinse with water. Get medical attention if irritation develops and persists. Eye contact

Rinse mouth. Get medical attention if symptoms occur. Ingestion Headache. Coughing.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed

**General information** 

Treat symptomatically.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

## 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from the chemical

Special protective equipment and precautions for firefighters

Fire fighting

equipment/instructions

Specific methods

General fire hazards

Water spray. Alcohol resistant foam. Powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Contents under pressure. Pressurized container may explode when exposed to heat or flame. During fire, gases hazardous to health may be formed.

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.

Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Use water spray to cool unopened

containers. In the event of fire and/or explosion do not breathe fumes.

Extremely flammable aerosol.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Refer to attached safety data sheets and/or instructions for use. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Use water spray to reduce vapors or divert vapor cloud drift. Isolate area until gas has dispersed. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Prevent product from entering drains. For waste disposal, see section 13 of the SDS.

**Environmental precautions** 

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

Product name: 11111-BT207 425 G BETTER THAN BACTERICIDE LB 12PK

Product #: 1000020730 Version #: 01 Issue date: 05-24-2019

## 7. Handling and storage

#### Precautions for safe handling

Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Do not re-use empty containers. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

#### Conditions for safe storage, including any incompatibilities

Level 2 Aerosol.

Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122°F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Store away from incompatible materials (see Section 10 of the SDS).

# 8. Exposure controls/personal protection

#### Occupational exposure limits

110	Theat	 1::4	Values

Components	Туре	Value	
Ethyl Alcohol (CAS 64-17-5)	STEL	1000 ppm	
Morpholine (CAS 110-91-8)	TWA	20 ppm	
Propylene Glycol Methyl Ether (CAS 107-98-2)	STEL	100 ppm	
,	TWA	50 ppm	
Canada. Alberta OELs (Occupation	nal Health & Safety Code, Sc	hedule 1, Table 2)	
Components	Туре	Value	
Ethyl Alcohol (CAS 64-17-5)	TWA	1880 mg/m3	
		4000	

•			
Ethyl Alcohol (CAS 64-17-5)	TWA	1880 mg/m3	
		1000 ppm	
Morpholine (CAS 110-91-8)	TWA	71 mg/m3	
		20 ppm	
Propane (CAS 74-98-6)	TWA	1000 ppm	
Propylene Glycol Methyl Ether (CAS 107-98-2)	STEL	553 mg/m3	
,		150 ppm	
	TWA	369 mg/m3	
		100 ppm	

#### Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

Components	Туре	Value	
Ethyl Alcohol (CAS 64-17-5)	STEL	1000 ppm	
Morpholine (CAS 110-91-8)	TWA	20 ppm	
Propylene Glycol Methyl Ether (CAS 107-98-2)	STEL	75 ppm	
	TWA	50 ppm	

#### Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act) Components

Components	Type	Value
Ethyl Alcohol (CAS 64-17-5)	STEL	1000 ppm
Morpholine (CAS 110-91-8)	TWA	20 ppm
Propylene Glycol Methyl Ether (CAS 107-98-2)	STEL	100 ppm
,	TWA	50 ppm

# Canada Ontario OELs (Control of Evnosure to Riological or Chemical Agenta)

Туре	Value	
STEL	1000 ppm	
STEL	105 mg/m3	
	30 ppm	
TWA	70 mg/m3	
	STEL STEL	STEL 1000 ppm STEL 105 mg/m3 30 ppm

Product name: 11111-BT207 425 G BETTER THAN BACTERICIDE LB 12PK

SDS CANADA Product #: 1000020730 Version #: 01 Issue date: 05-24-2019

Canada. Ontario OELs. (	Control of Exposure to	Biological or Chemical A	gents)

Components	Туре	Value
		20 ppm
Propylene Glycol Methyl Ether (CAS 107-98-2)	STEL	150 ppm
,	TWA	100 ppm
Canada. Quebec OELs. (Ministry o	f Labor - Regulation Respect	ting the Quality of the Work Environment)
Components	Туре	Value
Ethyl Alcohol (CAS 64-17-5)	TWA	1880 mg/m3
		1000 ppm
Morpholine (CAS 110-91-8)	TWA	71 mg/m3
		20 ppm
Propane (CAS 74-98-6)	TWA	1800 mg/m3
		1000 ppm
Propylene Glycol Methyl Ether (CAS 107-98-2)	STEL	553 mg/m3
•		150 ppm

No biological exposure limits noted for the ingredient(s). **Biological limit values** 

**Exposure guidelines** 

Canada - Alberta OELs: Skin designation

Morpholine (CAS 110-91-8) Can be absorbed through the skin.

TWA

Canada - British Columbia OELs: Skin designation

Morpholine (CAS 110-91-8) Can be absorbed through the skin.

Canada - Manitoba OELs: Skin designation

Morpholine (CAS 110-91-8) Can be absorbed through the skin.

Canada - Ontario OELs: Skin designation

Morpholine (CAS 110-91-8) Can be absorbed through the skin.

Canada - Quebec OELs: Skin designation

Morpholine (CAS 110-91-8) Can be absorbed through the skin.

Canada - Saskatchewan OELs: Skin designation

Morpholine (CAS 110-91-8) Can be absorbed through the skin.

**US ACGIH Threshold Limit Values: Skin designation** 

Can be absorbed through the skin. Morpholine (CAS 110-91-8)

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

369 mg/m3 100 ppm

Individual protection measures, such as personal protective equipment

Wear safety glasses with side shields (or goggles). Eye/face protection

Skin protection

**Hand protection** Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier.

Other Wear suitable protective clothing.

If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an Respiratory protection

air-supplied respirator.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

When using do not smoke. Always observe good personal hygiene measures, such as washing General hygiene

after handling the material and before eating, drinking, and/or smoking. Routinely wash work considerations

clothing and protective equipment to remove contaminants.

#### 9. Physical and chemical properties

**Appearance** 

Physical state Gas. Aerosol. **Form** 

Product name: 11111-BT207 425 G BETTER THAN BACTERICIDE LB 12PK

SDS CANADA Product #: 1000020730 Version #: 01 Issue date: 05-24-2019

Color Not available. Not available. Odor Not available. **Odor threshold** Not available. pН

Initial boiling point and boiling

Melting point/freezing point

159.42 °F (70.79 °C) estimated

range

Flash point -156.0 °F (-104.4 °C) PROPELLANT estimated

Not available.

Not available. **Evaporation rate** Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

4.1 % estimated

(%)

Flammability limit - upper

13.7 % estimated

(%)

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Not available. Vapor pressure Not available. Vapor density Relative density Not available.

Solubility(ies)

Solubility (water) Not available. **Partition coefficient** Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature Decomposition temperature** Not available. **Viscosity** Not available.

Other information

**Explosive properties** Not explosive. **Oxidizing properties** Not oxidizing.

## 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions. Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Avoid temperatures exceeding the flash point. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents. Nitrates. Fluorine. Chlorine. No hazardous decomposition products are known. Hazardous decomposition

products

## 11. Toxicological information

### Information on likely routes of exposure

Inhalation No adverse effects due to inhalation are expected. Skin contact No adverse effects due to skin contact are expected. Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Headache. Coughing.

Information on toxicological effects

**Acute toxicity** 

Product name: 11111-BT207 425 G BETTER THAN BACTERICIDE LB 12PK

SDS CANADA Product #: 1000020730 Version #: 01 Issue date: 05-24-2019

Components **Species Test Results** Ethyl Alcohol (CAS 64-17-5) **Acute** Inhalation LC50 Cat 85.41 mg/l, 4.5 Hours 43.68 mg/l, 6 Hours > 60000 ppm Mouse 79.43 mg/l, 134 Minutes Rat > 115.9 mg/l, 4 Hours 51.3 mg/l, 6 Hours Oral LD50 Monkey 6000 mg/kg Mouse 10500 ml/kg Pig > 5000 mg/kg Rat 10470 mg/kg 7800 ml/kg Morpholine (CAS 110-91-8) **Acute Dermal** LD50 Rabbit 500 mg/kg, 24 Hours 0.31 - 0.81 ml/kg, 24 Hours Oral LD50 900 mg/kg Guinea pig 1050 mg/kg Rat Propane (CAS 74-98-6) **Acute** Inhalation LC50 Mouse 1237 mg/l, 120 Minutes 52 %, 120 Minutes Rat 1355 mg/l 658 mg/l/4h Propylene Glycol Methyl Ether (CAS 107-98-2) **Acute Dermal** LD50 Rabbit > 13000 mg/kg, 24 Hours 14.1 ml/kg, 24 Hours Rat > 2000 mg/kg, Days Inhalation LC100 Rat 10400 ppm LC50 Mouse 6000 - 7000 ppm, 6 Hours Oral LD50 Dog 9000 mg/kg Rat 3739 mg/kg 5.66 ml/kg Sodium Nitrite (CAS 7632-00-0) **Acute** Oral LD50 Rat 180 mg/kg

Components **Species Test Results** 

Triethylene Glycol (CAS 112-27-6)

**Acute** Dermal

LD50 Rabbit 16 ml/kg, 24 Hours

Oral

Rat LD50 > 2000 mg/kg

> 16 ml/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. Direct contact with eyes may cause temporary irritation. Serious eve damage/eve

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

Carcinogenicity

**ACGIH Carcinogens** 

Morpholine (CAS 110-91-8) A4 Not classifiable as a human carcinogen. Propylene Glycol Methyl Ether (CAS 107-98-2) A4 Not classifiable as a human carcinogen.

Canada - Manitoba OELs: carcinogenicity

1-METHOXY-2-PROPANOL (PGME) (CAS 107-98-2) Not classifiable as a human carcinogen.

ETHANOL (CAS 64-17-5) Confirmed animal carcinogen with unknown relevance to humans.

MORPHOLINE (CAS 110-91-8) Not classifiable as a human carcinogen.

IARC Monographs. Overall Evaluation of Carcinogenicity

Morpholine (CAS 110-91-8) 3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

**Aspiration hazard** Not likely, due to the form of the product.

12. Ecological information

Aquatic Crustacea

Fish

**Ecotoxicity** Harmful to aquatic life with long lasting effects.

**Test Results** Components **Species** Ethyl Alcohol (CAS 64-17-5) Aquatic EC50 Crustacea Water flea (Daphnia magna) 7700 - 11200 mg/l, 48 hours Fish LC50 Fathead minnow (Pimephales promelas) > 100.1 mg/l, 96 hours Morpholine (CAS 110-91-8) Aquatic Fish LC50 Zebra danio (Danio rerio) > 1 mg/l, 96 hours Propylene Glycol Methyl Ether (CAS 107-98-2) Aquatic Crustacea EC50 Daphnia 23300 mg/L, 48 Hours Sodium Nitrite (CAS 7632-00-0)

Greasyback shrimp (Metapenaeus

EC50

LC50

Rainbow trout, donaldson trout 0.15 - 0.25 mg/l, 96 hours (Oncorhynchus mykiss)

ensis)

Product name: 11111-BT207 425 G BETTER THAN BACTERICIDE LB 12PK Product #: 1000020730 Version #: 01 Issue date: 05-24-2019

16.14 - 26.61 mg/l, 48 hours

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Components Species Test Results

Triethylene Glycol (CAS 112-27-6)

Aquatic

Crustacea EC50 Daphnia 42426 mg/L, 48 Hours

Water flea (Daphnia magna) 48.9 - 56 mg/l, 48 hours

Fish LC50 Bluegill (Lepomis macrochirus) > 10000 mg/l, 96 hours

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

Ethyl Alcohol -0.31 Morpholine -0.86 Propane 2.36

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents

under pressure. Do not puncture, incinerate or crush. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international

regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

**Hazardous waste code**The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal. Do not re-use empty containers.

## 14. Transport information

**TDG** 

UN number UN1950

**UN proper shipping name** AEROSOLS, flammable

Transport hazard class(es)

Class 2.1 Subsidiary risk -

Packing group Not applicable.

Environmental hazards D

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

**IATA** 

UN number UN1950

**UN proper shipping name** Aerosols, flammable

Transport hazard class(es)

Class 2.1
Subsidiary risk -

Label(s) 2.1

Packing group Not applicable.

**Environmental hazards** No. **ERG Code** 10L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo

aircraft

Allowed with restrictions.

Cargo aircraft only Allowed with restrictions.

Product #: 1000020730 Version #: 01 Issue date: 05-24-2019

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

#### **IMDG**

**UN number** UN1950 **UN proper shipping name** AEROSOLS

Transport hazard class(es)

Class 2.1 Subsidiary risk -Label(s) 2.1

Packing group Not applicable.

Not applicable.

**Environmental hazards** 

 $\begin{tabular}{ll} \mbox{Marine pollutant} & \mbox{No.} \\ \mbox{EmS} & \mbox{F-D, S-U} \\ \end{tabular}$ 

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and

Annex II of MARPOL 73/78 and the IBC Code

IATA; IMDG; TDG



## 15. Regulatory information

## Canadian regulations

**Controlled Drugs and Substances Act** 

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

**Greenhouse Gases** 

Not listed.

**Precursor Control Regulations** 

Not regulated.

## International regulations

**Stockholm Convention** 

Not applicable.

**Rotterdam Convention** 

Not applicable.

**Kyoto protocol** 

Not applicable.

**Montreal Protocol** 

Not applicable.

**Basel Convention** 

Not applicable.

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (FINECS)	No

Country(s) or region Inventory name On inventory (yes/no)\* Europe European List of Notified Chemical Substances (ELINCS) Inventory of Existing and New Chemical Substances (ENCS) Japan No Existing Chemicals List (ECL) Korea No New Zealand New Zealand Inventory No **Philippines** Philippine Inventory of Chemicals and Chemical Substances No (PICCS)

Toxic Substances Control Act (TSCA) Inventory

Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

#### 16. Other Information

Issue date 05-24-2019

Version # 01

United States & Puerto Rico

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

Product and Company Identification: Product and Company Identification **Revision information** 

Product name: 11111-BT207 425 G BETTER THAN BACTERICIDE LB 12PK

SDS CANADA 10 / 10 Product #: 1000020730 Version #: 01 Issue date: 05-24-2019