

AEROX™

www.aeroxsupply.com
Automotive Repair Tools & Products

AEROX SUPPLY INC.

6660 KENNEDY ROAD,
SUITE#201, MISSISSAUGA,
ONTARIO- L5T 2M9
PH#905-226-9239
INFO@AEROXSUPPLY.COM



FLEET & VEHICLE MAINTENANCE



Load Binders & Winches
Floor, Bottle & Transmission Jacks
Wheel Chocks

Logistics Straps, Jack Bars, Tie Downs & Chains
Tire..Servicing Tools



Portable Power Source, Booster Cables & Batteries
Wiper Blades
Automotive Bulbs.

Automotive Cleaning Brushes
Automotive Chemicals, Cleaners & Wiper Fluid
Motor Oils & Grease
Antifreeze & Coolants.



Snow Brushes, Shovels & Safety Flares
Parts Cleaners & Funnels
Lubrication Equipment, Grease
Guns, Oil Cans & Accessories
Gasket Cutter



AUTOMOTIVE

LOAD BINDERS

- Forged and heat treated
- With two strong, full rotation swivels
- Profiled mid-section to give extra stability
- Working load limit rating embossed on handle



Model No.	Chain Size"	WLL lbs.	Wt. lbs.	Type	Price /Each
LT465	1/4 - 5/16	2600	3.5	Lever Chain	
LT466	5/16 - 3/8	5400	8.1	Lever Chain	
LT467	3/8 - 1/2	9200	12.4	Lever Chain	
LT462	1/4 - 5/16	2600	3.7	Ratchet Chain	
LT463	5/16 - 3/8	5400	10	Ratchet Chain	
LT464	3/8 - 1/2	9200	12.9	Ratchet Chain	
LT468	5/16 - 3/8	5400	8.9	Recoil Chain	

GRADE 70 TRANSPORT CHAIN TIE-DOWNS

- Manufactured in accordance with the Department of Transportation regulations
- Each assembly has a rating tag attached to meet NSC Standard 10 requirements
- Includes grade 70, alloy steel clevis grab hooks on each end
- Designed for use in cargo securement, towing and logging
- Grade 70 chains must not be used for overhead lifting
- High quality stamped grade 70 chain links
- Yellow chromate finish
- Design factor 4:1



Model No.	Chain Length"	Trade Size	Working Load Limit	Price /Each
LU982	20' (6.1 m)	5/16"	4700 lbs. (2.35 tons)	
LU983	25' (7.6 m)	5/16"	4700 lbs. (2.35 tons)	
LU984	20' (6.1 m)	3/8"	6600 lbs. (3.3 tons)	
LU985	25' (7.6 m)	3/8"	6600 lbs. (3.3 tons)	

SINGLE SPEED TRAILER WINCHES

- Clear Zinc finish for superior corrosion resistance
- Solid drum gear construction delivers smooth cranking & durability
- Designed to meet your toughest pulling demands
- 5 year limited warranty
- Corrosion protection, tested up to 600 hour salt spray rating as per ASTM B117
- For use with strap or rope



Model No.	Mfg No.	Rope Storage Cap.	Strap Storage Cap.	Strap Included /Not Included	Rope Included /Not Included	Recommended Strap Bolt Sizes	Working Load Limit	Gear Ratio	Handle Length"	Price /Each
LV332	142001	36' x 1/4"	15' x 2"	Not Included	Not Included	1/4" x 2-1/2" Grade 5	900 lbs. (409 kg)	39:1	7	
LV333	142006	36' x 1/4"	12' x 2"	Included	Not Included	1/4" x 2-1/2" Grade 5	900 lbs. (409 kg)	39:1	6	
LV334	142100	30' x 5/16"	20' x 2"	Not Included	Not Included	1/4" x 2-1/2" Grade 5	1100 lbs. (500 kg)	43:1	7	
LV335	142102	30' x 5/16"	20' x 2"	Included	Not Included	1/4" x 2-1/2" Grade 5	1100 lbs. (500 kg)	43:1	7	
LV336	142103	30' x 5/16"	20' x 2"	Not Included	Not Included	1/4" x 2-1/2" Grade 5	1300 lbs. (500 kg)	49:1	8	
LV337	142320	N/A	20' x 2"	Included	Not Included	5/16" x 2-1/2" Grade 5	1400 lbs. (636 kg)	43:1	8	
LV338	142311	N/A	20' x 2"	Included	Not Included	5/16" x 2-1/2" Grade 5	1500 lbs. (681 kg)	43:1	8	
LV339	142200	20' x 5/16"	20' x 2"	Not Included	Not Included	1/4" x 2-1/2" Grade 5	1500 lbs. (681 kg)	49:1	8	
LV340	142203	20' x 5/16"	20' x 2"	Included	Not Included	1/4" x 2-1/2" Grade 5	1500 lbs. (681 kg)	49:1	8	
LV341	142300	20' x 7/16"	20' x 2"	Not Included	Not Included	3/8" x 2-3/4" Grade 5	1800 lbs. (818 kg)	62:1	10	
LV342	142305	20' x 7/16"	20' x 2"	Included	Not Included	3/8" x 2-3/4" Grade 5	1800 lbs. (818 kg)	62:1	10	
LV343	142314	N/A	20' x 2"	Included	Not Included	3/8" x 2-3/4" Grade 5	1800 lbs. (818 kg)	62:1	10	

TWO SPEED TRAILER WINCHES


- Two speed winches includes one fast speed for quick pull-in and second for low speed
- Free-wheel position allows quick line pay out without spinning the handle
- Corrosion protection, tested up to 600 hour salt spray rating as per ASTM B117
- Shift lock holds the shaft in gear
- 5 year limited warranty
- For use with strap only



Model No.	Mfg No.	Cable Storage Cap.	Strap Storage Cap.	Strap Included /Not Included	Rope Included /Not Included	Hub Size	Working Load Limit	Gear Ratio	Handle Length"	Price /Each
LV344	142400	N/A	20' x 2"	Not Included	Not Included	1"	2000 lbs. (909 kg)	87:1	10	
LV345	142410	N/A	20' x 2"	Not Included	Not Included	1"	2600 lbs. (1181 kg)	108:1	10	
LV346	142420	100' x 7/32"	N/A	Not Included	Not Included	1-3/4"	3200 lbs. (1455 kg)	79:1	10	
LV347	142430	90' x 7/32"	N/A	Not Included	Not Included	1-3/4"	3700 lbs. (1682 kg)	102:1	10	

AUTOMATIC BRAKE WINCHES

- Positive holding action of the brake system while raising and lowering loads provides the needed control for safety
- Holds the load securely when the crank handle is released
- Comfort grip handle for a positive hold while cranking
- Working load limit is based on maximum 1st layer rated line pull
- For use with 7 x 19 Aircraft cables only
- 5 year limited warranty
- Corrosion protection, tested up to 600 hour salt spray rating as per ASTM B117
- Handle Length: 11"



Model No.	Mfg No.	Drum Hub Diameter	Covered Gears	Cable Included /Not Included	Working Load Limit	Max. Cable Diameter	Cable Storage Capacity	Gear Ratio	Handle Length"	Price /Each
LV348	143001	2-1/4"	No	Not Included	1000 lbs. (454 kg)	7/32"	50' (15 m)	4.1:1	11	
LV349	143005	2-1/4"	Yes	Not Included	1000 lbs. (454 kg)	7/32"	50' (15 m)	4.1:1	11	
LV350	143100	2-1/2"	No	Not Included	1500 lbs. (681 kg)	1/4"	70' (21 m)	5.1:1	11	
LV351	143104	2-1/2"	Yes	Not Included	1500 lbs. (681 kg)	1/4"	70' (21 m)	5.1:1	11	
LV352	143200	3-1/8"	No	Not Included	2500 lbs. (1136 kg)	5/16"	70' (21 m)	15.8:1	11	

HYDRAULIC BOTTLE JACKS

- Designed for vertical use only
- Large heavy-duty base for added stability and strength
- Heavy steel saddle for secure lifts
- Factory pre-tested for 50% reserve capacity

MODEL NOS. TS322, LA816 & LA817

- Extra heavy-duty applications including bridge construction, renovation, house moving and hydraulic presses

MODEL NOS. LA818 & LA819 SHORT SERIES

- **Applications:** industrial, agricultural, construction, and automotive lifting, pushing, bonding and straightening

STRONGARM

Model No.	Capacity Tons	Type	Lowered Height"	Raised Height"	Screw Ext."	Lift"	Wt. lbs.	Price /Each
LA808	2	Single Pump	6 1/4	12 1/2	2 1/2	3 3/4	6	
LA809	4	Single Pump	6 3/4	12 1/4	2 1/4	3 1/4	8	
LA810	6	Single Pump	8	16	2 3/4	5 1/4	11	
LA811	8	Single Pump	7 3/4	15 3/4	2 3/4	5 1/4	13	
LA812	12	Single Pump	8 1/2	17	2 3/4	5 3/4	17	
LA814	20	Single Pump	9 1/2	18 1/4	2 1/2	6 1/4	27	
TS322	30	Heavy-Duty Single Pump	11 1/4	18 3/4	-	7 1/2	44	
LA816	50	Heavy-Duty Single Pump	11 3/4	19 3/4	-	8	74	
LA817	50	Heavy-Duty Double Pump	11 3/4	19 3/4	-	8	94	
LA818	12	Short Series Single Pump	7	13	2	4	15	
LA819	20	Short Series Single Pump	7 3/4	14 3/4	2 1/2	4 1/2	23	



LA818
12 Ton Short Series



TS322
30 Ton Heavy-Duty



LA812
12 Ton Single Pump



LA817
50 Ton Heavy-Duty Double Pump

LOW PROFILE HYDRAULIC FLOOR JACKS

- Sturdy heavy duty steel construction
- Welded chassis with reinforcing rims
- Engineered to withstand daily workshop use on passenger vehicles and vans
- Features high lifting capacities
- Quick operation design with two pumps and one foot pedal
- Comfortable hand grip
- Oil and acid resistant plastic wheels
- Construction: Steel



Model No.	Capacity Tons	Lowered Height"	Raised Height"	Length"	Wt. lbs.	Price /Each
LU031	2	3.5	21.6	29.5	86	
LU032	3	3.5	21.6	30.7	92	

JACK STANDS

- Easy to operate
- Safe self locking handle with composite tip and locking pin
- Iron support column and rugged steel frame construction
- Ratchet action for height adjustment



LU046



Priced per Pair

Model No.	Capacity Tons	Lowered Height"	Raised Height"	Wt. lbs.	Price /Each
LU046	2	11	16.7	5.5	
LU047	3	11.8	17.9	6.6	
LU048	6	15.7	24.4	11	

GARAGE JACKS

- Manually operated garage jacks are designed to lift cars, trucks, fork lifts, agricultural and construction equipment with hard to access lift points
- Long chassis easily reaches under overhanging bodies
- The extended reach allows for safe lifting of oversize loads
- Two steel wheels and two swivel casters allow for ease of movement positioning under low clearance axles and other objects
- The foot pedal allows for rapid lift to work load
- Automatic safety valve prevents accidental overloading



LA824

STRONGARM

Model No.	Capacity Tons	Lowered Height"	Raised Height"	Wt. lbs.	Price /Each
LA820	2 1/2	5	19 1/4	93	
LA824	5	6	22 1/2	264	
LA825	10	7	23	373	
LA826	20	7 3/4	23 3/4	500	

SHOPSTANDS

RATCHET SAFETY STANDS

- Heavy duty all steel welded construction with strong welded base for control and stability
- The weight of the load serves as locking mechanism to prevent release under load
- Ratchet bar will safely sustain heavy loads over extended support time



Ratchet

PIN TYPE SAFETY STAND

- 10-ton capacity
- Solid bar-lock pin attached to frame holds saddle firmly in place
- Sturdy tubular construction
- 4 legged base adds stability and support
- Number of positions: 10



Pin

STRONGARM

Priced per Pair

Model No.	Type	Capacity Tons	Lowered Height"	Raised Height"	Base"	Wt. lbs.	Price /Each
LA406	Ratchet	3	11	16	7 x 7 1/2	17	
LA407	Ratchet	6	15 1/2	24	9 x 10 1/2	30	
LA408	Ratchet	12	18	28 3/4	12 x 10 3/4	70	
LA841	Pin	10	30 3/4	46 1/4	16 x 16	110	

AUTOMOTIVE

STINGER SERIES BOTTLE JACKS

- Features forged base and cylinder to provide extra strength and prevent leaks
- Features chromed pump piston and ram to prevent rust
- Comes with seal kit to help extend product life
- Stroke: 4-5/8"
- Length of Screw Extension: 2-3/8"
- Compliant: ANSI & PALD



Model No.	Mfg No.	Lifting Capacity	Lowered Height"	Raised Height"	Operation Type	Dimensions L' x W"	Wt. lbs.	Price /Each
LW048	9302	2 Tons	7	14	Manual Hydraulic	4-5/16 x 2-9/16	5	
LW049	9303	3 Tons	7-1/2	14-9/16	Manual Hydraulic	4-9/16 x 2-7/8	6.2	
LW050	9305	5 Tons	7-13/16	15-5/8	Manual Hydraulic	5-3/16 x 3	8.4	
LW051	9308	8 Tons	7-13/16	15-3/4	Manual Hydraulic	6 x 3-9/16	12.6	
LW052	9312	12 Tons	9-3/8	18-5/8	Manual Hydraulic	6-9/16 x 4-3/16		17.4
LW053	9314	12 Tons	7-1/16	13-5/8	Manual Hydraulic	6-9/16 x 4-3/16	15.1	
LW054	9320	20 Tons	10-5/8	20-7/16	Manual Hydraulic	7 x 4-11/16	27.2	
LW055	9322	20 Tons	7-3/16	12-5/16	Manual Hydraulic	7 x 4-11/16		20.9
LW056	9330	30 Tons	11	17-5/8	Manual Hydraulic	7-11/16 x 6	41	
LW057	9350	50 Tons	11-3/4	18-15/16	Manual Hydraulic	8-11/16 x 7	76.5	

HYDRAULIC BOTTLE JACKS

- Ideal for construction industries
- Safety overload feature prevents use beyond its rated capacity
- Item can be operated manually or pneumatically
- Stroke: 6-1/8"
- Air Pressure: 100-200 psi



Model No.	Mfg No.	Lifting Capacity	Lowered Height"	Raised Height"	Operation Type	Dimensions L' x W"	Price /Each
LW058	4313C	12 Tons	9-1/2	18-3/8	Air Hydraulic	6-3/8 x 7-5/8	
LW059	9321C	20 Tons	9-7/16	17-11/16	Air Hydraulic	8-1/32 x 7-1/16	

Canada's Best Value in Industrial Tools

aurora tools

HIGH-LIFT TRANSMISSION JACK

- Ideal to remove, install and transport various power train assemblies
- Table includes adjustable wooden support blocks and nylon strap
- Table can tilt in various directions to provide better alignment
- Overall Length: 58-3/4"
- Overall Width: 42-3/4"
- Table Size: 20"D x 30-1/2"W



Model No.	Mfg No.	Lifting Capacity	Lowered Height"	Raised Height"	Price /Each
LW006	1585A	0.625 Tons	29-1/2	68-1/2	

SCISSOR TRANSMISSION JACK

- Ideal to remove, install and transport various power train assemblies
- Scissor design allows for larger working platform
- Table features wooden support blocks and strap
- Table can be tilted manually or with non-impact air wrench
- Wheel Diameter: 8"
- Overall Base Dimensions: 33"D x 48"W
- Table Size: 20"W x 32"D
- Tilt Range: 15° side-to-side
- Compliant: ANSI & PALD



Model No.	Mfg No.	Lifting Capacity	Lowered Height"	Raised Height"	Price /Each
LW004	5285	0.825 Tons	31-1/2	74-1/2	

DRIVEMASTER™ TRANSMISSION JACK

- Ideal for larger vehicles with low ground clearance
- Includes differential mounting adapter that fits most class 7 and 8 heavy-duty trucks
- Item can reach a low profile of 6" and has a lifting range of 24" to 30"
- Overall Length: 43"
- Overall Width: 30-1/4"
- Pivoting Handle: +/-15° tilt in all directions



Model No.	Mfg No.	Lifting Capacity	Lowered Height"	Raised Height"	Price /Each
LW002	5130	0.5 Tons	6	30	

LOW-LIFT TRANSMISSION JACK

- Includes transmission adapter that fits most class 7 and 8 heavy-duty trucks
- Pump features fast-acting mechanism that quickly raises lifting arm
- Ideal for trucks with low ground clearance
- Swivel handle allows for easy manipulation in tight work space
- Mounting plate can be tilted with the use of a wrench
- Overall Length: 52"
- Overall Width: 32-1/2"
- Maximum Forward Tilt: 15°
- Max Backward Tilt: 20°
- Maximum Side Tilt: 12°



Model No.	Mfg No.	Lifting Capacity	Lowered Height"	Raised Height"	Price /Each
LW003	5019A	1.1 Tons	8-1/4	36-1/2	

LOW-LIFT TRANSMISSION JACK

- Includes adapter for most class 7 and 8 heavy-duty trucks transmissions
- Safety overload feature prevents use beyond its rated capacity
- Ideal for trucks that have low ground clearance
- Wheel Diameter: 3.5"
- Overall Length: 43-1/2"
- Overall Width: 26"
- Maximum Forward Tilt: 24°
- Maximum Backward Tilt: 18°



Model No.	Mfg No.	Lifting Capacity	Lowered Height"	Raised Height"	Price /Each
LW005	1522A	1 Ton	6-7/8	35-1/4	

LOW-LIFT TRANSMISSION JACK

- Safety overload feature prevents use beyond its rated capacity
- Universal mounting head can be tilted for better alignment and features adjustable brackets
- Includes safety chain to securely hold mechanism in place
- Ideal for vehicles that have low ground-clearance
- Base features handle grips on both sides of the item
- Caster Type: Swivel casters
- Overall Length: 34-1/2"
- Overall Width: 19-3/8"
- Pump Handle Rotation: 360°
- Maximum Forward Tilt: 67°
- Maximum Backward Tilt: 17°
- Maximum Side Tilt: 30°



Model No.	Mfg No.	Lifting Capacity	Lowered Height"	Raised Height"	Price /Each
LW007	1521A	0.5 Tons	7-1/2	29-3/4	

AUTOMOTIVE

HIGH-LIFT TRANSMISSION JACK

- Ideal for larger vehicles such as trucks and buses
- Oversized base and heavy wall tubing provide better stability
- Convenient foot-operated air pump provides smoother handling and positioning
- Base Dimension: 46"D x 46"W
- Maximum Forward Tilt: 50°
- Maximum Backward Tilt: 38°
- Maximum Side Tilt: 14°
- Manufacturer Warranty: OTC Lifetime Marathon Warranty*



Model No.	Mfg No.	Lifting Capacity	Lowered Height"	Raised Height"	Price /Each
LW001	5078	1 Ton	41-1/2	65	

HIGH-LIFT TRANSMISSION JACK

- Safety overload feature prevents use beyond its rated capacity
- Universal mounting head can be tilted for better alignment and features adjustable corner brackets
- Includes safety chain to securely hold mechanism in place
- Caster Material: Polyurethane
- Caster Type: 2 swivel casters and 2 locking swivel casters
- Base Dimension: 37-1/8"D x 37-1/8"W
- Maximum Forward Tilt: 24°
- Maximum Backward Tilt: 19°
- Maximum Side Tilt: 20°



Model No.	Mfg No.	Lifting Capacity	Lowered Height"	Raised Height"	Price /Each
LW012	1793A	0.5 Tons	35	71-5/8	

TWO-STAGE TRANSMISSION JACK

- Air-assist primary stage is designed to quickly raise mounting head
- Hydraulic secondary stage is used to accurately align the adapter with the transmission
- Safety overload feature prevents use beyond its rated capacity
- Includes safety chain to securely hold mechanism in place
- Foot pedal is used during the primary stage and hand pump is used during the secondary stage
- Caster Material: Polyurethane
- Caster Type: 2 swivel casters and 2 locking swivel casters
- Base Dimension: 37-1/8"D x 37-1/8"W
- Maximum Forward Tilt: 42°
- Maximum Backward Tilt: 46°
- Maximum Side Tilt: 12°



Model No.	Mfg No.	Lifting Capacity	Lowered Height"	Raised Height"	Price /Each
LW010	1794A	0.5 Tons	37-5/8	76-1/2	

TWO-STAGE TRANSMISSION JACK

- Features two-stage hydraulic cylinder design
- Includes folding foot pedal for added precision and control
- Features universal mounting head with wide tilt range for better alignment
- Base Dimension: 41"L x 41"W
- Maximum Forward Tilt: 50°
- Maximum Backward Tilt: 20°
- Maximum Side Tilt: 10°
- Handle Type: Ergonomic
- Compliant: ANSI & PALD



Model No.	Mfg No.	Lifting Capacity	Lowered Height"	Raised Height"	Price /Each
LW009	5237	0.5 Tons	34-1/2	75	

TWO-STAGE TRANSMISSION JACK

- Air-assist primary stage is designed to quickly move adapter into position
- Hydraulic secondary stage is used to accurately align the adapter with the transmission
- Safety overload feature prevents use beyond its rated capacity
- Convenient foot pedal provides smoother and faster handling
- Caster Type: Locking swivel casters
- Base Dimension: 41"D x 41"W
- Maximum Forward Tilt: 50°
- Max Backward Tilt: 20°
- Maximum Side Tilt: 10°
- Manufacturer Warranty: OTC Lifetime Marathon Warranty*



Model No.	Mfg No.	Lifting Capacity	Lowered Height"	Raised Height"	Price /Each
LW008	1728	0.5 Tons	34-1/2	75	

ZENITH
Safety Products

SAFETY PRODUCTS
FOR INDUSTRY

HYDRAULIC SERVICE JACKS

- Features rear swivel casters and larger front wheels for maximum mobility
- Front wheels feature bearings and steel frames
- Features spring-loaded handle that can be locked in three positions
- Air Pressure: 80-120 PSI
- Saddle Diameter: 6-5/8"
- Overall Reach: 87"
- Frame height: 8"
- Handle Length: 40"



Model No.	Mfg No.	Lifting Capacity	Lowered Height"	Raised Height"	Operation Type	Price /Each
LW029	1507B	5 Tons	5-7/8	22	Air Hydraulic	
FLU070	HD110P	10 Tons	6-3/8	22	Air Hydraulic	

LOW-PROFILE SERVICE JACK

- Features rear metal wheels and front swivel casters with mounted bearings
- Handle locks in three different positions
- Both foot pedal and handle can be used to operate lifting mechanism
- Lifting Capacity: 20 Ton(s)
- Lowered Height: 7-1/2"
- Raised Height: 24"
- Operation Type: Manual Hydraulic
- Saddle Diameter: 7-1/2"
- Overall Reach: 97"
- Frame Height: 10-1/4"
- Handle Length: 42"
- Floor space: 18-1/8" to 61-3/8"



Model No.	Mfg No.	Price /Each
LW037	1512	

2-TON FOLDING SHOP CRANE

- 8-ton hydraulic ram features top-of-stroke and safety overload bypass system for maximum pump protection
- Compact design uses less garage space when not in use
- 4-position boom extends from 41" to 62-1/4"
- Fold-up legs extend to 65" with safety pins



Model No.	Mfg No.	Capacity	Weight Lbs.	Price /Each
LA561	KFC-2TC	4000 lbs. (2 tons)	205	

ENGINE STANDS

- Stands feature H or U shaped design for stability
- Heavy-duty welded steel base for durability
- 360° rotating head allows engines to be placed in the desired work position
- Full swivel casters allow for mobility



Model No.	Capacity Tons	Base Length"	Stand Height"	Front Width"	Rear Width"	Wt. lbs.	Price /Each
LA844	1/2	36	34-3/4	31	33-1/4	55	
LA938	5/8	34	34	33	33	83	

SERVICE JACK

- Features rear swivel casters and larger steel front wheels for maximum mobility
- Front wheels feature bearings and steel frames
- Handle features lock-and-release mechanism for better control
- Convenient foot pump provides better handling
- Saddle Diameter: 5-1/8"
- Overall Reach: 47"
- Frame Height: 7-3/4"
- Handle Length: 40"
- Floor space: 14-3/4" to 56"



Model No.	Mfg No.	Lifting Capacity	Lowered Height"	Raised Height"	Operation Type	Price /Each
FLU025	HDJ5	5 Tons	6	22	Manual Hydraulic	
LW036	1510B	10 Tons	6-1/4	22	Manual Hydraulic	

STINGER SERIES SERVICE JACK

- Safety overload feature prevents use beyond its rated capacity
- Reinforced construction provides better stability
- Compact design makes item easy to manipulate and handle
- Lifting Capacity: 2.25 Ton(s)
- Lowered Height: 5"
- Raised Height: 18"
- Operation Type: Manual Hydraulic
- Saddle Diameter: 4"
- Overall Reach: 21"
- Frame Height: 6-1/2"
- Handle Length: 39-1/2"
- Floor space: 13-1/2"W x 24-1/2"D



Model No.	Mfg No.	Price /Each
LW024	5302	

AUTOMOTIVE

ALUMINUM SERVICE JACK & STAND PACK

- Pack includes 1 service jack and 2 jack stands
- Ideal for ground-hugging high-performance cars
- Jack stand features 6 holding positions to accommodate vehicles with low or high heights
- Made out of aircraft-grade aluminum for easy transport
- Service jack can go underneath vehicles as low as 3.4" by removing the saddle
- Service jack features quick-lift system where vehicles get in the air with only 5 pumps
- Jack stand has a minimum height of 9.5" and a maximum height of 15.16"
- Jack stands features a flat round base to prevent damages to surfaces
- Service jack features mounted handles on either side
- Lifting Capacity: 2 Ton(s) • Lowered Height: 3-1/4"
- Raised Height: 18-1/2" • Operation Type: Manual Hydraulic
- Service Jack Weight: 41 lbs. • Wheel Diameter: 2.5"
- Caster Diameter: 1.75" • Handle Length: 47.625"
- Service Jack Saddle Diameter: 4.5"
- Jack Stand Saddle Size: 2.17"W X 1.97"D
- Jack Stand Base Diameter: 7"
- Jack Stand Weight: 4.7 lbs.
- Service Jack Meets: ASME PASE-2014



Model No.	Mfg No.	Description	Price /Each
LW020	1533A	Jack & Stand	
LW019	1582A	Stand	
FLU021	LDJA2	Jack	



STINGER SERIES SERVICE JACK & STAND PACK

- Pack includes 1 service jack and 2 jack stands
- Service jack features reinforced construction for better stability
- Service jack features safety overload system that prevents use beyond its rated capacity
- Jack stand features 11 holding heights to accommodate various vehicles with low or high heights
- Jack stand features welded foot pads that prevent item from sinking into soft ground or asphalt
- Compact design makes items easy to manipulate and handle
- Lifting Capacity: 3 Ton(s)
- Lowered Height: 5-3/4"
- Raised Height: 18-1/2"
- Operation Type: Manual Hydraulic
- Saddle Diameter: 4"
- Overall Reach: 21"
- Frame Height: 6-1/2"
- Handle Length: 39-1/2"
- Floor space: 13-1/2"W X 24-1/2"D
- Jack Stand Lock Type: Locking Handle/Ratchet
- Jack Stand Height Range: 12" to 17-11/16"
- Jack Stand Base: 8-1/4"W x 7-1/2"D
- Jack Stand Weight: 7.25 lbs.



Model No.	Mfg No.	Description	Price /Each
LW026	5300	Jack & Stand	



CANADA'S LEADING MATERIAL HANDLING SUPPLIER

FORKLIFT JACK

- Ideal for agriculture and industrial applications
- Primary saddle can handle fork lift trucks with flat or edged surfaces
- Can lift 4 tons with low height of 2-5/32" and lift 5 tons when lifting from cylinder saddle
- Weight: 95 lbs.
- Complies with: ASME-PALD



Model No.	Mfg No.	Lifting Capacity	Lowered Height"	Raised Height"	Price /Each
LW038	5214	5 Tons	2-5/32	17-15/16	

FORKLIFT JACK

- Two-position lift pad can handle fork lift trucks with flat or edged surfaces
- Can lift 4 tons with low height of 2-5/8"
- Handle Length: 30"



Model No.	Mfg No.	Lifting Capacity	Lowered Height"	Raised Height"	Price /Each
LW039	1540	4 Tons	2-1/4	16-1/4	

HEAVY-DUTY AXLE JACK

- Ideal for lifting loaded trailers and trucks
- Includes 2 height adapters for versatility
- Overall Height: 54"
- Overall Width: 12"
- Overall Length: 22"
- PSI Range: 90 - 175 PSI
- Stroke: 4.9375"
- Minimum Lifting Height with Saddle: 8-1/4"
- Maximum Lifting Height with Saddle: 13-1/8"
- Maximum Lifting Height with Screw and Adapter: 21-3/8"
- Handle Length: 48-3/4"
- Compliant: PALD



Model No.	Mfg No.	Lifting Capacity	Lifting Range"	Price /Each
LW015	5292	27.5 Tons	8.25 - 21.375	

END LIFT JACK

- Automatic safety catch activates at 5 different heights
- Feature adjustable saddle position for better stance and stability
- Larger rear tires and larger front casters provide better handling on rougher surfaces such as gravel
- Air Pressure: 100 - 200 PSI
- Adjustable Saddle Distance: 29" to 41-3/4"
- Saddle dimensions: 4"W X 5-1/4"H
- Overall Dimensions: 41"W X 36"D X 67-1/2"H
- Distance From Lift Arm to Floor Support: 12-1/2"
- Manufacturer Warranty: OTC Lifetime Marathon Warranty*



Model No.	Mfg No.	Lifting Capacity	Lowered Height"	Raised Height"	Price /Each
LW013	5292	10 Tons	13	52	

UNDER AXLE JACK

- Bring the versatility of air-assist operation to your shop's lifting tasks
- Self-retracting, spring return feature with long 49-1/2" T-handle lets you easily position jack under vehicles with long overhangs
- One pull of the handle activates the self-retracting 22-ton capacity ram without having to crawl underneath the vehicle
- Large rubber-tired steel wheels for maneuverability and movement on most types of terrain
- Three included saddle attachments for multiple height adjustments based on vehicle being lifted (3/4", 1-15/16", and 3-7/8" lengths)
- Ideal size for safely lifting heavy-duty vehicles
- Meets all 5 ASME PASE-2019 safety standards for service jacks
- Overall Height: 8-1/4"
- Overall Width: 11-3/4"
- Overall Length: 22-3/5"
- Air Pressure: 90 - 145 PSI
- Reach: 69.87"
- Saddle: 3" Diameter, round with centre notch
- Frame Height: 8.27"
- Footprint: 22.63" x 11.73"
- Wheels: (2) 7.88" Fixed, rubberized steel
- Manufacturer's Warranty: Limited lifetime



Model No.	Mfg No.	Lifting Capacity	Lifting Range"	Price /Each
FLU071	100893	22 Tons	8.27 - 20.67	



AUTOMOTIVE

PORTABLE FLOOR CRANES

- Features 2-speed hydraulic hand pump for fast and easy lifting
- Convenient fold up design maximizes use of floor space
- Includes steel lifting chain with length of 16-7/8"
- Capacity with Boom Extended and Retracted: 1650 lbs. and 2200 lbs.
- Overall Height (Boom/Arm Extended): 117"
- Overall Height (Boom/Arm Horizontal): 20"
- Effective Boom Reach (Retracted and Extended): 33" and 48"
- Overall Length: 83"
- Dolly Wheel Diameter (Rear Wheels): 5"
- Front Wheels Diameter: 6"
- Chain Type: Grade 43



Model No.	Mfg No.	Capacity	Arm Length"	Overall Height"	Lift'	Price /Each
LW040	1819	2200 lbs. (1.1 tons)	48	80	9.75	
LW041	1820	4400 lbs. (2.2 tons)	50-1/2	82	10.17	

PORTABLE FOLDING CRANES

- Convenient fold-up design is ideal for maximizing use of floor space
- Capacity with Boom Extended and Retracted: 500 lbs. and 2000 lbs.
- Overall Height (Boom/Arm Extended): 94"
- Overall Height (Boom/Arm Horizontal): 87"
- Effective Boom Reach (Retracted and Extended): 24" and 36"
- Leg Width: 32-1/2"
- Rear Casters Diameters: 3-1/2"
- Front Wheels Diameter: 5-7/8"



Model No.	Mfg No.	Capacity	Arm Length"	Overall Height"	Lift'	Price /Each
LW044	2002	2000 lbs. (1 tons)	36	57	7.83	
LW045	2004	4000 lbs. (2 tons)	48	81	8.67	

COMBINATION SERVICE JACK

- Service jack doubles as a jack stand by using locking pin
- Features removable 40" handle and 8" air hose
- Operation Type: Air Hydraulic
- Stroke: 10-7/8"
- Load Capacity: 10 Tons at 200 PSI air pressure
- Manufacturer Warranty: OTC Lifetime Marathon Warranty"



Model No.	Mfg No.	Lifting Capacity	Lowered Height"	Raised Height"	Price /Each
LW011	1591B	10 Tons	18-3/4	50-1/2	

PORTABLE FLOOR CRANES

- Boom length can be adjusted to handle 2 tons, 2.5 tons and 3 tons
- Maximum Boom Height for 2 Tons, 2.5 Tons, and 3 Tons: 161-7/8", 150-11/16", and 139-1/2"
- Minimum Boom Height for 2 Tons, 2.5 Tons, and 3 Tons: 6", 17-3/8", and 28-3/4"
- Inside Leg Length for 2 Tons, 2.5 Tons, and 3 Tons: 91-11/16", 76-1/8", 43-1/4"
- Leg Height: 9-1/16"
- Wheel Diameter: 8"
- Dolly Wheel Diameter: 5"



Model No.	Mfg No.	Pump Type	Capacity	Arm Length"	Overall Height"	Lift'	Price /Each
LW042	1814	Electric Hydraulic Pump	6000 lbs. (3 tons)	94-1/4	87	13.49	
LW043	1813	Hydraulic Hand Pump	6000 lbs. (3 tons)	94-1/4	87	13.49	

AUTOMOTIVE SLINGS


- Item can only be used in conjunction with floor cranes
- Hooks and chain are forged together for added security and strength
- Speed handle and hex drive required to tilt or level the sling



Model No.	Mfg No.	Capacity	Chain Size"	Chain Length"	Hook Type	Chain Grade	Price /Each
LW046	1805	2000 lbs. (1 tons)	1/4	56-1/2	Oblong & Slip	43	
LW047	1806	4000 lbs. (2 tons)	5/16	65-3/4	Oblong & Slip	70	

VEHICLE LIFT PACK

- Pack includes 2 vehicle lifts and must be used together to lift vehicles
- Item lifts vehicles from the tires and not from the frame or axle members
- Ideal for lifting class 7 and 8 tractors
- Ideal for situations where there is limited ground-clearance or lack of clear access
- Items can function as a support stands when retention pin is inserted
- Capacity is based on items being used in pairs
- Overall Height: 53-1/4"
- Overall Width: 41-1/2"
- Overall Length: 39-1/2"
- Air Pressure: 150 PSI
- Saddle Width: 19-1/2" to 24-1/2" dia. rim sizes
- Manufacturer Warranty: OTC Lifetime Marathon Warranty"



Model No.	Mfg No.	Lifting Capacity	Lifting Range"	Price /Each
LW014	1520	11 Tons	0 - 24	

HIGH-LIFT TRANSMISSION JACKS

SINGLE STAGE

- Overall max height of 74 3/4"
- Release valve designed for controlled lowering
- Head can be tilted 15° forward and 10° backward for proper alignment of splines and bolt holes
- Adapter and safety chain included



LA815

TWO STAGE

- Rugged and stable enough to handle car and light truck transmissions
- Carrier tilts for precise alignment
- Two-stage hydraulic ram
- Wide base with swivel casters assures safe, stable load distribution
- Specially finished ram, pump and piston ensure prolonged seal life
- Safety chain included



LA830

LA831

STRONGARM

Model No.	Capacity lbs.	Stage	Lowered Height"	Raised Height"	Forward Tilt	Backward Tilt	Left Tilt	Right Tilt	Wt. lbs.	Price /Each
LA815	1000	Single	45	71	30°	15°	-	-	96	
LA830	1000	Two	33 1/2	72 1/2	40°	15°	50°	20°	203	
LA831	2000	Two	33 1/2	72 1/2	40°	15°	50°	20°	242	

HEAVY-DUTY CLUTCH JACKS

- Designed to make installation, removal and transportation of 14" and 15 1/2" truck clutches simple for one technician
- Patented clutch head assembly turns 360° and can pivot up and down
- Optional accessories make this a versatile tool for around the shop
- Includes 2" and 1 3/4" splines
- Minimum height: 13"
- Maximum height: 39"
- Capacity: 500 lbs.
- Weight: 138 lbs.


Model No. LT221
Price/Each \$



LT221

ACCESSORIES

Model No.	Description	Wt. lbs.	Price /Each
LT225	Flywheel Adaptor	6	
LT226	Drive Shaft Adaptor	18	
LT229	Differential Adaptor	30	



LT225



LT226



LT229

STRONGARM

10" X 14" CAUTION SIGNS

- Black letters on yellow field
- Material: Vinyl
- Display Type: Adhesive



SGM049



SEE554

Model No.	Description	Price /Each
SGM049	English Caution Sign	
SEE554	French Caution Sign	

RAIL CHOCKS

- These rugged steel rail chocks provide an effective means of blocking railcars for safe loading and unloading
- Steel points on chock heads bite into rail to prevent sliding. Standard finish in railroad maintenance yellow
- Integral 7 1/2" x 9 1/2" sign reads "chock"
- Single rail chock for stoppage in one direction; double rail chock for stoppage in both directions (with rubber strap and hooks for greater tension)
- Choice of exposed (above ground) or flush (level with ground) chocks




KH021



KH015

Model No.	Description	Wt. lbs.	Price /Each
FOR EXPOSED RAIL			
KH016	Single Chock	12	
KH021	Double Chock	16	
FOR FLUSH RAIL			
KH015	Single Chock	12	
KH020	Double Chock	16	

WHEEL CHOCKS




PREVENT ACCIDENTS!

Chocks are designed to provide maximum gripping power on practically any surface, wet or dry. They are resistant to sun, moisture, salt, oil and meet OSHA requirements

KLETON

RUBBER WHEEL CHOCKS

- Constructed of reinforced rubber
- Resists tearing, abrasions, impacts, corrosion, sun, salt, and oil



Model No.	Description	Approx. Size			Wt. lbs.	Price /Each
		W"	L"	H"		
KH032	Steel Ring On Back	6-1/2	9-1/2	7-1/2	12.5	
KH600	Handle On Side	8	9	6	10	
KH601	Traditional Eyebolt On Side	8	9	6	10	
KH893	Handle On Back	7-1/8	9-7/8	7-1/2	9.5	
KI252	Handle On Back	8-5/8	10-5/8	7	22	

URETHANE WHEEL CHOCK

- Safety orange for greater visibility
- Molded-in hole through width of chock for attaching security chain (chain sold separately)
- Overall size: 11" L x 8" W x 8" H


Model No. KH897
Price/Each \$



ICE CHOCK


- Formed steel
- "Tooth" like bottom assures reliable grip
- Maximum holding power for snow and ice
- Overall dimensions: 10 1/2" L x 8" W x 9 1/4" H
- Powder-coated safety yellow finish for high visibility

Model No. KH964
Price/Each \$



LAMINATED RUBBER CHOCK

- Designed to fit curvature of tire for a strong grip
- Extra heavy duty laminated rubber and steel construction for use with heavy utility trucks and equipment.
- Load capacity: Up to 40 000 lbs.



Model No.	Approx. Size W" x L" x H"	Wt. lbs.	Price /Each
KH603	8 x 8 x 8	14	

ALUMINUM WHEEL CHOCKS

High in strength but lightweight. Resists the effects of oil, salt, corrosion and weather. Non-sparking.



IRON WHEEL CHOCKS

Suited for your toughest jobs.

Colour:

- KH799 - Blue
- KH951 - Safety Yellow
- KH017 - Natural



Model No.	Dimensions				Wt. lbs.	Price /Each
	W"	x	L"	x		
KH023	7	x	6	x	6	4
KH801	9 1/2	x	15	x	6 1/2	4
KH022	7	x	11 1/2	x	8	6



Model No.	Chock Material	Dimensions				Wt. lbs.	Price /Each
		W"	x	L"	x		
KH951	Ductile Iron	8 1/2	x	7 1/4	x	8 1/2	15
KH799	Ductile Iron	8	x	12	x	9	19
KH017	Ductile Iron	10	x	10 1/2	x	10 3/4	23

WHEEL CHOCK ACCESSORIES

18' SECURITY CHAIN W/HOOK

- Weight: 4 lbs.
- Model No. KH027
Price/Each \$



KLETON

WHEEL CHOCK WALL BRACKETS

- Sturdy yellow metal construction
- Fits wheel chocks up to 10" wide
- Prevents loss of chock

Model No. KH963
Price/Each \$



KLETON

WHEEL CHOCK REFERENCE GUIDE

Select a wheel chock based on the gross operating weight and tire diameter of the vehicle.



TIRE DIAMETER RANGE

	Up to 32" Dia.	Up to 35" Dia.	Up to 38" Dia.	Up to 46" Dia.	Up to 65" Dia.	Up to 95" Dia.	Up to 105" Dia.	Up to 142" Dia.	Up to 165" Dia.	
GROSS VEHICLE OPERATING WEIGHT	Up to 30 000 lbs.	KH971 KH966	KH971	KH968	KH968	KH977 M0005	KH978	KH978	—	—
	Up to 40 000 lbs.	KH970 KH967	KH970	KH969	KH969	KH977 M0005	KH978	KH978	—	—
	Up to 50 000 lbs.	KH967	KH968	KH969	KH969	KH977, M0005	KH978	KH978	—	—
	Up to 60 000 lbs.	KH968 KH967	KH968	KH969 KH972 KH973	KH969 KH974 KH975	KH977 M0005	KH978	KH978	—	—
	Up to 70 000 lbs.	KH969	KH969	KH792 KH973	KH974 KH975	KH977 M0005	KH978	KH978	—	—
	Up to 80 000 lbs.	KH792 KH973	KH792 KH973	KH792 KH973	KH974 KH975	KH977 M0005	KH978	KH978	—	—
	Up to 150 000 lbs.	—	—	—	KH974 KH975	KH977 M0005	KH978	KH978	KH980	KH979
	Up to 245 000 lbs.	—	—	—	KH977	KH977 M0005	KH978	KH978	KH980	KH979
	Up to 366 000 lbs.	—	—	—	—	KH025	KH978	KH978	KH980	KH979
	Up to 550 000 lbs.	—	—	—	—	KH978	KH978	KH978	KH980	KH979
	Up to 855 000 lbs.	—	—	—	—	KH980	KH980	KH980	KH980	KH979
	Up to 1 600 000 lbs.	—	—	—	—	KH979	KH979	KH979	KH979	KH979

Note: A minimum of four wheel chocks must be used for gross vehicle operating weights from 855 000 - 1 600 000 lbs

GENERAL PURPOSE POLYURETHANE WHEEL CHOCKS

- Durable polyurethane construction
- Ideal for use with over-the-road trucks, trailers, pickups and utility vehicles
- Resistant to oils, fuels and solvents
- Easy-grip carrying handle
- Eyebolt for ropes or chains
- Colour: High visibility orange
- Sold per each, designed to be used in pairs



Model No.	Mfg. No	Overall Dimensions L" x W" x H"	Wt. lbs.	Price /Each
KH966	UC1400-4.5	10 x 8 1/2 x 5	4.5	
KH967	UC1400-6	10 x 8 1/2 x 5	6	
KH968	UC1500-4.5	11 1/2 x 9 x 8 1/2	4.5	
KH969	UC1500-6	11 1/2 x 9 x 8 1/2	6	
KH970	UC1700	11 1/4 x 8 x 8 1/4	3.5	
KH971	UC1700	8 1/2 x 7 1/2 x 6 1/4	2	

HEAVY-DUTY POLYURETHANE WHEEL CHOCK

- Max Gross Vehicle Operating Weight: 245 000 lbs.
- For Tire Diameter: 46" to 65"
- Durable polyurethane construction
- Safety orange for greater visibility
- Resistant to oils, fuels and solvents
- Ideal for use with ground vehicles and heavy equipment
- Payloads up to 70 tons when using 2 x wheel chocks
- Sold per each, designed to be used in pairs



Model No.	Colour	Dimensions W" x D" x H"	Wt. lbs.	Price /Each
M0005	Orange	14 x 17 x 14	25	

ALL-TERRAIN HEAVY-DUTY POLYURETHANE WHEEL CHOCKS

- Durable polyurethane construction
- Ideal for use with underground mining equipment, fire fighting and large utility vehicles
- Resistant to oils, fuels and solvents
- Easy-grip carrying handle
- Includes replaceable aluminum traction cleats or rubber pads
- Colour: Safety yellow



Model No.	Mfg. No	Overall Dimensions L" x W" x H"	Base Configuration	Wt. lbs.	Price /Each
KH792	AT3512-AC	15 1/2 x 8 1/2 x 8 1/4	Aluminum Ice Cleat	6.9	
KH973	AT3512-RP	15 1/2 x 8 1/2 x 8 1/4	Rubber Pad	6.7	
KH974	AT3514-AC	21 x 11 1/4 x 12 1/4	Aluminum Ice Cleat	15.7	
KH975	AT3514-RP	21 x 11 1/4 x 12 1/4	Rubber Pad	16.7	

HEAVY-DUTY POLYURETHANE WHEEL CHOCKS

- Durable polyurethane construction
- Ideal for use with ground vehicles and heavy equipment
- Resistant to oils, fuels and solvents
- Easy-grip carrying handle
- Mounting hole for ropes, chains or brackets
- Includes replaceable rubber pads
- Optional studs available for increased traction on snow and ice
- Colour: Safety yellow



Model No.	Mfg. No	Overall Dimensions L" x W" x H"	Wt. lbs.	Price /Each
KH977	MC3009	15 x 15 1/10 x 11	14.5	
KH978	MC3010	17 7/10 x 15 1/2 x 10	19	
KH979	MC3011	24 3/5 x 14 1/2 x 16	32	
KH980	MC3012	21 9/10 x 14 9/10 x 10 3/5	23.75	

MOVING SUPPLIES & TIE DOWNS



LOGISTIC STRAPS

- Designed to handle most interior van loading requirements
- Constructed from resin-coated polyester
- Standard 48" fixed end
- Adjustable ends are sewn captive to avoid loss or theft
- Straps are colour-coded for ease of identification
- Comes in either a ratchet or cam style of tensioning buckle
- Comes standard with CVSA approved rating tag
- Meets both D.O.T and W.S.T.D.A. regulated standards
- Available in industry standard lengths, 12', 16' and 20'
- Special lengths are available upon request



KINEDYNE
The Cargo Control People!™



ND356

Model No.	Mfg. No.	Description	Length'	Width"	Colour	Working Load Limit		Price /Each
						lbs.	kg	
RATCHET STYLE								
ND352	641201	Spring Loaded "E"	12	2	Gold	1000	455	
ND353	641601	Spring Loaded "E"	16	2	Grey	1000	455	
ND354	642001	Spring Loaded "E"	20	2	Blue	1000	455	
PE955	641204	Wire Hook	12	2	Gold	500	230	
PE956	641604	Wire Hook	16	2	Grey	500	230	
PE957	642004	Wire Hook	20	2	Blue	500	230	
CAM BUCKLE STYLE								
ND355	651201	Spring Loaded "E"	12	2	Gold	835	380	
ND356	651601	Spring Loaded "E"	16	2	Grey	835	380	
ND357	652001	Spring Loaded "E"	20	2	Blue	835	380	
PE958	651204	Wire Hook	12	2	Gold	500	230	
PE959	651604	Wire Hook	16	2	Grey	500	230	
PE960	652004	Wire Hook	20	2	Blue	500	230	

HEAVY-DUTY UTILITY STRAPS

- Constructed from resin coated polyester
- Heavy-duty ratchets
- Extremely durable fittings
- Brilliant blue color
- Comes standard with CVSA approved rating tag
- Meets both D.O.T and W.S.T.D.A. regulated standards



KINEDYNE
The Cargo Control People!™

Model No.	Mfg. No.	Description	Length'	Width"	Working Load Limit		Price /Each
					lbs.	kg	
ND361	711681PK	Narrow Wire Hooks	16	1	835	380	
PE961	711681/45PK	Narrow Wire Hooks and Floating "D" Rings	16	1	835	380	
ND905	711386PK	Narrow "U" Wire Hooks	13	1	167	76	
PE962	711587PK	Vinyl Coated "S" Hooks	15	1	500	230	

RATCHET UTILITY STRAPS

- Ideal tie-down straps to use for light-duty jobs
- Ideal for securing loads such as boxes, bicycles, toolboxes, or anything that you don't want moving and rolling around in the back of your truck or trailer
- Corrosion resistant, heat-treated carbon steel ratchet is designed to help achieve maximum tensioning for maximum control
- Heat-treated carbon steel S-hooks that have been manufactured with versatility and strength
- S-hooks are very simple to use and will slip into nearly any type of anchor point
- Hooks are vinyl coated in order to protect the hooks, the cargo, and the vehicle from damage
- Overall Breaking Strength: 1500 lbs. (680 kg)
- Standard(s) Met: WSTDA (Web Sling Tie Down Association)



KINEDYNE
The Cargo Control People!™

Model No.	Mfg. No.	Length'	Width"	Working Load Limit		Price /Each
				lbs.	kg	
FLU024	15531	12	1	500	230	

RATCHET STRAPS

- Designed to handle most type of flat-bed tie-downs
- Constructed from resin-coated polyester
- Standard 18" fixed end
- Comes standard with CVSA approved rating tag and working load limit stencil
- Meets both D.O.T and W.S.T.D.A. regulated standards
- Special lengths are available upon request



ND351

KINEDYNE
The Cargo Control People!™

Model No.	Mfg. No.	Description	Length'	Width"	Working Load Limit		Price /Each
					lbs.	kg	
ND349	513020	Flat Hook	30	2	3335	1513	
ND351	513060	Wire Hook	30	2	1670	757	
PE951	553021	Flat Hook	30	3	5400	2450	
PE952	553036	Wire Hook	30	3	5400	2450	
PE953	553040	Chain Anchor	30	3	5400	2450	
PE954	593021	Flat Hook	30	4	5400	2450	

RATCHET AUTO TIE-DOWNS WITH UNIVERSAL HOOK

- Secure autos inside or on a trailer with floor-mounted E or A logistic tracks
- Cluster hook: "R" hook for GM and Chrysler, "T" hook for Ford and "J" hook for imports



KINEDYNE
The Cargo Control People!™

Model No.	Mfg. No.	Length'	Width"	Working Load Limit		Price /Each
				lbs.	kg	
ND358	15360	7	2	2000	907	

RATCHET STRAP

- Designed to handle most types of flatbed tie-down requirements
- 10,000 lbs. break strength
- Type: Wire Hook



KINEDYNE
The Cargo Control People!™

Model No.	Mfg. No.	Length'	Width"	Working Load Limit		Price /Each
				lbs.	kg	
FLT005	513084	30	2	3333	1511	

WINCH STRAPS

All Kinedyne® winch straps are designed to provide the strength and durability demanded by flat-bed operators today.

- Constructed from resin-coated polyester
- Comes standard with CVSA approved rating tag and working load limit stencil
- Meets both D.O.T and W.S.T.D.A. regulated standards
- Special lengths are available upon request



PE980

KINEDYNE
The Cargo Control People!™

Model No.	Mfg. No.	Description	Length'	Width"	Working Load Limit		Price /Each
					lbs.	kg	
PE980	223020	Flat Hook - Winch Strap	30	2	3335	1513	
PE981	223060	Wire Hook - Winch Strap	30	2	1670	751	
PE982	323021	Flat Hook - Winch Strap	30	3	5400	2450	
PE983	323040	Chain Anchor - Winch Strap	30	3	5400	2450	
PE984	423010	Delta Ring - Winch Strap	30	4	5400	2450	
PE985	423021	Flat Hook - Ratchet Strap	30	4	5400	2450	

SAF-T-LOK BARS

- Designed for economy and ease of operation
- Constructed with high strength industrial round tubing
- Easy to close and lock with its heavy-duty steel rack, handle and cast aluminum housing
- Replaceable molded pivoting rubber feet, 2" x 4" that grip firmly to trailer walls
- Easy to open trigger release
- Adjusts from 90" to 105"
- Optional cargo hoop set, two hoops, which bolts quickly and easily to provide greater area of holding surfaces (installation hardware included)
- Available in either steel or aluminum versions
- Extra long steel version is available upon request



KH575



KH574

KINEDYNE
The Cargo Control People!™

Model No.	Mfg. No.	Description	Wt. lbs.	Price /Each
ND698	10085	Steel Saf-T-Lok Bar	11.4	
KH574	10088	Aluminum Saf-T-Lok Bar	8.5	
KH575	10096	Cargo Hoop Set	13.3	

JACK BARS

- Designed to hold securely in place
- Constructed with high strength industrial square tubing
- Patented quick-release handle assembly which allows the operator to quickly adjust the length of the bar
- Durable jacking mechanism that securely hold the bar in place
- Replaceable molded pivoting 4" x 4" rubber feet, that grip firmly to trailer walls
- Adjusts from 86" to 114"
- Galvanized finish



PE108

KINEDYNE
The Cargo Control People!™

Model No.	Mfg. No.	Description	Wt. lbs.	Price /Each
PE108	JB101XL	Square One Piece Jack Bar	17.2	

LOGISTIC TRACKS



SERIES E TRACK HORIZONTAL

- Material: High strength 12-gauge steel
- Minimum Yield: 50 000 PSI
- Finished: Galvanized
- Weight: 16.2 lb.
- Length: 10 ft.

Model No. ND359

Mfg. No. 43001

Price/Each \$



KINEDYNE
The Cargo Control People!™

Warning:

Welding galvanized material may form toxic fumes. Welding should be done with adequate ventilation.

ROPE TIE-OFFS

- Made with 2" wide 4900G webbing and include 1-27 D-Ring hardware
- Are tagged to comply with North America Cargo Securement Standards
- Working Load Limit: 1,000 lbs.
- Fitting Length: 6"

Model No. PG110

Mfg. No. 660001

Price/Each \$



KINEDYNE
The Cargo Control People!™

CORNER PROTECTORS

- Designed to protect both straps and cargo from damage caused by the load
- Steel protectors feature a corner recess to protect cargo edges
- Material: Steel
- Length: 5"
- Width: 5"

Model No. PG096

Mfg. No. 1863

Price/Each \$



PG096

Model No. PG097

Mfg. No. 1865

Price/Each \$



PG097

KINEDYNE
The Cargo Control People!™

ALUMINUM DECKING/SHORING BEAMS

- For 96" and 102" trailers
- Made from extruded high strength aluminum
- Designed to give maximum strength at the least possible weight
- Keyhole slot allows the beams to be hung and stored in the trailer out of the way when they are not in use
- Decking/Vertical Rating: 2200 lbs. uniformly distributed working load limit
- Head assemblies are all steel, zinc-plated and tapered for ease of operation
- Shoring/Horizontal Rating: 2000 lbs. uniformly distributed working load limit

Note: Working load limits are 1/3 of the ultimate breaking strength.

Model No. ND360

Mfg. No. FE8066-3

Price/Each \$



KINEDYNE
The Cargo Control People!™



CHAINS

Kinedyne® allows consumers to buy chain pre-cut and assembled with grab hook in an "Easy to Carry - Easy to Store Box"

- All Chain is Transportation Grade 70
- Precut to either 16, 20 or 25 foot lengths
- Comes fully assembled with installed grab hooks
- Gold dichromate finish
- All markings & ratings are compliant with the National Association of Chain Manufacturers (NACM)



KINEDYNE
The Cargo Control People!™

Model No.	Mfg. No.	Length'	Chain Size"	Working Load Limit lbs.	kg	Price /Each
PE963	10034-16BX	16	5/16	4700	2135	
PE964	10034-20BX	20	5/16	4700	2135	
PE965	10034-25BX	25	5/16	4700	2135	
PE966	10038-16BX	16	3/8	6600	3000	
PE967	10038-20BX	20	3/8	6600	3000	
PE968	10038-25BX	25	3/8	6600	3000	

MOVING SUPPLIES & TIE DOWNS

MOVING STRAPS

- Allows for the safe movement of appliances and larger items
- Movers can constantly stay in an upright position during the move, reducing the risk of back injuries
- Nylon (5000-lb test)
- Includes: two transport straps, two adjustable straps

Model No. MD223
Price/Each \$



RATCHET TIE-DOWNS



CargoLoc™

Model No.	Description	Rated Capacity lbs.	Price /Each
PC496	14' x 1" Ratchet Tie-Down with "S" Hooks	1500	

CARGO NETS

- Durable stretch bungee cord material
- High tensile durable plastic hooks
- Size: 72" x 96"
- 32 hooks

Model No. PC502
Price/Each \$



CargoLoc™

TWIN WIRE™ 10-PC. BUNGEE CORD SETS

- Two wires in the hook offer twice the strength
- Rounded hook end eliminates risk of scratching
- Colour-coded for quick and easy length identification
- Includes: two each of 18", 24", 32", 40" and 10" mini bungee cords

Model No. PE067
Mfg. No. 3043DAT
Price/Each \$



Master Lock®

BUNGEE CORDS

- Premium-quality cord with high tensile strength hooks
- Colour-coded by size for easy identification



FULLER®

Model No.	Mfg. No.	Length"	Colour	Price /Each
PG023	501-0122	36	Orange	
PG024	501-0117	18	Blue	
PG025	501-0111	24	Red	

RUBBER TIE DOWNS

- Material: EPDM gives the ability to resist degradation resulting from weathering agents like UV rays and ozone making it perfect weather resistant rubber
- Retains its rebound qualities
- Rubber Tie Downs Straps resist cracking and rotting
- Durable Zinc plated steel "S" hooks



KLETON

Model No.	Size"	Max Safe Stretch"	Price /Each
PE366	5	7.5	
PE367	9	13.5	
PE368	15	22.5	
PE369	21	31.5	
PE370	31	46.5	
PE371	41	61.5	

RUBBER TIE DOWNS SETS

Same great features as Kleton rubber tie downs, in the convenience of sets



KLETON

Model No.	Description	Includes	Price /Each
PF090	10-Pc. Basic Set	4 x 21" (PE369), 2 x 31" (PE370) and 4 x 41" (PE371)	
PF091	16-Pc. All-Purpose Set	2 x 9" (PE367), 2 x 15" (PE368), 4 x 21" (PE369), 4 x 31" (PE370) and 4 x 41" (PE371)	
PF092	20-Pc. Professional Set	10 x 21" (PE369) and 10 x 41" (PE371)	

MECHANICAL BOTTLE SCREW JACKS

- Professional contractor quality mechanical bottle screw jack for all-purpose lifts and supports
- Holds load indefinitely – will not creep
- Heavy-duty belt shaped cast base adds stability
- Head pivots to provide maximum contact
- Easy to carry and position with built-in handle
- Turning bar handle sold separately
- Compliance: ANSI/ASME B30.1 standards

LT348



SCREW JACK

Model No.	Capacity Tons	Minimum Height"	Maximum Height"	Wt. lbs.	Price /Each
LT348	5	9.45	13.39	9.25	
LT349	10	11.5	17.83	15.64	
LT350	15	13.86	21.38	23.13	
LT351	20	15.83	24.88	34.36	
LT352	25	16.61	26.34	40.31	

LT353



HANDLE TURNING BAR

Model No.	Dimensions D" x L"	Use with Model	Price /Each
LT353	1/2 x 18	LT348	
LT354	5/8 x 24	LT349	
LT355	3/4 x 36	LT350	
LT356	1 x 42	LT351/LT352	

HYDRAULIC LONG RAMS

- Ideal for applications such as floor cranes, engine hoists or trailer jacks
- Comes with flat/round base

STRONGARM

Model No.	Cap. Tons	Height Min." Max."	Lift"	Wt. lbs.	Price /Each
LA846	3	24 1/4 45	20 3/4"	30	
LA850	8	24 1/4 45	20 3/4"	40	



TRUCK WHEEL DOLLIES

- Designed to allow one person to handle mounted truck wheels without lifting or straining
- Durable tubular steel construction
- 3 3/4" rollers turn and pivot wheel for perfect alignment with lugs
- Handles wheels up to 24" diameter
- Weight: 27 lbs.

Model No. LT223
Price/Each \$

STRONGARM



MECHANIC'S ROLLER SEAT

- Frame is constructed of 1" steel tubing
- Padded seat rolls on ball bearing casters
- Reinforced vinyl over 1 3/4" thick foam
- Convenient under seat tray keeps tools and parts in easy reaching distance
- Shipped knocked down

LT515



LT516



Model No.	Description	Wt. lbs.	Price /Each
LT515	Standard roller seat	10	
LT516	18" adjustable height roller seat	14	

MECHANIC CREEPER

- Built-in, padded, adjustable headrest
- 360° swivel casters
- Built-in handle makes it easy to adjust the headrest to alleviate neck pain
- Material: Vinyl
- Colour: Black
- Caster Material: Steel



aurora tools®

Model No.	Headrest	No. of Wheels	Weight Capacity	Overall Length"	Overall Width"	Overall Height"	Price /Each
FLT527	Adjustable	6	265 lbs.	16-3/4	40-1/4	4-3/4	

ROLLING KNEE DOLLY

- Great for people working on their knees
- Constructed of red molded plastic with foam cushioned knee cups
- Capacity: 350 lbs.
- Deck Dimensions: 20.25" W x 10" L

Model No. MN676
Price/Each \$



STAG4 ERGONOMIC SEATING

- Ergonomic seat allows user to work in a kneeling position with comfort
- Reduced pressure sensations felt in the knees, ankles and lumbar region
- 1-lever mechanism for seat height adjustment and 20° adjustable slope for kneeling position
- Padding: Dual-density cushions, closed-cell foam
- Upholstery for standard unit: Easy to maintain black/grey moberg and naugahyde, antibacterial, antistatic material
- For welding unit: Flame retardant natural cow suede
- Includes small tool tray

Synetik ErgoDesign

Model No	Description	Price /Each
OG347	Ergonomic Bench	
OG348	Ergonomic Bench w/Welding Fabric	



AUTOMOTIVE MAINTENANCE

BENDIX® AIR DISC BRAKE TOOL KIT

Includes:

- (1) KT01 Cup
- (1) T02 Handle for KT01 cup
- (1) KT03 Swivel assembly (made up of KT03-1 short body KT03-2 brass disc and KT03-3 retaining spring)
- (1) KT04 Long strut
- (1) KT09 Flange
- (1) KT15 Fork
- (1) Spring disc brake
- (1) KT05 1-3/8" Black disc
- (1) KT06 1-1/2" Black disc
- (1) KT07 2" Dia. sleeve
- (1)KT08 2-1/8" Dia. disc
- (1) KT10 8" Bolt
- (1) KT12 3-7/8" Long sleeve
- (1) KT13 10" Bolt
- (1) KT14 Brass nut
- (1) KT16 Dimpling tool (made up of KT16-1 main body, KT16-2 crimper screw, KT16-3 expansion ring, KT16-4 plunger, KT16-5 impling pins and KT16-6 Set Screw)
- (1) KT20 8" Bolt
- (1) KT21 Half sleeve
- (1) KT26 Cap tool (made up of KT26-1 retaining ring, KT26-2 mandrel and KT26-3 sleeve)
- (1) KT27 Cap Tool (made up of KT26-1 retaining ring, KT26-2 mandrel and KT27-3 sleeve)

Model No. FLT203
Mfg. No. 80000
Price/Each \$



BLUE COBRA™ TRUCK TIRE DEMOUNT TOOL

- Quickly demounts nearly any 22-1/2" and 24-1/2" tubeless truck tires, and up to a 13" wide wheel
- Ergonomic shaped steel handle with no-slip grip for optimum leverage while reducing back injuries
- Solid steel Cobra™ head is press-fit into the steel handle
- Allows demounting of the tire without lifting the entire wheel and tire off the ground
- **Standard service set model FLT200 includes:** (1) Blue Cobra™ truck tire demount tool, (1) T45AC Classic™ tubeless tire iron, (1) Double-end tire spoon, (1) 8 lb. Bucket of euro paste lube, (1) Euro-style lube applicator brush, (1) Aluminum C-Lok™ bead holder, (1) Leather rim protector
- **Deluxe service set model FLT201 includes:** (1) Blue Cobra™ truck tire demount tool, (1) 37" T45A Tubeless tire iron, (1) 30" Double-end tire spoon, (1) 30" T11ES bead breaking wedge with safety handle, (1) 16-1/2" Heavy-duty tire hammer with replaceable rubber head, (1) #8 Bucket of euro paste lube, (1) Euro-style lube applicator brush, (1) Aluminum C-Lok™ bead holder, (1) Leather rim protector



Model No.	Mfg. No.	Description	Price /Each
FLT199	35440	Tool Only	
FLT200	35442	Standard Service Set	
FLT201	35444	Deluxe Service Set	

DUAL WHEEL SEPARATOR

- Makes removing stuck or frozen dual steel wheels quick and easy
- Ideal for use on nearly any truck, bus, van or trailer that has dual steel wheels
- Pusher is ball bearing-driven for near-zero turning resistance
- Pusher is heat treated for long-lasting strength and durability
- Includes two pullers to cover large truck, trailer and smaller light truck dual wheel applications
- Components have black oxide or bright nickel plating finish for rust and corrosion resistance
- Use with air or electric impact wrench
- Comes in a sturdy, compact, easy to store case

Model No. FLT190
Mfg. No. 34549
Price/Each \$



DUCK BILLED BEAD BREAKING WEDGE & HANDLE

- Handle Material: Fibreglass
- Length: 32" (81cm)
- Weight: 11 lbs.

Model No. FLT198
Mfg. No. 35429
Price/Each \$

REPLACEMENT HANDLE

Model No. FLT195
Mfg. No. 35229
Price/Each \$



HEXCHEX MULTI-SIZE LOOSE WHEEL NUT INDICATOR

- Designed not to melt under heavy braking situations but will melt if the hub overheats, which will alert driver of hub problems
- If melting occurs, the non-stick material is removed easily without damaging your wheels or lug nuts
- Easy-to-use and no tools are needed for the application
- Made of durable polymer and is chemical resistant



Model No.	Mfg. No.	Fits Lug Nut Sizes	Price /Each
FLT169	30601	19mm - 23mm (3/4" - 1")	
FLT170	30602	23mm - 30mm (1" - 1-3/16")	
FLT171	30603	30mm - 38mm (1-3/16" - 1-1/2")	
FLT172	30604	38mm - 50mm (1-1/2" - 2")	

MERITOR® AUTOMATIC AIR BRAKE SLACK ADJUSTER SET

- Includes: (1) 5/16" Ratchet with double square offset reversible wrench, (1) Fork end tool
- Fork end tool holds release of anti-reverse pin during adjustment
- Ratchet allows more power with less fatigue
- Ergonomic slip resistant molded resin handles

Model No. FLT187
Mfg. No. 33200
Price/Each \$



PILOT SLEEVE™ WHEEL CENTERING SLEEVES

- Centering sleeve takes up the gap between the 22 mm stud and the 26 mm wheel opening, realigning the wheel to the true center of the hub bearing

PILOT SLEEVE™ ZIP TOOL

- Installation and removal tool for Pilot Sleeve™ Wheel Centering Sleeves



FLT178



FLT179



Model No.	Mfg. No.	Description	Price /Each
FLT179	30631	Package of 6	
FLT180	30632	Bucket of 100	
FLT181	30633	Bucket of 1000	
FLT178	30630	Zip Tool	

DOUBLE END TRUCK WRENCH

- Use on trucks, buses, farm, and off-road vehicles
- Great for on-the-road service
- Forged from 1" alloy steel for long lasting strength



FLT331



Model No.	Mfg. No.	Description	Socket Sizes	Weight lbs.	Price /Each
FLT331	32502	TR2	1" with 5/8" square x 1-1/4"	4.3	
FLT180	30632	TRM2	24 mm x 33 mm	4.4	
FLT181	30633	TRM7	30 mm x 33 mm	4.6	

T119 PORTABLE 2-BAR MAGNUM TIRE CAGE

- Designed to accept the new generation of super single and super wide-base truck tires with their higher inflation pressures and air volumes
- Height: 49-1/2"
- Width: 24-1/2"
- Base (Closed): 7" x 30"
- Weight: 80 lbs.

Model No. FLT356
Mfg. No. 36019
Price/Each \$



2-BAR TIRE INFLATION CAGE

- Will hold super singles and super wide radial tires
- Made from heavy-gauge steel tubing welded to a steel base
- Guards against blown lock rings and rims
- Designed to meet OSHA regulation requirements for medium, heavy-duty truck, OTR, tractor, and super singles
- Mandatory for any shop working with tubeless and multi-piece rims
- OSHA reg. 29-CFR Part 1910.177



FLT343



Model No.	Mfg. No.	Dim. W" x H"	Base (Closed)"	Price /Each
FLT345	36001	16 x 41	7 x 21-1/2	
FLT343	36007	20-1/2 x 43-1/2	7 x 27	

T68 STANDARD WHEEL COVER PULLER & REPLACER

- Removes hub caps quickly and easily without gouging or scratching them
- Rubber head prevents damage to hub cap and is replaceable
- Length: 14" (36cm)
- Stock: 7/16" (11.1mm)
- Weight: 1.3 lbs.

Model No. FLT185
Mfg. No. 31568
Price/Each \$



TPMS SENTRY™ TIRE PRESSURE MONITORING SYSTEM TOOL

- Designed to keep the sensor in a safe and secure position after the mounting nut has been removed and the sensor is released from the wheel
- Protects valuable valve stem sensors that mount through the valve hole
- T-shaped tool attaches to sensor to keep it from dropping in to tire cavity when mounting or demounting tire
- Knurled surfaces provide positive grip even when coated with water or bead lubricant
- Fits through all valve stem holes
- Material: Hardened Steel

Model No. FLT168
Mfg. No. 30209
Price/Each \$



TX9 PORKCHOP™ BUDD NUT WRENCH

- Holds outer cap nut on dual wheels while the inner nut is turned
- Lip fits in hole to secure wrench in place
- Fits Cap Nut Size: 1-1/2"
- Weight: 0.73 lbs.

Model No. FLT173
Mfg. No. 30609
Price/Each \$



TIRE INFLATION CAGE

- Made from heavy-gauge steel tubing welded to a steel base
- Guards against blown lock rings and rims
- Designed to meet OSHA regulation requirements for medium, heavy-duty truck, OTR, tractor, and super singles
- Mandatory for any shop working with tubeless and multi-piece rims
- OSHA reg. 29-CFR Part 1910.177



FLT355



Model No.	Mfg. No.	Number of Bars	Dim. W" x H"	Base"	Price /Each
IDEAL FOR PASSENGER & LIGHT TRUCK TIRES					
FLT347	36003	3	16 x 30	21-1/2 x 22	
IDEAL FOR SUPER SINGLES & SUPER WIDE RADIAL TIRES					
FLT346	36002	4	20-1/2 x 43-1/2	31-1/2 x 26	
FLT355	36005	5	20-1/2 x 43-1/2	41 x 26	
IDEAL FOR TRUCK TIRES					
FLT349	36008	7	29 x 46	34 x 56	

PORTABLE POWER SOURCE

COMPACT MULTI-FUNCTIONAL JUMP STARTER

- Perfect everyday device to keep in a purse or pocket
- Capable of boosting engines up to 2.5 L
- Ready to boost up to 15 times at full charge
- Can also charge a mobile device up to 4 times and can hold its own charge for up to 6 months
- Battery Capacity: 7500 mAh
- Full Charging Time: 2 hours
- Operating Temperature: -20°C - 60°C
- Input: 12 V
- Output: 5 V
- Jumpstart peak current: 400A
- Device Lifetime: 1000 recharging cycles


Model No. XH158
Mfg. No. BMC01-B
Price/Each \$



PLUG-IN STARTING SYSTEM CABLES

- Stainless steel receptacle mounts onto a truck bumper and connects directly to a battery
- Reaches stalled vehicles from front, back or side
- Polarized polycarbonate plug won't break in coldest weather
- Patented "Stop/Go" safety light
- Heavy-duty stainless steel box
- 25' of tangle-free dual-extruded 4 AWG cables, side terminal adapters, and polarized Lexan® plug
- Wire Gauge: 4 AWG
- Amps: 500 Amps
- Cable Length: 25'
- Vehicle Connection Length: 5'
- Weight: 17 lbs.
- Circular Mil. Copper Jacket: 41,300 T-94

Model No. FLU041
Mfg. No. 6139
Price/Each \$



PRO MULTI-FUNCTIONAL JUMP STARTER

- Perfect compact device for boosting a vehicle
- Capable of boosting the majority of 12 V engines
- Ready to boost up to 30 times at full charge
- Can also charge a mobile device up to 8 times and can hold its own charge for up to 6 months
- Comes with a carrying case that can be stored in the glove box
- Battery Capacity: 18000 mAh
- Full Charging Time: 6 hours
- Operating Temperature: -20°C - 60°C
- Input: 14 V
- Output: 5 V
- Peak Current: 350 A
- Device Lifetime: 1000 recharging cycles

Model No. XH159
Mfg. No. BMP01-B
Price/Each \$



HEAVY-DUTY BOOSTER CABLES



Model No.	Mfg. No.	Wire Gauge	Amps	Cable Length	Weight lbs.	Circular Mil. Copper Jacket	Price /Each
FLU042	6156	5 AWG	400	12	7	32,900 T-94	
FLU043	6159	5 AWG	500	15	9	32,900 T-94	
FLU044	6160	4 AWG	500	20	12	41,300 T-94	
FLU045	6161	1 AWG	800	20	17	83,600 T-94	

ELITE MULTI-FUNCTIONAL JUMP STARTER

- Perfect for outdoor enthusiasts and people who demand the most out of their equipment
- Capable of boosting the both 12V and 24V engines
- Includes two different flashlights, USB ports for mobile devices and a 12V socket to outlast all your adventures
- Extremely powerful for its size
- Battery Capacity: 30000 mAh
- Full Charging Time: 7 hours
- Operating Temperature: -20°C - 60°C
- Input: 12-24 V
- Output: 5 V
- Peak Current: 600A-800A
- Device Lifetime: 1000 recharging cycles

Model No. XH160
Mfg. No. BME01-B
Price/Each \$



PROFESSIONAL HEAVY-DUTY BOOSTER CABLE CLAMPS

- Replace or upgrade battery chargers and booster cables
- Insulated jaws
- No. of Clamps: 2
- Jaw Material: Copper



Model No.	Mfg. No.	Amps	Price /Each
FLU046	6199	400	
FLU048	6202	500	
FLU049	6205	600	

SPLASH MULTI-FUNCTIONAL JUMP STARTER

- Perfect for those in need of a water-resistant jump starter option
- Capable of boosting the majority of 12V onboard engines on the water
- Ready to boost up to 30 times at full charge
- Can also charge a mobile device up to 8 times and can hold its own charge for up to 6 months
- Comes with a protective carrying case of easy storage
- Battery Capacity: 18000 mAh
- Full Charging Time: 6 hours
- Operating Temperature: -20°C - 60°C
- Input: 14 V
- Output: 5 V
- Peak Current: 700A
- Device Lifetime: 1000 recharging cycles

Model No. XH161
Mfg. No. BMS01-B
Price/Each \$




BOOSTER CABLES

- Clamp design fits on both top-post and side-post batteries
- Surge suppressor on 2, 4, and 6 gauge cables protect a vehicles computer system from power surges during boosting
- Cable remains flexible in temperatures as low as -40°C
- Tangle-free



XE495



XE494

aurora tools®

Model No.	Wire Gauge	Amps	Length'	Price /Each
XE494	8	150	10	
XE495	6	400	16	
XE496	4	400	20	
XE497	2	400	20	

POW-R-SURGE® BATTERIES

NJJ503



XG870



Model No.	Mfg. No.	BCI Group Size	Reserve Capacity (Minutes)	Cold Crank Amps @ 0°F	Cranking Amps @ 32°F	Overall Length"	Overall Width"	Overall Height"	Voltage	Price /Each
ADVANCED PERFORMANCE AUTOMOTIVE										
NJJ515	526RMF	26R	80	540	665	8-3/4	6-3/4	8	12	
NJJ516	535MF	35	90	550	675	9-3/4	6-7/8	8-7/8	12	
EXTREME PERFORMANCE AUTOMOTIVE										
NJJ531	651RMF	51R	75	500	615	9-3/8	5	8-3/4	12	
XG870	735MF	35	95	640	785	9-9/16	6-7/8	8-7/8	12	
NJJ545	775DT	75/86	95	690	850	9-3/4	7	8-1/8	12	
NJJ546	775MF	75	95	690	850	9-3/4	7	7-1/4	12	
NJJ549	786MF	86	95	690	850	9	6-7/8	8-1/8	12	
NJJ547	778DT	34/78	115	800	985	10-3/4	6-7/8	8	12	
NJJ548	778MF	78	115	800	985	10-3/4	6-7/8	7-1/4	12	
NJJ555	904D	4D	290	1050	1290	20-3/4	8-1/2	10-1/8	12	
NJJ557	908D	8D	430	1400	1720	20-3/4	11	10	12	
EXTREME PERFORMANCE COMMERCIAL										
NJJ502	1231MF	31	185	1000	1230	13	6-3/4	9-1/2	12	
NJJ503	1231PMF	31P	185	1000	1230	13	6-3/4	9-1/2	12	
PREMIUM PERFORMANCE AUTOMOTIVE										
NJJ517	551MF	51	70	450	555	9-3/8	5	8-3/4	12	
XG874	551RMF	51R	70	450	555	9-3/8	5	8-3/4	12	
XG872	6121RMF	121R	80	550	675	8-1/4	6-15/16	8-1/8	12	
NJJ532	658MF	58	85	580	715	10	7-1/4	7	12	
NJJ538	690MF	90	90	600	740	9-9/16	6-7/8	6-7/8	12	
XG878	969RMF	96R	90	600	740	9-9/16	6-7/8	6-7/8	12	
XG875	641MF	41	100	650	800	11-9/16	6-7/8	6-7/8	12	
NJJ529	647MF	47	100	650	800	9-9/16	6-7/8	7-1/2	12	
XG871	659MF	59	100	590	725	9-1/2	7-7/16	7-1/2	12	
NJJ527	640RMF	40R	105	650	800	11	6-7/8	6-7/8	12	
NJJ526	634MF	34	110	690	850	10-3/4	6-7/8	8	12	
XG873	6124RMF	124R	110	700	860	10-1/4	6-7/8	8-3/8	12	
NJJ522	624FMF	24F	115	650	800	10-3/4	6-3/4	9	12	
NJJ523	624MF	24	115	650	800	10-3/4	6-3/4	9	12	
NJJ525	627MF	27	120	710	875	12	6-3/4	9	12	
NJJ540	694RMF	94R	140	790	970	12-7/16	6-7/8	7-1/2	12	
NJJ534	665MF	65	150	850	1045	12	7-3/8	7-5/8	12	
XG877	649MF	49	185	900	1105	13-15/16	6-7/8	7-1/2	12	
PREMIUM PERFORMANCE COMMERCIAL										
XG879	1131MF	31	175	950	1170	13	6-3/4	9-1/2	12	
XG880	1131PMF	31P	175	950	1170	13	6-3/4	9-1/2	12	
XG881	7T31	31	190	730	900	13	6-3/4	9-1/2	12	

WIPER BLADES

ASSURANCE® WEATHERREADY® WIPER BLADE

- Features curved design reinforced with dual-layer steel construction
- Equipped with easy-to-fit adapter system
- Durability tested for 3,000,000 wipes
- Low profile aerodynamic design curves to fit windshield
- Type: All-Season
- Sold/Priced Per: Blade



Model No.	Mfg. No.	Length"	Price /Each
FLT039	772-14	14	
FLT040	772-15	15	
FLT041	772-16	16	
FLT042	772-17	17	
FLT043	772-18	18	
FLT044	772-19	19	

Model No.	Mfg. No.	Length"	Price /Each
FLT045	772-20	20	
FLT046	772-21	21	
FLT047	772-22	22	
FLT048	772-24	24	
FLT049	772-26	26	
FLT050	772-28	28	



HYBRID WIPER BLADE

- Combines the premier elements of a conventional blade and beam blade for advanced performance
- Equipped with easy-to-fit adapter system
- Type: All-Season
- Sold/Priced Per: Blade



Model No.	Mfg. No.	Length"	Price /Each
FLT063	770-14	14	
FLT064	770-15	15	
FLT065	770-16	16	
FLT066	770-17	17	
FLT067	770-18	18	
FLT068	770-19	19	

Model No.	Mfg. No.	Length"	Price /Each
FLT069	770-20	20	
FLT070	770-21	21	
FLT071	770-22	22	
FLT072	770-24	24	
FLT073	770-26	26	
FLT074	770-28	28	



ASSURANCE® WEATHERREADY® WIPER BLADE WITH REPELMAX TECHNOLOGY

- Patented coating repels water from windshield for maximum vision and safety
- Low profile aerodynamic design curves to fit windshield
- Equipped with easy-to-fit adapter system
- Type: All-Season
- Sold/Priced Per: Blade



Model No.	Mfg. No.	Length"	Price /Each
FLT051	773-14	14	
FLT052	773-15	15	
FLT053	773-16	16	
FLT054	773-17	17	
FLT055	773-18	18	
FLT056	773-19	19	

Model No.	Mfg. No.	Length"	Price /Each
FLT057	773-20	20	
FLT058	773-21	21	
FLT059	773-22	22	
FLT060	773-24	24	
FLT061	773-26	26	
FLT062	773-28	28	



PREMIUM WIPER BLADE WITH SILENTARMOR™ TECHNOLOGY

- Double-coated heavy-duty steel frame with robust steel support system
- Moly graphite-coated natural rubber squeegee with SilentArmor™ Technology
- Equipped with easy-to-fit adapter system
- Type: All-Season
- Sold/Priced Per: Blade



Model No.	Mfg. No.	Length"	Price /Each
FLT075	728-11	11	
FLT076	728-12	12	
FLT077	728-13	13	
FLT078	728-14	14	
FLT079	728-15	15	
FLT080	728-16	16	
FLT081	728-17	17	
FLT082	728-18	18	

Model No.	Mfg. No.	Length"	Price /Each
FLT083	728-19	19	
FLT084	728-20	20	
FLT085	728-21	21	
FLT086	728-22	22	
FLT087	728-24	24	
FLT088	728-26	26	
FLT089	728-28	28	



HEAVY-DUTY WIPER BLADE

- Features a unique moly-coated squeegee that sets it apart
- For heavy-duty trucks, buses and RVs
- Type: All-Season
- Sold/Priced Per: Blade



Model No.	Mfg. No.	Length"	Price /Each
FLAT BLADE			
FLT006	711-12	12	
FLT007	711-13	13	
FLT008	711-14	14	
FLT009	711-15	15	
FLT010	711-16	16	
FLT011	711-18	18	
FLT012	711-20	20	

Model No.	Mfg. No.	Length"	Price /Each
CURVED BLADE			
FLT013	713-15	15	
FLT014	713-16	16	
FLT015	713-18	18	
CONVENTIONAL BLADE			
FLT016	717-20	20	
FLT017	717-22	22	
FLT018	717-24	24	
FLT019	717-26	26	
FLT020	717-28	28	
FLT021	718-32	32	



FLT006

Ask us about volume prices!
In many cases you will benefit from quantity prices.

WEATHERBEATER® WIPER BLADE

- Provides a smooth, clean, streak-free wipe
- All natural squeegee rubber resists cracking, splitting and tearing caused by heat, cold windshield washer fluid and salt
- Multiple pressure points enable even pressure distribution across entire length of blade
- Galvanized steel frame enhances durability
- Embedded friction reducers help deliver a smooth, clean wipe
- Type: All-Season



Model No.	Mfg. No.	Length"	Price /Each
UAD903	79812	12	
UAD904	79813	13	
UAD905	79814	14	
UAD906	79815	15	
UAD907	79816	16	
UAD908	79817	17	
UAD909	79818	18	

Model No.	Mfg. No.	Length"	Price /Each
UAD910	79819	19	
UAD911	79820	20	
UAD912	79821	21	
UAD913	79822	22	
UAD914	79824	24	
UAD915	79826	26	
UAD916	79828	28	



QUANTUM® WIPER BLADE

- OEM design beam blade that instantly applies a water-repelling coating to the windshield to improve wet weather visibility
- Changes colour over time from black to yellow to remind you when to change blades
- Aerodynamic spoiler enables optimum windshield contact and high-speed performance
- Advanced rubber technology helps ensure smooth operation and enhanced durability
- Water repelling coating lasts for months
- Comes pre-installed with adapters to fit 87% of all vehicles without having to change the adapter
- Type: All-Season



Model No.	Mfg. No.	Length"	Price /Each
UAD928	99516	16	
UAD929	99517	17	
UAD930	99518	18	
UAD931	99519	19	
UAD932	99520	20	

Model No.	Mfg. No.	Length"	Price /Each
UAD933	99521	21	
UAD934	99522	22	
UAD935	99524	24	
UAD936	99526	26	
UAD937	99528	28	



LATITUDE® WIPER BLADE

- Wiper blade contours to the curvature of your windshield to provide even wiping pressure along the full length of the blade
- Synthetic rubber delivers a smoother, more reliable wipe in all climates
- Specially-blended, graphite-coated rubber delivers a smooth, chatter-free wipe
- Contoured blade design allows for virtually streak-free visibility in rain, sleet and snow
- Enhanced flexibility and grip achieved through the durable, rubber-encased substructure
- Aerodynamic spoiler reduces noise and wind lift
- Type: Winter



Model No.	Mfg. No.	Length"	Price /Each
UAD945	99814	14	
UAD946	99816	16	
UAD947	99817	17	
UAD948	99818	18	
UAD949	99819	19	
UAD950	99820	20	

Model No.	Mfg. No.	Length"	Price /Each
UAD951	99821	21	
UAD952	99822	22	
UAD953	99824	24	
UAD954	99826	26	
UAD955	99828	28	



QUANTUM® QBW WIPER BLADE

- OEM design beam blade that instantly applies a water-repelling coating to the windshield to improve wet weather visibility
- Changes colour over time from black to yellow to remind you when to change blades
- Aerodynamic spoiler enables optimum windshield contact and high-speed performance
- Advanced rubber technology helps ensure smooth operation and enhanced durability
- Water repelling coating lasts for months
- Comes pre-installed with adapters to fit 87% of all vehicles without having to change the adapter
- Type: All-Season



Model No.	Mfg. No.	Length"	Price /Each
UAD938	99532	17	
UAD939	99533	19	
UAD940	99534	20	
UAD941	99535	21	

Model No.	Mfg. No.	Length"	Price /Each
UAD942	99536	22	
UAD943	99537	24	
UAD944	99538	26	



MULTI FIT REAR WIPER BLADE

- Simplifies and minimizes multiple wiper blade assortments by covering 11 configurations in only 4 sizes
- Easy to install and helps to ensure maximum vehicle coverage
- All natural squeegee rubber resists cracking, splitting and tearing caused by heat, cold windshield washer fluid and salt
- Multiple pressure points enable even pressure distribution across entire length of blade
- Embedded friction reducers help deliver a smooth, clean wipe
- Type: All-Season



Model No.	Mfg. No.	Length"	Price /Each
UAD898	69811	11	
UAD899	69812	12	

Model No.	Mfg. No.	Length"	Price /Each
UAD900	69814	14	
UAD901	69816	16	



Can't find what you're looking for?

Call us today!

AUTOMOTIVE BULBS

AUTOMOTIVE BULB

- Ideal replacement for tail lights, brake lights, signal lights, and select interior automotive applications



FLT957



FLT882



FLT905



FLT990



FLT804



FLT866



FLT875



FLT987



FLT762



FLT910

SYLVANIA

Priced per Package

Model No.	Mfg No.	Trade No.	Bulb Type	Lamp Wattage	Colour	Qty /Pkg.	Price /Each
BASIC							
FLT877	38089	3175	Incandescent	26.88	Off White	10	
FLT880	38097	3175A	Incandescent	8.3	Amber	10	
FLT881	38043	3457	Incandescent	8.3	Off White	10	
FLT882	38047	3457A	Incandescent	26.54	Amber	10	
FLT886	33201	5007	Incandescent	5	Off White	10	
FLT887	33719	53	Incandescent	1.73	Off White	10	
FLT890	31393	64150	Halogen	65	Off White	10	
FLT896	39485	64155	Halogen	78	Off White	10	
FLT903	33207	6418	Incandescent	5	Off White	10	
FLT904	31423	6419	Halogen	62	Off White	10	
FLT905	31397	64151	Halogen	45	Off White	10	
FLT906	31427	64196	Halogen	70	Off White	10	
FLT907	38753	64211	Halogen	55	Off White	10	
FLT908	38749	64212	Halogen	35	Off White	10	
FLT909	38751	64213	Halogen	70	Off White	10	
FLT911	34091	73	Incandescent	1.12	Off White	10	
FLT912	34123	74	Incandescent	1.4	Off White	10	
FLT913	39601	7440	Incandescent	24.98	Off White	10	
FLT914	39603	7443	Incandescent	24.98	White	10	
FLT915	33279	7506	Incandescent	25	Off White	10	
FLT916	35781	757	Incandescent	2.24	Off White	10	
FLT918	34233	89	Incandescent	7.54	Off White	10	
FLT938	35831	906	Incandescent	8.97	Off White	10	
FLT951	35817	904	Incandescent	9.32	Off White	10	
FLT952	35933	921	Incandescent	17.92	Off White	10	
FLT953	35869	912	Incandescent	12.8	Off White	10	
FLT957	38671	DE3175	Incandescent	10	Off White	10	

ZEVO®

FLT991	37688	H8	LED	9	White	2	
FLT992	37693	9003	LED	12	White	2	
FLT993	37692	9006	LED	13.2	White	2	
FLT994	37691	H11	LED	13.2	White	2	
FLT995	37690	H7	LED	13.2	White	2	
FLT990	37689	9145	LED	65	White	2	
FLT996	39250	168	LED	0.7	White	1	
FLT997	39238	195	LED	0.7	White	1	
FLT998	39212	1156	LED	1.7	White	2	
FLT999	39230	1157	LED	1.7	White	2	

Model No.	Mfg No.	Trade No.	Bulb Type	Lamp Wattage	Colour	Qty /Pkg.	Price /Each
BASIC MINI							
FLT790	36035	1003	Incandescent	12.03	Off White	10	
FLT791	36063	1004	Incandescent	12.03	Off White	10	
FLT792	36377	1141	Incandescent	18.43	Off White	10	
FLT798	36549	1156A	Incandescent	12	Amber	10	
FLT803	36653	1157	Incandescent	8.3	Off White	12	
FLT804	34793	194	Incandescent	3.8	Off White	12	
FLT806	38113	3057	Incandescent	26.88	Off White	12	
FLT810	34711	168	Incandescent	4.9	Off White	10	
FLT812	38213	3157	Incandescent	26.88	Off White	12	
FLT816	38099	3157	Incandescent	2	Amber	12	
FLT830	39579	7442	Incandescent	5.9	White	12	
FLT835	37477	1891	Incandescent	3.36	Off White	10	
FLT842	37505	1893	Incandescent	4.62	Off White	10	
FLT854	37531	1895	Incandescent	3.78	Off White	10	
FLT866	34821	194NA	Incandescent	3.78	Amber	10	
FLT867	37607	2057	Incandescent	26.88	Off White	10	
FLT869	34887	221-2	Incandescent	12.42	Off White	10	
FLT872	36561	1157	Incandescent	8.3	Off White	10	
FLT873	33235	2825	Incandescent	5	Off White	10	
FLT874	38083	3057	Incandescent	26.88	Off White	10	
FLT875	38077	3057	Incandescent	26.88	Amber	10	
FLT876	38081	3156	Incandescent	26.88	Off White	10	
FLT879	34761	194	Incandescent	3.78	Off White	10	
FLT883	38051	2357	Incandescent	26.54	Off White	10	
FLT924	35935	921	Incandescent	17.92	Off White	2	
FLT987	38914	194	LED	0.5	White	1	
FLT988	38875	1156	LED	2.3	White	2	
FLT989	38882	3157A	LED	0.5	Amber	2	

LONG LIFE

FLT762	30144	3157	Incandescent	8.3	Off White	2	
FLT894	38163	4157NA	Incandescent	28.54	Amber	10	
FLT897	30155	3557A	Incandescent	12.8	Amber	2	
FLT898	30148	4057	Incandescent	28.54	Off White	2	
FLT899	38173	4157	Incandescent	28.54	Off White	10	
FLT910	39653	H7	Halogen	55	White	10	

HEADLIGHT BULBS

- Replacement for high beam, low beam, or fog light per vehicle owner's manual



FLT939



FLT984



FLT970



FLT978



FLT950

Priced per Package

Model No.	Mfg No.	Trade No.	Bulb Type	Lamp Wattage	Colour	Qty /Pkg.	Price /Each
BASIC							
FLT920	31735	9004	Halogen	45 W	Off White	10	
FLT939	31566	H11B	Halogen	55 W	Off White	1	
FLT949	31561	9012	Halogen	60 W	Off White	1	
FLT958	33783	H13	Halogen	60 W	White	10	
FLT960	31565	H11	Halogen	55 W	Off White	1	
FLT967	31567	H13	Halogen	55 W	White	1	
FLT971	31592	H3	Halogen	45 W	Off White	1	
FLT981	31568	H7	Halogen	56 W	Off White	1	
FLT984	31594	H8	Halogen	35 W	Off White	1	
FLT985	31569	H9	Halogen	70 W	Off White	1	

Priced per Package

Model No.	Mfg No.	Trade No.	Bulb Type	Lamp Wattage	Colour	Qty /Pkg.	Price /Each
BASIC SEALED							
FLT970	30824	H4651	Halogen	50 W	Off White	1	
FLT972	30825	H4656	Halogen	35 W	Off White	1	
FLT976	30831	H6024	Halogen	40 W	Off White	1	
FLT978	30832	H6054	Halogen	35 W	White	1	
SILVERSTAR zXe							
FLT937	36390	9005	Halogen	65 W	White	2	
FLT950	36401	9012	Halogen	60 W	White	2	
FLT964	36399	H11	Halogen	55 W	White	2	
FLT983	36398	H7	Halogen	56 W	White	2	

SYLVANIA

VEHICLE CLEANING BRUSHES

TRANSPORT LINE GARAGE BROOM HEAD

- Designed for sweeping up wet and greasy waste, this wooden garage broom features hard PVC filaments and a threaded socket
- Hard bristles help move the most difficult soils, built to last in professional environments that require durability and efficiency
- Can be used with any handle within the Vikan Transport System
- Material: Wood, PVC
- Colour: Black
- Bristle Stiffness: Hard



Model No.	Mfg. No.	Brush Length"	Brush Width"	Overall Length"	Price /Each
FLT304	311552	17	3	5-1/2	
FLT305	311752	26	2-3/4	5-3/4	

TRANSPORT LINE BRUSH HANDLE

- Professional handle with an insulated sleeve for a comfortable grip
- Built for professional use from rugged materials to last longer
- Ergonomic design makes it more comfortable to use for long periods
- Material: Aluminum, Polypropylene
- Diameter: 1-1/4"
- Tip Style: Tapered
- Colour: Black



Model No.	Mfg. No.	Type	Length"	Price /Each
FLT301	293752	Ergonomic	59	
FLT303	297552	Telescopic	63 - 109	

TRANSPORT LINE VEHICLE HAND BRUSH

- This hand brush ensures excellent results where detail cleaning with a dip brush is required
- Soft/split bristles help protect paint and exterior decals during the wash process and help hold more water and soap so you can wash more efficiently
- Rubber bumpers around the brush head help protect paint and surfaces from damage
- Brush Width: 4-1/2"
- Overall Length: 13"
- Material: Polypropylene, Polyester
- Colour: Black
- Bristle Stiffness: Soft, Split

Model No. FLT312
Mfg. No. 524652
Price/Each \$



TRANSPORT LINE MULTI-PURPOSE RIM HAND BRUSH

- Easily clean all kinds of small surfaces with this all-round multi-purpose brush and rim cleaner
- Soft/split bristles help protect paint and exterior decals during the wash process and help hold more water and soap so you can wash more efficiently
- Rubber bumpers around the brush head help protect paint and surfaces from damage
- Brush Width: 2-3/4"
- Overall Length: 11-1/2"
- Material: Polypropylene, Polyester
- Colour: Black
- Bristle Stiffness: Soft, Split

Model No. FLT314
Mfg. No. 525252
Price/Each \$



TRANSPORT LINE GARAGE HAND BRUSH

- Slimline hand brush keeps workshop benches clean
- Soft bristles help remove fine particles from many surface types
- Brush Width: 1-1/2"
- Overall Length: 13"
- Material: Polyester, Polypropylene
- Colour: Black
- Bristle Stiffness: Soft

Model No. FLT306
Mfg. No. 450252
Price/Each \$



TRANSPORT LINE RIM CLEANING HAND BRUSH

- Ideal for cleaning alloy wheels, this medium-stiff, chemical resistant rim cleaner has synthetic filaments and a nylon protected handle
- Hard bristles help scour away brake dust and road grime without damaging the surface of your wheels
- Brush Width: 2-1/2"
- Overall Length: 13-1/4"
- Material: Polypropylene, Polyester
- Colour: Black
- Bristle Stiffness: Hard

Model No. FLT315
Mfg. No. 525352
Price/Each \$



TRANSPORT LINE INTERIOR VEHICLE BRUSH

- Remove dust from dashboards, instrument panels, switch housings and air ventilation outlets with this interior brush, made from natural hair
- Versatile set of detail brushes provides a range of sizes to help remove dust and soil from the smallest of spaces
- Soft bristles help protect surfaces from damage
- Brush Length: 1"
- Brush Width: 1"
- Overall Length: 6"
- Material: Hair, Polypropylene
- Colour: Black
- Bristle Stiffness: Medium

Model No. FLT321
Mfg. No. 631559
Price/Each \$



TRANSPORT LINE WINDSHIELD SPONGE & SQUEEGEE WITH TELESCOPIC HANDLE

- Designed for cleaning windcreens on trucks and buses
- Extends to reach higher windows on larger vehicles like trucks and buses
- Collapse for easier storage
- Sponge-squeegee head help remove bugs and leave windows streak-free
- Width: 8"
- Material: Anodised Aluminum, Polyamide
- Colour: Black
- Length: 28" - 49"

Model No. FLT308
Mfg. No. 473952
Price/Each \$



REPLACEMENT HEAD

- Replacement head, featuring a rubber blade and a sponge with an abrasive net for removing insects
- Sponge-squeegee head helps remove bugs and leave windows streak-free
- Material: Polypropylene, Synthetic Rubber
- Colour: Black

Model No. FLT307
Mfg. No. 473852
Price/Each \$



AUTOMOTIVE CHEMICALS & CLEANERS



MAGIC OIL™ LOCK LUBE & DE-ICER

- Graphite formula lubricates seized and frozen locks for long-lasting, smooth operation
- Nozzle allows for easy application directly in keyhole



Model No.	Mfg. No.	Size	Price /Each
AF440	74119	42.5 g	

BRAKLEEN® BRAKE PARTS CLEANER

- Plastic Safe: No
- Flashpoint: None
- Very fast evaporation rate
- Base Type: Chlorinated
- The original brake parts cleaner
- Formulated to quickly & effectively remove grease, brake dust, brake fluids, oils, and other contaminants from brake parts, lining, and pads



Model No.	Mfg. No.	Size	Price /Each
MLP234	75089	539 g	
MLN591	75090	3.79 L	

BRAKLEEN® BRAKE PARTS CLEANER

- Premium non-chlorinated brake parts cleaner that utilizes Powerjet® technology
- The spray nozzle produces a burst of product that forcefully breaks away contaminants, while the formula cleans and degreases instantly
- Dries rapidly



Model No.	Mfg. No.	Size	Price /Each
MLP159	75088	397 g	
AF126	75391	5 gal.	

BATTERY TERMINAL PROTECTOR

- Dark Red Viscous Liquid
- Plastic Safe: Yes
- Flashpoint: Less than -18°C
- Specially designed to protect battery terminals from corrosion, a leading cause of hard starting and battery failure
- Provides a lead-free soft protective coating



Model No.	Mfg. No.	Size	Price /Each
AE952	75046	213 g	

RUBBERIZED SPRAY UNDERCOATING

- Black Viscous Material
- Plastic Safe: No
- Flashpoint: 7°C
- Provides a tough, flexible shield against moisture, salt and road debris
- Dries quickly and is exceptionally resistant to abrasion



Model No.	Mfg. No.	Size	Price /Each
MLT298	75034	454 g	

CLEAN-R-CARB® CARBURETOR CLEANERS

- Plastic Safe: No
- Flashpoint: -18°C
- Fast evaporation rate
- Designed to maximize carburetor performance
- Quickly dissolves carburetor deposits such as gum, sludge and varnish to improve fuel system performance and enhance fuel economy



Model No.	Mfg. No.	Size	Price /Each
MLP103	75081	454 g	

BATTERY CLEANER W/ACID INDICATOR

- Yellow Foam
- Plastic Safe
- Slow evaporation rate
- Instantly detects leaks and neutralizes acid
- Removes corrosion by-products
- Just spray on and rinse off



Model No.	Mfg. No.	Size	Price /Each
MLP160	75097	312 g	

DISC BRAKE QUIET

- Forms a water-resistant film that absorbs noise while reducing squeaks and squeals
- For use on the back of non-shimmed disc pads
- Container Type: Bottle
- Appearance: Red paste



Model No.	Mfg. No.	Size	Price /Each
AF371	75016	118 ml	

ICE-OFF™ WINDSHIELD SPRAY DE-ICER

- Ideal for melting ice, snow and frost on contact
- Does not harm car finish
- Thaws frozen locks



Model No.	Mfg. No.	Size	Price /Each
AF119	75346	340 g	

GASKET KLEEN™

- Plastic Safe: No
- Flashpoint: 13°C
- Fast evaporation rate
- Used for the removal of conventional and formed in place gaskets on motors, pumps and flanges



Model No.	Mfg. No.	Size	Price /Each
MLP071	75021	340 g	

Industrial Multi-Purpose Cleaning Products





AUTOMOTIVE CHEMICALS & CLEANERS

SENSORKLEEN™ MASS AIR FLOW SENSOR CLEANER

- Cleaner that was specifically developed to clean mass air flow sensors
- Increases horsepower and improves air/fuel ratio and MPG
- Plastic safe
- Dries in seconds



Model No.	Mfg No.	Container Size	Price /Each
AF118	75110	312 g	

THROTTLE BODY KLEEN™ AIR INTAKE CLEANER

- Cleans gum and varnish from the throttle valves and throttle body for easier starting and smoother engine performance



Model No.	Mfg No.	Container Size	Price /Each
AF117	75078	340 g	

CRC® GDI IVD™ INTAKE VALVE & TURBO CLEANER

- Delivers advanced PEA detergency directly to the backs of GDI intake valves
- Removes up to 46% of carbon deposits on intake valves within 60 minutes
- Safe on all gas-powered engines including turbos
- Increases power and torque
- Reduces emissions
- Improves fuel economy



Model No.	Mfg No.	Container Size	Price /Each
AF439	7530X6	311 g	

JUMP START® STARTING FLUID

- Assures fast and economical starts in cold or humid conditions
- For use in both gasoline and diesel engines



Model No.	Mfg No.	Container Size	Price /Each
AF260	75671	312 g	

TANNERY® LEATHER & VINYL CARE CLEANER

- Ideal for use on leather products
- Effective for home, farm, auto recreation and marine applications
- Silicone free and great for cleaning leather between conditioning treatments



Model No.	Mfg No.	Container Size	Price /Each
AF110	74171	283 g	

DIESEL FUEL THERAPY™ - DIESEL INJECTOR CLEANER W/ANTI-GEL

- Emissions reducing formula that is rated "SUPERIOR" in Cummins L-10 Test for injector cleanliness
- Lowers pour point & CFPP, reliquifies gelled fuel, adds lubricity, increases power and MPG
- Dark Amber Liquid
- Plastic Safe: No
- Flashpoint: 57°C



Model No.	Mfg. No.	Size	Price /Each
MLN925	75212	888 ml	

QUICK FLOW™ EMERGENCY DIESEL-GEL RELIEF

- Reliquifies gelled fuel in minutes
- Totally disperses water and lowers pour point by as much as 35°F
- Prevents future gelling
- Can be used for biodiesel



Model No.	Mfg No.	Format	Price /Each
AF124	75911	32 oz	

DIESEL FUEL ANTI-GEL

- Improves flowability of diesel fuel in cold weather
- For use on diesel engines



Model No.	Mfg No.	Format	Price /Each
AF257	75221	355 ml	

PHASEGUARD™ ULTIMATE ETHANOL FUEL TREATMENT & STABILIZER

- Used in all gas powered 2 and 4 cycle engines to protect against the harmful effects of ethanol
- Prevents phase separation, protects against corrosion, cleans the fuel system, stabilizes fuel and restores power



Model No.	Mfg No.	Format	Price /Each
AF111	74142	474 ml	

AUTOMOTIVE CHEMICALS & CLEANERS



TURBO POWER™ ALL-SEASON WINDSHIELD WASHER FLUID

- Specially developed methanol based fluids designed to provide excellent grime, salt and snow cleaning performance under cold weather conditions
- A non-smear formulation
- This all season windshield washer protects from freezing down to -40°C
- Container Type: Jug
- Sold by case of 4



Model No.	Format	Price /Each
AD458	3.78 L	

TURBO POWER® SUMMER BUG WASH WINDSHIELD WASHER FLUID

- Designed specifically as a summer windshield washer fluid
- Keeps windshield clear of road grime and splattered insects
- Only suitable for warm weather conditions
- Temperature Rating: -0°C
- Container Type: Jug
- Sold by case of 4



Model No.	Format	Price /Each
MLP382	3.78 L	

AIR1® DIESEL EXHAUST FLUID

- Used in trucks powered by diesel engines to reduce emission levels to the required limits set by the EPA
- Meets automotive industry specification defined by ISO 22241
- Product formulated for use in extreme cold applications; can be used after being frozen for long lengths of time
- Should not be stored outside, as sunlight may cause damage and/or degradation to chemical formulation
- Container Type: Jug



Model No.	Format	Price /Each
FLT765	9.46 L	

TURBO POWER® PREMIUM WINDSHIELD WASHER & DE-ICER FLUID

- Excellent grime, salt and snow-cleaning performance
- Non-smear formula
- Removes frost and light ice
- Temperature Rating: -45°C
- Container Type: Jug
- Sold by case of 4



Model No.	Format	Price /Each
NKB959	3.78 L	

RAIN-X® CLEARVIEW DE-ICER

- Effective freezing resistance
- Intense cleaning action and improved visibility
- Repels rain, sleet and snow
- Container Type: Jug
- Temperature Rating: -40°C
- Sold by case of 4



Model No.	Format	Price /Each
AG899	3.78 L	

TURBO POWER® DIESEL EXTENDED LIFE ANTIFREEZE/COOLANT CONCENTRATE

- Hybrid antifreeze/coolant that does not require an initial charge of supplemental coolant additives or coolant extenders
- OEM approved
- Protects all coolant system metals
- Provides excellent wet sleeve liner cavitation protection
- Never use 100% coolant in concentrated form; 50% dilution recommended
- Container Type: Gallon



Model No.	Format	Price /Each
NKB971	3.78 L	

TURBO POWER® HEAVY-DUTY MIXED FLEET EXTENDED LIFE ANTIFREEZE/COOLANT

- 50/50 premixed antifreeze/coolant with proprietary organic acid technology
- Provides protection against corrosion, rust and pitting caused by cavitation
- Designed for complete mixed fleet use
- Free of amines, borates, nitrites and phosphates
- Container Type: Gallon



Model No.	Format	Price /Each
NKB968	3.78 L	

TURBO POWER® HEAVY-DUTY DIESEL ANTIFREEZE/COOLANT CONCENTRATE

- Engine coolant with a proprietary formulation of corrosion inhibitors
- Protects coolant system metals such as aluminum, brass, cast iron, copper, solder and steel
- Does not require an initial charge of supplemental coolant additives
- Never use 100% coolant in concentrated form; 50% dilution recommended
- Container Type: Gallon



Model No.	Format	Price /Each
TYP309	3.78 L	

TURBO POWER® EXTENDED LIFE ANTIFREEZE/COOLANT CONCENTRATE

- Long service life engine coolant with proprietary organic acid technology (OAT)
- Protects coolant system metals against corrosion and rust
- Never use 100% coolant in concentrated form; 50% dilution recommended
- Free of amines, borates, nitrites, phosphates and silicates
- Container Type: Gallon



Model No.	Format	Price /Each
NKB969	3.78 L	

T.S.P.

- Trisodium Phosphate
- All purpose cleaner
- Prepares surfaces for painting
- Removes wax and grease
- Cleans garage floors and driveways
- Aids in restoring paint brushes

Model No.	Size	Price /Each
AB725	2 kg. box	
AC318	4 litre concentrate	



PROFESSIONAL GRADE PURE TURPENTINE

- Thins varnishes, paints and enamels
- Cleans surfaces and brushes
- Protects natural bristle brushes
- Best for thinning wood stains

Model No.	Size	Price /Each
AG799	3.78 L can	



PAINT THINNER

- Low odour mineral spirits
- Ideal as paint thinner, brush cleaner and all purpose household cleaner
- For floors, woodwork, grease stains, etc.

Model No.	Size	Price /Each
AB706	4 L bottle	
AG802	18.9 L pail	



ACETONE

- Thins fibreglass resin mixes
- Dissolves 2-part epoxies
- Cleans tools and brushes used for epoxies and lacquers

Model No.	Size	Price /Each
AB722	3.78 L can	



AIR TOOL OIL

- Preserves and maintains internal seals and mechanisms present in most hand-held air tools
- Lubricates under high pressure to fine tolerances
- Resists moisture induced corrosion, maximizing the service life and performance of your air tools
- Contains no silicone



Lloyds

Model No.	Size	Price /Each
AA091	8 oz. poly bottle	
AA090	4 L jug	

TURBO POWER® AIR BRAKE ANTIFREEZE

- Designed to help guard the brake lines against freeze-up on diesel trucks and construction equipment
- Contains lubricants to minimize wear of valves and seals
- Absorbs condensation within air brake systems
- Container Type: Bottle



Model No.	Format	Price /Each
AD097	1 L	

AEROSOLV™ CAN PUNCTURING SYSTEM

A safe and economical means to empty and dispose of aerosol cans. Easy-to-use, hand-operated, no power source necessary. Handle moves a puncture pin through a fluid-tight chamber and pierces can; no worker contact required.

Unique carbon filter coalesces VOC's in filter reservoir. Residual contents safely collected in drum.

- Excellent savings on hazardous waste disposal costs
- Punctured cans may be recycled as scrap metal
- Residual liquids collected in drum may be eligible for reclamation through a hazardous waste handler, resulting in waste minimization credit
- Accommodates cans in wide assortment of shapes and sizes
- Puncture pin designed for long-term use; no visible wear after puncturing 10,000 cans
- For use with any 20-30 or 55-gallon drum

AA155 - Aerosolv™ Venting System consists of one puncturing unit, one filter and one anti-static wire which is required under several federal and local codes.

AA153 - Two-stage coalescing filter with replaceable carbon cartridge.

AA154 - Replacement carbon cartridge.

Model No. AA155 Price/Each \$

Model No. AA153 Price/Each \$

Model No. AA154 Price/Each \$



BATTERY EQUALIZERS

- Restorative fluid doubles the life of any voltage lead/acid battery
- Save 25% on recharge time
- For use on lift truck and golf cart fleets and many more



Model No.	Size	Price /Each
AA893	500 ml	
AB476	4 L	

BATTERY ACID NEUTRALIZER

- Safely neutralizes sulphuric acid spills on skin, clothing and battery box
- Spray battery box regularly to keep terminals and battery clean



Klean-flo

Model No.	Size	Price /Each
AA773	198 g	

AUTOMOTIVE CHEMICALS & CLEANERS

ORIGINAL VEHICLE PROTECTANT

- Helps prevent cracking, fading, discoloration and premature aging
- Brings out a deep shine with a non-greasy finish
- Safely cleans away dirt, dust and debris
- Renews and revitalizes vinyl, rubber and plastic



Model No.	Mfg. No.	Container Type	Format	Price /Each
AF158	14711	Trigger Bottle	473 ml	
FLT130	7466	Trigger Bottle	946 ml	
FLT133	18389	Jug	1.89 L	




VENT CLIP OIL AIR FRESHENER

- Made with odour elimination technology that works for up to 30 days to help destroy odours like smoke, garbage, and pets
- Type: Vent Clip
- Quantity: 2.5 ml



Model No.	Mfg. No.	Scent	Price /Each
FLT100	18753	New Car	
FLT102	18757	Lemon Berry	
FLT103	18984	Whiskey & Oak	
FLT101	18755	Island Oasis	
FLT099	18751	Tranquil Skies	



MULTI-PURPOSE CLEANER

- All-in-one cleaning solution for that "just detailed" look
- Easily removes filmy residue, road grime, bugs, fingerprints & more
- Effective for the whole car; dash, vinyl, fabric, carpet, clear plastic, console, and more
- Easily removes ground-in dirt, dust & grime



Model No.	Mfg. No.	Container Type	Format	Price /Each
FLT110	15274	Trigger Bottle	473 ml	
FLT114	18265	Jug	1.89 L	



INTERIOR VEHICLE WIPES MULTIPACK

- **Includes:**
 - (1) Container of Original Protectant Wipe,
 - (1) Container of Orange Cleaning Wipes,
 - (1) Container of Cleaning Wipes,
 - (1) Container of Glass Wipes
- No. of Wipes Per Container: 115



Model No.	Mfg. No.	Price /Each
FLT148	10881	



EXTREME BUG & TAR REMOVER

- Cleans bugs, tar, and other tough grime while preserving wax protection
- Safe on clear coat finishes when used as directed
- Streak-free formula



Model No.	Mfg. No.	Container Type	Format	Price /Each
FLT116	18740	Trigger Bottle	473 ml	



6-PIECE DETAILING KIT

- Includes: Mini squeegee, Microfibre cleaning towel, Tire and rim brush, Microfibre glass towel, Wash mitt, Polisher applicator pad
- Type: Detailing

Model No.	Mfg. No.	Price /Each
FLT098	18842	



FOAMER CLEANER & ENGINE DEGREASER

- A convenient way to clean up tough grime, oil and grease build up under the hood, on tools, small engine parts, plastics, vinyl, and metals



Model No.	Mfg. No.	Container Type	Format	Price /Each
FLT119	18287	Trigger Bottle	946 ml	



MICROFIBRE BUFFING TOWEL

- Double sided and double stitched for maximum durability
- Super soft and lint free
- Ideal for buffing out wax or polish and creating the ultimate shine

Model No.	Mfg. No.	Price /Each
FLT094	18582	



LIQUID CLEANER WAX

- Cleans and restores as you wax
- Easy buffing to a high-gloss shine
- For wet or dry use
- Clear coat safe



Model No.	Mfg. No.	Container Type	Format	Price /Each
FLT140	17983	Bottle	473 ml	



MULTI-PURPOSE MICROFIBRE CLEANING TOWELS

- Use with cleaning product to remove dirt and stains from surface
- Can also be used dry to lift light dust and dirt from hard surfaces such as glass and dashboards
- After use, thoroughly wash by hand or machine in warm water
- Sold/Priced Per: Package
- Qty/Pkg.: 24

Model No.	Mfg. No.	Price /Each
FLT097	18827	



VENT & DUCT CLEANER

- Special formula allows you to treat vents, ductwork, evaporator core and drain pan area, helping to eliminate a variety of odours cause by mold and mildew
- Cleans by removing light dirt that resides in ductwork, and direct dust that sits on vent surfaces



Model No.	Mfg. No.	Container Type	Format	Price /Each
FLT113	18250	Aerosol Can	283 g	



2-IN-1 GLASS CLEANER WITH RAIN REPELLENT

- Cleans glass and applies water-beading technology
- Repels water and enhances driving visibility
- Helps prevent and remove sleet, snow ice, bugs and road spray from sticking to glass
- Leaves a streak-free finish
- Ideal for all glass surfaces, except tinted windows



Model No.	Mfg. No.	Container Type	Format	Price /Each
UAD890	36239	Aerosol Can	510 g	
UAD894	5076784	Trigger Bottle	680 ml	



ORIGINAL GLASS TREATMENT

- Dramatically improves wet weather driving visibility
- Repels rain, sleet and snow
- Seals microscopic pores in glass with a non-stick invisible barrier
- Allows easy removal of frost, ice, salt, mud and bug splatter
- Ideal for all exterior glass surfaces, auto and marine



Model No.	Mfg. No.	Container Type	Format	Price /Each
UAD886	36231	Bottle	207 ml	
UAD887	36232	Trigger Bottle	473 ml	



ANTI-FOG™ INTERIOR GLASS TREATMENT

- Eliminates and prevents fogging and steaming on windshields and visors
- Improves visibility
- Anti-static formula repels dust
- Removes smoke residue
- Ideal for all interior glass and mirrors, auto and marine



Model No.	Mfg. No.	Container Type	Format	Price /Each
UAD888	36235	Bottle	207 ml	



X-TREME CLEAN™ GLASS & PLASTIC CLEANER

- Removes tough dirt, bug splatter, film and road grime from glass and plastic
- Restores clear plastic and headlights by removing haze and discoloration
- Best used as windshield prep for Rain-X® Original Treatment
- Ideal for windshields, headlights, glass, plastic and many other applications



Model No.	Mfg. No.	Container Type	Format	Price /Each
UAD917	800001313	Bottle	355 ml	



WATERLESS WASH & WAX

- Conveniently wash your vehicle anytime, anywhere and get the same high-gloss shine as a water wash
- No water needed - great for touchups or on the go
- Highly lubricated, scratch-free formula is safe for all exterior surfaces
- Provides an exterior protectant using water repelling technology
- Spray on, wipe off
- Ideal for cars, trucks, RVs, trailers, ATVs and several other applications



Model No.	Mfg. No.	Container Type	Format	Price /Each
UAD892	36242	Trigger Bottle	946 ml	



SPOT FREE CAR WASH

- Spot-free formula sheens water off vehicle
- No towel drying necessary - water evaporates without residue
- Deep cleaning, high-foam soap cuts through dirt
- Premium car wash formula will not strip wax
- Safe for all vehicle finishes
- Ideal for cars, trucks, RVs, trailers, ATVs and several other applications



Model No.	Mfg. No.	Container Type	Format	Price /Each
UAD891	36240	Jug	1.42 L	



PLASTIC WATER REPELLANT

- Applies water beading technology to dramatically enhance visibility
- Specifically formulated for plastic surfaces
- Easily applied for a durable coating
- Ideal for plastic, including Lexan®, Plexiglas®, Perspex®, Lucite®, acrylic and polycarbonate applications



Model No.	Mfg. No.	Container Type	Format	Price /Each
UAD902	75016	Trigger Bottle	355 ml	



BUG & TAR PRE-WASH GEL

- Visibly removes tough stains on vehicle's surface
- Effectively dissolves bugs, road grime, brake dust, tar, organic residue, tree sap, insect and bird droppings
- No scrubbing required
- Ideal for cleaning your vehicle after long road trips
- Applications include glass, metal and exterior plastic surfaces including windshields, headlights, grills, fiberglass, bumpers, painted and chrome surfaces



Model No.	Mfg. No.	Container Type	Format	Price /Each
UAD889	36238	Trigger Bottle	473 ml	



WASH & WAX CAR WASH

- Wash and wax in one easy step
- Soft gel Carnauba wax beads create a protective barrier from the elements
- Leaves a spot-free, sparkling high-gloss finish
- Traps and removes road grime, grease and dirt
- High foaming wash
- Fast rinsing action



Model No.	Mfg. No.	Container Type	Format	Price /Each
UAD893	5056567	Jug	1.8 L	



HEADLIGHT RESTORATION KIT

- Restores clouded, pitted and yellowed lens surfaces
- Includes everything necessary for restoration (excluding portable drill)
- Easy to follow instructions
- Works on most plastic lighting lenses to restore like-new clarity, improving output and appearance



Model No.	Mfg. No.	Price /Each
UAD884	9228	



AUTOMOTIVE CHEMICALS & CLEANERS

NON-FLAMMABLE BRAKE & PARTS CLEANER

- Blend of non-combustible chlorinated safety solvents specifically designed for cleaning brake parts
- Washes away grease, oil, brake fluid, and impacted dust without affecting metal
- Evaporates quickly and completely
- Leaves no residue
- Will not interfere with subsequent brake operations
- Contains no trichlorethane or other ozone depleting compounds



Model No.	Mfg. No.	Container Type	Format	Price /Each
JL679	1049729C	Aerosol Can	20 oz.	

PROFESSIONAL RUBBERIZED COATING

- Premium quality, aerosol rubberized coating which provides outdoor protection for a variety of surfaces, and insulates against unwanted noise
- Dries quickly, prevents rust, and muffles noise
- Colour Family: Black



Model No.	Mfg. No.	Container Type	Format	Price /Each
JL673	28901C	Aerosol Can	16 oz.	

ALL-AROUND AUTOMOTIVE CONDITIONER

- Penetrates, protects, and beautifies, imparting a lustrous shine and renewing old or worn vinyl and rubber
- Protects surfaces from the harmful effects of elements that can crack, dry, fade or harden materials
- No milky, cloudy appearance to haze and dull rubber or vinyl
- Use on tires, dashboards, seats, trim, vinyl tops, luggage, sporting goods, boats, and acrylic objects



Model No.	Mfg. No.	Container Type	Format	Price /Each
FLT717	38901C	Bottle	0.95 L	
FLT718	38947C	Pail	20 L	

WHEEL & ENGINE CLEANER PRESPRAY

- Scented, concentrated, phosphate-free, high-foaming detergent formulated for vehicle tire, engine, and general prespray
- Use to brighten tires, remove bugs, remove road film, and remove carbon soils from engines



Model No.	Mfg. No.	Container Type	Format	Price /Each
FLT721	B20147C	Pail	20 L	

TIRELESS SHINE TIRE DRESSING

- Solvent-based, fast drying, high gloss, ready-to-use, silicone dressing for automobile tires
- Penetrates, protects, water resistant



Model No.	Mfg. No.	Container Type	Format	Price /Each
JL703	6301C	Aerosol Can	13 oz.	

HANG TIME BUG REMOVER

- Concentrated, phosphate-free, liquid containing water soluble solvents, surfactants, chelates, alkaline builders and gelling agents
- Designed as a prespray for effective removal of bugs



Model No.	Mfg. No.	Container Type	Format	Price /Each
FLT725	Q06447C	Pail	20 L	

FORMULA 4358 HEAVY-DUTY POWDERED DETERGENT

- 100% active and versatile red soap that can be used on the finest car surfaces or the dirtiest diesel-stained vehicle
- Hard water tolerant
- High-foaming, free-rinsing & biodegradable



Model No.	Mfg. No.	Container Type	Format	Price /Each
FLT722	40740C	Drum	45 kg	

BLUE MARVEL 2000 TRUCK & TRAILER WASH

- Economical, concentrated, high foaming liquid detergent especially formulated for brush-type car and truck wash facilities
- High-foaming formula produces thick, stable foam for complete coverage with excellent cling time to vehicle surfaces
- High concentration allows product to be diluted from 1:128 to 1:2000, depending on the specific application



Model No.	Mfg. No.	Container Type	Format	Price /Each
FLT719	G24447C	Pail	20 L	
FLT720	G24476C	Drum	210 L	

T'N'T TRUCK & TRAILER WASH

- Formulated to remove exhaust deposits, road film and bug residues from painted and unpainted surfaces
- One application and minimal brushing
- Highly versatile, this product can be applied with high or low pressure, in hot or cold water



Model No.	Mfg. No.	Container Type	Format	Price /Each
FLT723	37647C	Pail	20 L	
FLT724	37676C	Drum	210 L	

JET CLEAN BRUSHLESS VEHICLE PRE-SPRAY

- Concentrated, phosphate-free, water-based liquid designed for removal of road film from a wide variety of vehicles



Model No.	Mfg. No.	Container Type	Format	Price /Each
FLT726	P24147C	Pail	20 L	
FLT727	P24176C	Drum	210 L	

ULTRA 5-IN-1 DIESEL ALL SEASON FUEL SYSTEM CLEANER

- Cleans the fuel system to restore lost power, smooth rough-running and improve fuel economy
- Improves lubricity to help prevent fuel pump wear
- Inhibits rust and corrosion in the fuel system
- Helps keep fuel-filters from plugging with wax and prevents fuel gelling
- Boosts cetane to help improve combustion



Model No.	Mfg. No.	Container Type	Format	Price /Each
FLT123	17987	Bottle	354 ml	

HIGH MILEAGE OIL TREATMENT

- Specially formulated for vehicles with over 120,000 kilometres
- Fights friction and protects against engine wear by decreasing metal-to-metal contact, reducing oil consumption, and fortifying oil with a viscosity enhancer



Model No.	Mfg. No.	Container Type	Format	Price /Each
FLT129	15983	Bottle	443 ml	

SUPER CONCENTRATED FUEL INJECTOR CLEANER

- Unclogs dirty fuel injectors to restore performance and acceleration
- Helps dissolve and remove harmful carbon, gum and varnish deposits on fuel injectors
- Helps smooth rough idle and eliminate tough starts
- Treats up to 79 litres (21 gallons) of gasoline
- Add to gas every 6000 km or every oil change



Model No.	Mfg. No.	Container Type	Format	Price /Each
FLT120	17111	Bottle	155 ml	

POWER STEERING FLUID

- Protects against wear and pump breakdown caused by abnormal wear, oxidation and foaming
- Performs even in sub-zero temperatures
- Specifically designed for power steering units



Model No.	Mfg. No.	Container Type	Format	Price /Each
FLT124	17110	Bottle	350 ml	
FLT128	18495	Bottle	946 ml	

COMPLETE FUEL SYSTEM CLEANER

- Restores lost power and acceleration
- Reduces the need for higher octane fuel to stop knocks and pings
- Saves gas by removing deposits throughout the fuel system
- Reduces hard starts and engine hesitation



Model No.	Mfg. No.	Container Type	Format	Price /Each
FLT122	17113	Bottle	155 ml	

DOT 3 BRAKE FLUID

- Provides protection against brake failure from vapour lock
- Prevents corrosion in brake system
- Works with all brake systems requiring DOT 3 fluids



Model No.	Mfg. No.	Container Type	Format	Price /Each
FLT125	17117	Bottle	350 ml	

OCTANE BOOSTER

- Boosts octane and cleans fuel intake system to restore lost performance
- Removes deposits which can cause knocks, pings, hesitation and stumble
- Treats up to 79 litres (21 gallons) of gasoline



Model No.	Mfg. No.	Container Type	Format	Price /Each
FLT121	17112	Bottle	155 ml	

MULTI-PURPOSE MOTOR TREATMENT

- Great for fuel systems with a spout, crankcases and intakes
- Protects against viscosity build up and crankcase sludge



Model No.	Mfg. No.	Container Type	Format	Price /Each
FLT127	17174	Bottle	473 ml	

MINI CAR SCENT DIFFUSERS

- Type: Vent Clip
- Qty/Pkg.: 2

Model No.	Mfg. No.	Scent	Price /Each
FLT152	09135Z	New Car	
FLT153	09136Z	Hawaiian Sunrise	
FLT154	9138	Fresh Linen	



DUAL VENT SCENT STICKS

- Type: Vent Stick
- Qty/Pkg.: 4

Model No.	Mfg. No.	Scent	Price /Each
FLT155	9538	Midnight Black & Ice Storm	
FLT156	09591Z	Alpine & Summer Breeze	
FLT157	09578Z	New Car & Cool Breeze	
FLT158	09593Z	Strawberry & Cool Lemonade	



AUTOMOTIVE CHEMICALS & CLEANERS



STARTING FLUID

- Fast & easy
- Starts in cold weather conditions
- For gasoline engines
- Contains upper cylinder lubricant



Model No.	Mfg. No.	Format	Container Type	Price /Each
JN545	SW258	11 fl. oz.	Aerosol Can	

BIO-ENZYMATIC CARPET & UPHOLSTERY CLEANER

- High-quality, professional grade cleaner with fast-acting enzymes that safely remove stubborn stains and odor-causing organic matter from carpet and upholstery
- With an easy-to-use inverted spray actuator and powerful foaming action, this cleaner attacks spots, stains and odors with ease and speed
- The custom-blended, bio-enzymatic formula suspends and dissolves embedded foreign matter and breaks down organic residue to eliminate stains and odors
- Works effectively on spots caused by dirt, coffee, milk, wine, soda and pet stains



Model No.	Mfg. No.	Format	Container Type	Price /Each
JN549	SW589	18 fl. oz.	Aerosol Can	

INSTANT DETAILER CLEANER & POLISH

- Quick Detail Touch Up
- Spray & Wipe Clean
- Showroom Quality Shine
- Rinse Free



Model No.	Mfg. No.	Format	Container Type	Price /Each
JN543	SW094	16 fl. oz.	Can	

SALT OFF

- Removes salt stains from carpets and mats
- Built-in brush cap loosens salt
- Removes stubborn salt stains from any fabric quickly and easily
- Great for use on carpets and mats in your vehicle and around the house



Model No.	Mfg. No.	Format	Container Type	Price /Each
JN547	SW557	11 fl. oz.	Aerosol Can	

INSTANT DETAIL WAX

- Wax In Minutes
- Showroom Shine
- No Buffing Necessary
- No Powder or Dusting



Model No.	Mfg. No.	Format	Container Type	Price /Each
JN544	SW096	16 fl. oz.	Can	

TOTAL RELEASE BLAST OUT FRESHENER

- Small 5-oz can-size is easy to use, convenient and easily reaches into tight spaces
- Contains Ordenone®, a unique compound that quickly traps and eliminates odor-causing bacteria
- Fogging mist neutralizes and eliminates unpleasant odors at the source
- Lock the actuator in place for total release spray
- Ideal for cars, trucks, boats and RVs
- Available in ten popular fragrances



Model No.	Mfg. No.	Type	Scent	Price /Each
JN554	SW248	Aerosol	Mist	
JN555	SW252	Aerosol	Mountain Air	

GTX® ULTRACLEAN MOTOR OIL

- Advanced protection against viscosity and thermal breakdown
- Superior protection against high-temperature deposits
- Premium-quality base oils and anti-wear additives that help extend the life of your engine
- Oil Type: Conventional
- Motor Type: Gasoline



AF608



AF612



Model No.	Mfg. No.	Format	Container Type	SAE Grade	Price /Each
AF608	1542	1 L	Bottle	5W-20	
AF609	000153A	5 L	Jug	5W-20	
AF611	1142	1 L	Bottle	5W-30	
AF612	000113A	5 L	Jug	5W-30	
AF613	1105	205 L	Drum	5W-30	

GTX® MOTOR OIL

- Specially engineered to prevent the harmful build-up of sludge, reduce oil deposits and provide daily protection for your engine
- Maximum protection against viscosity and thermal breakdown
- Superior oil burn-off protection versus leading conventional oils
- Advanced additives that minimize engine wear
- Oil Type: Conventional
- Motor Type: Gasoline



AF614



AF621



Model No.	Mfg. No.	Format	Container Type	SAE Grade	Price /Each
AF614	1342	1 L	Bottle	10W-30	
AF615	000133A	5 L	Jug	10W-30	
AF616	1305	205 L	Drum	10W-30	
AG369	1242	1 L	Bottle	10W-40	
AF618	000123A	5 L	Jug	10W-40	
AF619	1205	205 L	Drum	10W-40	
AG370	1442	1 L	Bottle	20W50	
AF621	000143A	5 L	Jug	20W50	

GTX® HIGH MILEAGE MOTOR OIL

- Superior dispersancy that fights sludge build-up
- Exceptional oil burn-off protection
- Seal conditioners to help reduce leaks
- Advanced additives that minimize engine wear
- Oil Type: Conventional
- Motor Type: Gasoline



AF628



AF623



Model No.	Mfg. No.	Format	Container Type	SAE Grade	Price /Each
AF622	1838	1 L	Bottle	5W-20	
AF623	000183A	5 L	Jug	5W-20	
AF625	1638	1 L	Bottle	5W-30	
AF626	000163A	5 L	Jug	5W-30	
AF628	1738	1 L	Bottle	10W-30	
AF629	000173A	5 L	Jug	10W-30	

GTX® MAGNATEC™ MOTOR OIL

- Clings to critical engine parts when the oil drains down
- Adds a layer of protection during warm-up and beyond
- Dramatically reduce engine wear
- Leave critical engine parts 4X smoother
- Oil Type: Synthetic
- Motor Type: Gasoline



AF634



AF631



Model No.	Mfg. No.	Format	Container Type	SAE Grade	Price /Each
AF630	220038	1 L	Bottle	0W20	
AF631	022003A	5 L	Jug	0W20	
AF632	220011	60 L	Drum	0W20	
AF634	221538	1 L	Bottle	5W20	
AF635	022153A	5 L	Jug	5W20	
AF636	221511	60 L	Drum	5W20	
AF638	221138	1 L	Bottle	5W30	
AF639	022113A	5 L	Jug	5W30	
AF640	221111	60 L	Drum	5W30	

AUTOMOTIVE MOTOR OILS & GREASE

EDGE® FTT MOTOR OIL

- Three times stronger against viscosity breakdown
- The unique titanium technology physically changes the way oil behaves under extreme pressures doubling its film strength
- preventing oil from breaking down and reducing friction to maximize engine performance.
- Oil Type: Synthetic
- Motor Type: Gasoline



Model No.	Mfg. No.	Format	Container Type	SAE Grade	Price /Each
AF642	201738	1 L	Bottle	0W20	
AF643	020173A	5 L	Jug	0W20	
AF644	201715	60 L	Drum	0W20	
AF645	201706	208 L	Drum	0W20	
AF646	201238	1 L	Bottle	0W30	
AF647	201838	1 L	Bottle	0W40	
AF648	020183A	5 L	Jug	0W40	
AF649	201806	208.2 L	Drum	0W40	
AF650	200938	1 L	Bottle	5W20	
AF651	020093A	5 L	Jug	5W20	
AF652	200915	60 L	Drum	5W20	
AF653	200906	208.2 L	Drum	5W20	
AF654	201138	1 L	Bottle	5W30	
AF655	020113A	5 L	Jug	5W30	
AF656	201115	60 L	Drum	5W30	
AF657	201106	208.2 L	Drum	5W30	
AF658	201438	946 ml	Bottle	5W40	
AF659	020143A	5 L	Jug	5W40	
AF660	201406	208.2 L	Drum	5W40	
AF661	201038	1 L	Bottle	5W50	
AF662	020103A	5 L	Jug	5W50	
AF663	201006	208.2 L	Drum	5W50	
AF664	201338	1 L	Bottle	10W30	
AF665	020133A	5 L	Jug	10W30	

EDGE® EP MOTOR OIL

- The strength to perform for 24,000 kilometers between oil changes
- Delivers unsurpassed levels of protection across a variety of driving conditions and temperatures
- Proprietary titanium additive provides unsurpassed wear protection
- Oil Type: Synthetic
- Motor Type: Gasoline



Model No.	Mfg. No.	Format	Container Type	SAE Grade	Price /Each
AF666	206038	1 L	Bottle	0W20	
AF667	206089	4.4 L	Jug	0W20	
AF668	206566	1 L	Bottle	5W20	
AF669	206589	4.4 L	Jug	5W20	
AF670	206166	1 L	Bottle	5W30	
AF671	206189	4.4 L	Jug	5W30	

VECTON® CK-4 MOTOR OIL

- Castrol Vecton provides outstanding resistance to nitration and oxidation
- Castrol Vecton provides improved cold-temperature engine starting
- Reduced oil consumption relative to single-grade natural gas-fueled engine oils
- Oil Type: Part Synthetic
- Motor Type: Gasoline



Model No.	Mfg. No.	Format	Container Type	SAE Grade	Price /Each
AF588	15AEA9	946 ml	Bottle	15W-40	
AF589	15AA34	3.78 L	Jug	15W-40	
AF590	15AEA8	18.9 L	Pail	15W-40	
AF591	15AEEA	208 L	Drum	15W-40	

VECTON® CK-4 LD MOTOR OIL

- Excels under high-pressure: engine combustion pressures are increasing, which puts increased pressure on key engine parts
- Performs at high temperature – engine oil is subjected to areas of very high temperature in modern engines, causing oxidation and oil thickening
- Offers drain intervals of up to 80,000 miles or 1000 hours
- Oil Type: Part Synthetic
- Motor Type: Gasoline



Model No.	Mfg. No.	Format	Container Type	SAE Grade	Price /Each
AF592	15ABF6	3.78 L	Jug	10W-30	
AF593	15ABF4	18.9 L	Pail	10W-30	
AF594	15ABF3	208 L	Drum	10W-30	

AUTOMOTIVE MOTOR OILS & GREASE

5125 PYROPLEX® RED #1

- Lithium complex grease that meets the highest performance standards of automotive, fleet, industrial, farm and off-highway applications
- Has shear stability to stay in grade and in place over long periods of use
- Employs top quality extreme pressure and anti-wear additives, so it can withstand conditions of severe shock and high loads
- Excellent compatibility with other greases
- Max. Temperature: 502°F (260°C)

AG339



5111 PYROPLEX® PROTECTION ES NLGI #1

- Specially formulated synthetic, lithium complex grease designed for extended service performance in challenging on-highway applications
- Full synthetic providing excellent low and high temperature performance
- Exceptional pumpability
- Oxidation minimized through excellent thermal stability
- Maximum protection against rust, oxidation and corrosion in extreme environments
- Exclusive hydroactivation technology for increased tack in wet environments
- Extreme pressure and anti-wear performance
- High dropping point
- Does not use antimony, barium, lead, or chlorinated compounds, reducing environmental impact
- Container Type: Tube
- Max. Temperature: 550°F (288°C)

AG350



Model No.	Mfg. No.	Format	Container Type	Price /Each
AG339	105219	400 g	Tube	
AG340	105218	54.4 kg	Keg	



Model No.	Mfg. No.	Format	Container Type	Price /Each
AG350	106119	400 g	Tube	
AG351	106118	54.4 kg	Keg	

5517 PYROPLEX® BLUE #2

- Maintains mobility while building tack and adhesion when faced with water contamination
- The Hydro-Activated technology helps it resist softening and washout when exposed to wet conditions on a continued basis
- The extreme pressure and anti-wear additives promote extremely long bearing life
- In high temperature environments, it adheres to metal surfaces and provides a strong barrier of protection for critical components
- Because it stays in place, there is less need to add grease, which equals less grease usage and extended lubrication intervals
- Multifunctional use for both on and off road
- Superior rust and oxidation control
- Dependable performance under varying conditions reduces maintenance costs while extending equipment life
- Does not use antimony, barium, lead, or chlorinated compounds, reducing environmental impact

AG347



5877 PYROPLEX® GOLD #2

- Uniquely formulated, semi-synthetic, aluminum complex grease that excels in heavily loaded construction, mining and industrial equipment where extreme operating conditions prevail
- Extreme pressure and anti-wear performance especially in highly shock loaded areas
- 6% molybdenum disulfide solids
- Semi-synthetic basestock for unique cold flow and pumping capabilities
- Excellent thermal stability with a high dropping point
- Enhanced "stay in place" technology with hydro-activated polymers providing very low water spray-off rates
- Aluminum complex thickener
- Will excel in multiple bearing applications, sliding applications, bucket pins, highly shock loaded areas, and asphalt paver auger bearings where extreme pressure and high heat exist
- Has assured pumpability in most cold environments that eliminates the traditional approach of changing to a NLGI 1 grade in winter

AG356



Model No.	Mfg. No.	Format	Container Type	Price /Each
AG346	105019	400 g	Tube	
AG347	105030	15.9 kg	Pail	
AG348	105018	54.4 kg	Keg	
AG349	105013	180 kg	Drum	



Model No.	Mfg. No.	Format	Container Type	Price /Each
AG356	903219	425 g	Tube	

CLEANER & DEGREASER

- Formulated to dissolve grease and cut grime
- Biodegradable and phosphate-free

AG362



FOAMING CLEANER-DEGREASER

- Spray it on and watch as the foaming action clings to the surface ensuring that the active ingredients won't run off
- Industrial strength, yet biodegradable, phosphate-free and non-flammable
- Ready to take on your griest, grimeiest and toughest cleaning tasks
- Colour: Purple



Model No.	Mfg. No.	Format	Container Type	Price /Each
AG361	801066	946 ml	Bottle	
AG362	801016	3.78 L	Jug	
AG363	801010	20 L	Pail	
AG364	801006	208 L	Drum	



Model No.	Mfg. No.	Format	Container Type	Price /Each
AG365	801166	946 ml	Trigger Bottle	

AUTOMOTIVE ANTIFREEZE & COOLANTS

50/50 PREDILUTED ENGINE ANTIFREEZE/COOLANT

- 50/50 blend of concentrated antifreeze/coolant and demineralized water
- Cor-Guard™ inhibitor formula prevents corrosion, helping a vehicle's cooling system run more efficiently and last longer
- Compatible with any colour antifreeze/coolant, and can be used in all makes and models of cars or light-duty trucks
- Meets or exceeds ASTM D3306 and D4985 for corrosion protection for cars and light duty trucks
- Can provide up to 5 years or 250,000 km of protection when flushed and filled according to directions



CONCENTRATE ENGINE ANTIFREEZE/COOLANT

- Cor-Guard™ inhibitor formula prevents corrosion, helping a vehicle's cooling system run more efficiently and last longer
- Compatible with any colour antifreeze/coolant, and can be used in all makes and models of cars or light-duty trucks
- Meets or exceeds ASTM D3306 and D4985 for corrosion protection for cars and light duty trucks
- Can provide up to 5 years or 250,000 km of protection when flushed and filled according to directions



Prestone

Model No.	Mfg. No.	Format	Container Type	Colour	Price /Each
FLT529	71183	1.89 L	Jug	Yellow	
FLT530	71175	3.78 L	Jug	Yellow	

Prestone

Model No.	Mfg. No.	Format	Container Type	Colour	Price /Each
FLT531	71621	3.78 L	Jug	Yellow	

MOTOR ANTIFREEZE/COOLANT

- Specially formulated for Asian-based POAT Technology vehicles, and European-based HOAT Technology vehicles
- Will not void manufacturer's warranty
- Fights the spread of corrosion
- Up to 5 years or 150,000 miles of protection when used according to manufacturer instructions
- Container Type: Jug



DEX-COOL® EXTENDED LIFE ANTIFREEZE/COOLANT

- 50/50 blend contains 50% antifreeze for temperature and corrosion protection and 50% demineralized water for vital heat transfer
- For use in all vehicles that require DEX-COOL® antifreeze/coolant
- Can also be used in all other cars and light duty trucks that use extended life coolant
- Meets or exceeds ASTM D3306 ASTM D4985 and SAE standards for corrosion protection
- Meets General Motors GMW3420 (GM 6277M), Ford WSS-M97B44-D, and property and performance specification requirements for FCA (Fiat/Chrysler) MS12106 (MS-7170 & MS-9769)
- Approved by General Motors to be licensed as a DEX-COOL® product under the GM 6277M specification
- Can provide up to 5 years or 250,000 km of protection when flushed and filled according to directions



Prestone

Model No.	Mfg. No.	Format	Formulated For Use In	Colour	Price /Each
FLT532	78007	3.78 L	Toyota®, Lexus®, and Scion® vehicles	Red	
FLT533	78015	3.78 L	Honda®, Acura®, Nissan®, Infiniti®, Subaru®, and Suzuki® vehicles	Blue	
FLT534	78023	3.78 L	Audi®, BMW®, Jaguar®, Volvo®, Mini®, Porsche®, Saab®, VW® and Mercedes® vehicles	Teal	

Prestone

Model No.	Mfg. No.	Format	Description	Container Type	Price /Each
FLT535	71118	3.78 L	Concentrate Antifreeze/Coolant	Jug	
FLT536	71159	3.78 L	50/50 Prediluted Antifreeze/Coolant	Jug	

COMMAND® HEAVY-DUTY ESI ANTIFREEZE/COOLANT

- Features pre-charged extended service interval (ESI) technology product, is compatible with any conventional heavy-duty coolant, and all filter technologies
- Can be used in normal- to severe-duty cycles and extreme temperature conditions
- Provide protection against freezing, overheating, cavitation erosion, corrosion, and scale & foaming
- Colour: Purple



COMMAND® HEAVY-DUTY NITRATE-FREE EXTENDED LIFE ANTIFREEZE/COOLANT

- Organic Acid Technology (OAT) is intended for use, and is compatible with, any OAT Extended Life heavy-duty antifreeze/coolant
- For use in any diesel powered commercial vehicle or stationary engine
- Colour: Yellow



Prestone

Prestone

Model No.	Mfg. No.	Format	Description	Container Type	Price /Each
FLT537	74005	3.78 L	Concentrate Antifreeze/Coolant	Jug	
FLT539	74021	205 L	Concentrate Antifreeze/Coolant	Drum	
FLT538	74013	3.78 L	50/50 Prediluted Antifreeze/Coolant	Jug	
FLT540	74039	205 L	50/50 Prediluted Antifreeze/Coolant	Drum	

FLT546

Model No.	Mfg. No.	Format	Description	Container Type	Price /Each
FLT545	74089	3.78 L	Concentrate Antifreeze/Coolant	Jug	
FLT547	74807	205 L	Concentrate Antifreeze/Coolant	Drum	
FLT546	74097	3.78 L	50/50 Antifreeze/Coolant	Jug	
FLT548	74815	205 L	50/50 Antifreeze/Coolant	Drum	

COMMAND® HEAVY-DUTY NOAT ANTIFREEZE/COOLANT

- Nitrited Organic Acid Technology (NOAT) is intended for use, and is compatible with, any NOAT Extended Life heavy-duty antifreeze/coolant
- For use in any diesel-powered commercial vehicle or stationary engine with aluminum and other metal engines
- Colour: Red



CELSIUS® EXTENDED LIFE ANTIFREEZE/COOLANT

- Compatible with any antifreeze/coolant in any vehicle with aluminum or other metal cooling systems
- Features a blend of long-lasting inhibitors to guard against extreme temperatures and the effects of rust, corrosion, and premature water pump failure
- Meets and exceeds ASTM D3306 and D4985 for corrosion protection for cars and light duty trucks, while providing reliable freeze-up and boil-over protection
- Colour: Yellow



Prestone

Model No.	Mfg. No.	Format	Description	Container Type	Price /Each
FLT541	74047	3.78 L	Concentrate Antifreeze/Coolant	Jug	
FLT543	74063	205 L	Concentrate Antifreeze/Coolant	Drum	
FLT542	74055	3.78 L	50/50 Prediluted Antifreeze/Coolant	Jug	
FLT544	74071	205 L	50/50 Prediluted Antifreeze/Coolant	Drum	

Prestone

Model No.	Mfg. No.	Format	Description	Container Type	Price /Each
FLT549	11551	3.78 L	Concentrate Antifreeze/Coolant	Jug	
FLT551	11568	205 L	Concentrate Antifreeze/Coolant	Drum	
FLT550	11576	3.78 L	50/50 Prediluted Antifreeze/Coolant	Jug	
FLT552	11584	205 L	50/50 Prediluted Antifreeze/Coolant	Drum	

AUTOMOTIVE ESSENTIALS

SAFETY FLARES

- Visible in fog, rain, or snow
- Easy to ignite with self-contained striker
- 20 or 30-minute duration
- Spike or wire stands available
- UL approved

SAI374



SAI373

Priced per Package

Model No.	Mfg. No.	Description	Qty /Pkg.	Price /Each
20 MINUTES				
SAI373	2720	Spike	72	
SAI374	9240	Wire stand	72	
30 MINUTES				
SAI375	2730	Spike	36	
SAI376	9340	Wire stand	36	

FLARE CONTAINERS

Model No.	Mfg. No.	Description	Price /Each
SDP618*	300	Holds up to four 20 minute Flares	
SDP619*	5300	Holds up to four 30 minute Flares	
SDP620	7830	Holds up to eighteen 30 minute Flares	

* Wall Mounting bracket included

PRO™ SNOW SHOVEL

- Top-of-the-line industrial grade tools designed for intense and continuous use
- Stained ash wood



Model No.	Mfg. No.	Handle Type	Handle Length"	Blade Size"	Blade Material	Price /Each
NE314	GIP139KD	D-Grip	45	13 7/8 x 16 3/8	Polypropylene	

ARTIC PLOW™ TELESCOPIC SNOW BLADE

- Easily removable polyurethane foam head
- Will not scratch car surface
- Ideal for removing heavy snow fall off vehicles

Model No. NJ231
Price/Each \$



ELECTRONIC LED SAFETY BATONS

- Pulsating high intensity LED lights
- Water and impact resistant construction
- 3 flash modes: steady on, slow flash and fast flash
- Takes C-cell batteries (XB874), batteries not included
- Length: 12"

Model No. SDP537
Price/Each \$



ALKALINE INDUSTRIAL BATTERIES

- Battery Type: C
- Voltage: 1.5 V
- Qty/Box: 12

Model No. XB874
Price/Box \$



SCRATCH-FREE SNOWBRUSH

- Scratch-free EVA foam head brush
- Lightweight aluminum handle for a more durable and comfortable grip
- Sturdy scraper made of polycarbonate is perfect for getting through thick ice



Model No.	Mfg. No.	Overall Length"	Head Width"	Description	Price /Each
NJ399	G36SBMSV	36	4-3/4	Non-Telescopic	
NM807	G52PSBT	52	13-3/4	Telescopic	

TELESCOPIC SNOW BROOMS

- Extends from 23" to 36"
- 7" head w/rubber squeegee
- External lock

Model No. NE440
Price/Each \$



LONG REACH SNOW BRUSHES

- 35" long aluminum handle
- Large foam grip
- Unbreakable blade
- Colour may vary

Model No. NE441
Price/Each \$



EMERGENCY CAR SHOVELS

- Collapsible for easy storage
- Telescopic for extended reach 30" to 40"
- External ergonomic lock
- Durable one piece D-handle

Model No. NJ088
Price/Each \$



CAR SHOVEL WITH TELESCOPIC HANDLE

- Warranty: 1 year
- Emergency shovel designed and developed to help rescue you from any winter situation
- Equipped with an ultra-light, aluminum telescopic handle to make snow removal and storage in the trunk of your car easier
- Blade Material: Polypropylene
- Blade Width: 9"
- Blade Height: 5"
- Handle Length: 24-3/4"
- Handle Material: Aluminum
- Handle Type: D-Grip

Model No. NKA409
Price/Each \$



SNOW ROOF RAKE

- Ideal for removing any kind of debris from roofs
- Prevents roof damage by removing ice dams & heavy snow
- Shipped knocked down
- Lightweight handle extends to 16'
- Blade Material: Polypropylene
- Blade Width: 24-3/4"
- Blade Height: 6"
- Handle Length: 61"
- Handle Material: Aluminum
- Handle Type: Straight
- Weight: 4 lbs.

Model No. NN009
Price/Each \$



FUNNELS

POLYETHYLENE FILTER FUNNELS

- Made of chemical resistant polyethylene
- Screen filter included



NC991

Model No.	Dia."	Price/Each
MN448	3	
YC564	5	
NC991	9	

FUNNELS

- Translucent high density polyethylene construction
- Wire mesh screen keeps contaminants out
- Comes complete with a polyethylene flexible spout for difficult to reach areas
- Curved funnel ends make the funnel splash and spill proof



TYB517

aurora tools

Model No.	Diameter"	Capacity	Price /Each
TYB517	8	1.7 litres	
TYB518	9 1/2	3 litres	

LIQUID MEASURES

- Translucent high density polyethylene construction
- Comes complete with a polyethylene flexible spout for difficult to reach areas
- Cap on flexible spout and polypropylene lid renders measure spill proof
- Spout length: 7 1/2"
- Spout diameter: 3/4"



TYB514

aurora tools

Model No.	Capacity	Price /Each
TYB513	1 quart	
TYB514	2 quart	
TYB515	3 quart	
TYB516	5 quart	

Call our order desk for a quote when funnels & measures are to be used in food industry.

STEEL FUNNELS WITH EXTENSION

- Galvanized steel funnel comes with a flexible extension
- 1/2" diameter hose for 1-pint model, 3/4" diameter for larger sizes

Model No.	Cap.	Top Dia."	Hose Spout Length"	Spout Dia."	Price /Each
NB027	1 pint	4 3/4	9	3/8	
NB028	1 quart	5 7/8	8	1/2	
NB025	1/2 gal.	7 5/8	8 1/2	1/2	
NB026	1 gal.	8 7/8	10	1/2	



NB028

STEEL FUNNELS WITH EXTENSION

- 8 3/4" diameter galvanized steel funnel with brass screen strainer
- 16" long flexible extension
- 15/16" spout diameter
- Capacity: 2 gallons
- Suitable for use with tractors

Model No. NB001
Price/Each \$




NB001

STRAINER FUNNELS

- Tin strainer funnels have a built-in screen that prevents the flow of harmful particles into the liquid

Model No.	Cap.	Top Dia."	Body Ht."	Spout Ht."	Spout Dia."	Price /Each
NB069	1 pint	4 3/4	3 7/16	2 1/16	3/8	
NB070	1 quart	5 3/4	4 5/16	2 3/8	1/2	
NB067	1/2 gal.	7 1/2	5 5/8	2 11/16	5/8	
NB068	1 gal.	8 3/4	6 1/2	3 1/2	3/4	



NB070

UTILITY FUNNELS

- Lightweight tin and galvanized steel funnels available in capacities from 1 pint to 1 gallon

Cap.	Top Dia."	Body Ht."	Spout Ht."	Spout Dia."	Tin Model No.	Price /Each	Galv. Model No.	Price /Each
1 pint	4 3/4	3 7/16	2 1/16	3/8	NB077		NB031	
1 quart	5 3/4	4 5/16	2 3/8	1/2	NB078		NB032	
1/2 gal.	7 1/2	5 5/8	2 11/16	5/8	NB075		NB029	
1 gal.	8 3/4	6 1/2	3 1/2	3/4	NB076		NB030	

NB078

STEEL FUNNELS

- Suitable for use with tractors
- Galvanized steel funnel has 8 3/4" diameter and comes with a brass screen strainer
- Body height: 7 1/2"
- Spout height: 4 13/16"
- Spout diameter: 15/16"
- Capacity: 2 gallons

Model No. NA999
Price/Each \$



NA999

LIQUID MEASURES

A. FLEXIBLE SPOUT

- Spill proof top
- Flexible spout makes it easy to reach difficult areas and hard to reach pouring angles
- Flexible spout length: 8"
- Spout diameter: 1/2"
- Available in tin, galvanized steel or stainless steel



A.

NB082

B. OPEN TOP

- Available in tin, galvanized steel or stainless steel



B.

NB087

NON-TILT STEEL FUNNELS

- Suitable for use with tractors
- Non-tilt feature allows funnel to remain upright when in use
- Galvanized steel funnel has 8 3/4" diameter, comes with brass screen strainer
- 15/16" spout diameter
- Capacity: 2 gallons

Model No. NB004
Price/Each \$



NB004

Cap.	Tin Model No.	Dia." x H"	Price /Each	Galvanized Model No.	Dia." x H"	Price /Each	Stainless Model No.	Dia." x H"	Price /Each
A. FLEXIBLE SPOUT									
1 quart	NB082	4 1/4 x 4 3/4		NB035	4 x 5 7/16		NB056	4 x 5 7/16	
1/2 gallon	NB079	4 1/4 x 8 7/8		NB033	5 x 7 1/4		NB052	4 x 7 1/4	
1 gallon	NB081	6 x 9 3/4		NB034	6 x 9 3/4		NB054	6 x 9 3/4	
B. OPEN TOP									
1 quart	NB087	4 1/4 x 4 3/4		NB038	4 x 5 7/16		NB061	4 x 5 7/16	
1/2 gallon	NB083	4 1/4 x 8 7/8		NB036	5 x 7 1/4		NB057	4 x 7 1/4	
1 gallon	NB085	6 x 9 3/4		NB037	6 x 9 3/4		NB059	6 x 9 3/4	



DIP TANKS

- Manually operated covers which stay open for convenient access
- Cover is equipped with a self-closing mechanism and fusible link which melts at 165°F to snap the cover shut in case of fire
- Constructed of 24-gauge coated steel, durable powder coat paint finish for long use
- Available with polyethylene liner for outstanding chemical resistance to harsh, corrosive chemicals



SD562

Model No.	Description	Outside Dim. Dia." x H"	Approved Regulation	Wt. lbs/kg	Price /Each
SD561	1-gallon steel dip tank	9 3/8 x 5 1/2	FM,UL	5/2.3	
SD562	2-gallon steel dip tank	9 3/8 x 10	FM,UL	6/2.7	
SD563	3.5-gallon steel dip tank	11 3/8 x 11 1/4	FM,UL	8/3.6	
SD564	5-gallon steel dip tank	13 3/4 x 13	FM,UL	10/4.5	
WN969	5-gallon steel dip tank w/HDPE liner	13 3/4 x 13	-	12/5.5	
WN970	8-gallon steel dip tank	15 5/8 x 14 1/4	FM,UL	13/5.9	

BENCH CANS

- Spring-loaded, perforated plated steel dasher plate
- Simply press down and agitate, then release to return to drain position
- Effective flame arrester
- Hinged cover minimizes evaporation losses
- Protected rim reduces the possibility of hand injury
- 24-gauge premium coated steel
- Powder coat paint finish adds durability



AB491



Model No.	Description	Dasher Dia."	Outside Dim. Dia." x H"	Approved Regulation	Wt. lbs/kg	Price /Each
WN978	1-quart steel bench can	4 1/2	4 7/8 x 5 1/2	FM	2/0.9	
AB491	2-quart steel bench can	7 1/2	9 3/8 x 3 1/4	FM	4/1.8	
AB492	1-gallon steel bench can	7 1/2	9 3/8 x 4 1/2	FM	5/2.3	
WN979	1-gallon steel bench can w/parts basket	7 1/2	9 3/8 x 4 1/2	FM	5/2.3	
AB493	2-gallon steel bench can	9 3/4	11 1/2 x 5 3/8	FM	8/3.6	
AB494	3-gallon steel bench can	12 1/8	13 1/2 x 6	FM	10/4.5	
WN980	Optional 24-gauge parts basket	-	6 7/16 x 7/16	-	1/0.5	

WASH TANKS

- Cover opens wide for access
- Integral parts basket facilitates washing quantities of small parts quickly
- Can and basket are made of sturdy 24-gauge coated steel
- After cleaning, the basket is positioned at the top of the tank to allow solvent to drain
- Cover is equipped with a self-closing mechanism and fusible link which melts at 165°F and snaps the cover shut in case of fire
- Available with polyethylene liner for outstanding chemical resistance to harsh, corrosive chemicals



SM432



Model No.	Description	Outside Dim. Dia." x H"	Approved Regulation	Wt. lbs/kg	Price /Each
WN971	1-gallon steel wash tank w/basket	9 3/8 x 10	FM, TUV	7/3.2	
WN972	2-gallon steel wash tank w/basket	11 3/8 x 11 1/4	FM, TUV	10/4.5	
WN973	3.5-gallon steel wash tank w/basket	13 3/4 x 13	FM, TUV	12/5.5	
WN974	3.5-gallon steel wash tank w/HDPE liner and basket	13 3/4 x 13	FM, TUV	13/5.9	
SM432	6-gallon steel wash tank w/basket	15 5/8 x 14 1/4	FM, TUV	15/6.8	

RINSE TANKS

- Large parts (up to 16" x 35") can be totally immersed
- Heavy-duty, 18-gauge coated steel construction
- Tough powder coat paint finish for superior durability and chemical resistance

FLOOR STANDING RINSE TANKS

- Supported on a sturdy stand, 33" height for convenient access whether standing or seated
- Self-closing cover is foot-treadle operated so it can be opened by a worker with both hands full
- Adjustable-rate pneumatic cylinder prevents cover from slamming shut instantly
- A 3/4" drain plug for easy solvent replacement

BENCH TOP RINSE TANKS

- Sit conveniently on work bench or counter for easy access
- Lift-and-latch style cover has fusible link that melts at 165°F and closes the cover in case of fire
- A 3/4" drain plug allows for easy solvent replacement

SEDIMENT SCREENS

- 26-gauge premium coated steel
- Rests at bottom of tank to catch grime as it settles and allows for easy cleaning during solvent change

PARTS BASKETS

- 26-gauge premium coated steel
- Carries numerous smaller parts to be washed in a single action



TANKS

Model No.	Description	Dimensions			Approved Regulation	Wt. lbs/kg	Price /Each
		L"	x	W" x D"			
FLOOR STANDING & BENCH TOP RINSE TANKS							
SM434	11-gallon steel floor standing rinse tank	24	x	16 x 8 3/4	FM	27/12.3	
SM431	11-gallon steel bench top rinse tank	24	x	16 x 8 3/4	FM	13/5.9	
SM433	22-gallon steel floor standing rinse tank	35 1/4	x	16 x 12	FM	36/16.4	
WN975	22-gallon steel bench top rinse tank	35 1/4	x	16 x 12	FM	22/10	
TWIN CHAMBER RINSE TANKS							
WN976	2 x 4-gallon steel floor standing rinse tank	24	x	16 x 8 3/4	FM	62/28	
WN977	2 x 9-gallon steel floor standing rinse tank	35 1/4	x	16 x 12	FM	80/36	

SEDIMENT SCREENS & PART BASKETS

Model No.	Description	Dimensions			Wt. lbs/kg	Price /Each
		L"	x	W" x D"		
SM437	Sediment screen for tank models SM434 and SM431	23	x	13 3/4 x 3/4	1/5	
SM436	Sediment screen for rinse tank models SM433 and WN975	35	x	13 3/4 x 3/4	1/5	
SM430	Parts basket for rinse tank models SM434 and SM431	16	x	13 x 4	4/1.8	
SM428	Parts basket for rinse tank models SM433 and WN975	28	x	13 x 4	6/2.7	

SM433



PARTS CLEANER

RECIRCULATING PARTS WASHERS

- Safety lever has fusible link which shuts cover in case of fire
- Thermally protected 110 V motor and on/off switch
- Durable pump included
- 3-way filtration traps grime
- Flush hose delivers flow of solvent to rinse parts clean, quickly and easily
- For water-based solvent-free detergent, degreasers and cleaners only



BV742

5 GALLONS

Capacity: 3.5 gallons
Motor: 0.25 A
Voltage: 110 V, 1 phase, 60 Hz
Dimensions: 18 1/4" x 13 1/2" x 9"
Height of stand: N/A
Weight: 15 lbs.
Model No. BV742*
Price/Each \$



BV743

20 GALLONS

Capacity: 12 gallons
Motor: 0.25 A
Voltage: 110 V, 1 phase, 60 Hz
Dimensions: 30 1/2" x 21 1/4" x 10"
Height of stand: 24 1/2"
Weight: 55 lbs.
Model No. BV743*
Price/Each \$



BV744

40 GALLONS

Capacity: 30 gallons
Motor: 0.25 A
Voltage: 110 V, 1 phase, 60 Hz
Dimensions: 44 1/2" x 21 1/4" x 10 1/2"
Height of stand: 24 1/2"
Weight: 92 lbs.
Model No. BV744*
Price/Each \$

*A material safety data sheet is required for purchase

PARTS CLEANING BRUSHES

Recommended for cleaning motors, machinery and metal parts.



JACKSONLEA

BZ987



TEX274



Model No.	Brush Dia."	Overall Length"	Trim Length"	Qty /Pkg.	Price /Each
BZ987	1 1/8	11	2 3/4	12	
TEX274	1 7/8	37 3/8	3 1/2	1	
		Brush Only: 10"			

SMARTWASHER®

SmartWasher® uses the process of **bioremediation** - the accelerated break down of organic compounds such as grease, grime, varnish, oil, carbon and other heavy industrial soils through the use of nonpathogenic microbes. The microbes, suspended in a fluid that re-circulates through the unit, literally **eat their way through soils**, converting them into harmless water and carbon dioxide (CO₂). The solution remains clean and usable, unlike traditional solvent-based systems where the solution becomes dirty and less effective over time. Disposal becomes a non-issue, as hazardous waste streams are eliminated.

JUST SAY NO!

- NO VOC Concerns
- NO Toxic Solvents
- NO Flash Point Fluid
- NO Service Contracts
- NO Hazardous Waste Hauling
- NO Health and Safety Hazards



AF128



PARTS CLEANER

Model No.	Mfg. No.	Sink Dim.					Overall Dim.					Price /Each
		W"	x	D"	x	H"	W"	x	D"	x	H"	
NH774	14145	28	x	17	x	8	35.5	x	26.5	x	40	
AF127	14144	24	x	41	x	8	34	x	42	x	43	

MOBILE PARTS & BRAKE WASHERS

Model No.	Mfg. No.	Sink Dim.					Overall Dim.					Price /Each
		W"	x	D"	x	H"	W"	x	D"	x	H"	
AF128	14161	23	x	27	x	8	26.5	x	27	x	40	

SMARTWASHER® SYSTEMS

The SmartWasher® system consists of a sturdy, impact resistant, self-contained washing unit with a flexible nozzle and brush that directs warmed cleaning fluid for parts washing. The fluid works in conjunction with a special microbe impregnated filter to effectively clean the dirtiest parts.



SMARTWASHER® UNITS FEATURE:

- Flexible nozzle and brush
- Recirculating pump
- Low fluid indicator light/low fluid automatic shut-off
- Impact resistant construction
- Thermostat
- Energy efficient heater

SMARTWASHER® SW-428 KIT

- Overall Dimensions: 38" W x 42" D x 47" H
- Includes: 1 SW28 SmartWasher® Unit, 5 5-Gallon jugs of SW4 cleaning fluid, and and 1 multi-layer FL4 OzzyMat™ filter

Model No. AF356
Mfg. No. 14757
Price/Each \$



SMARTWASHER® SW-423 KIT

- Overall Dimensions: 48" W x 42" D x 50" H
- Includes: 1 SW23 SmartWasher® unit, 3 5-gallon jugs of SW4 cleaning fluid, and and 1 multi-layer FL4 OzzyMat™ filter

Model No. AF290
Mfg. No. 14740
Price/Each \$



SMARTWASHER® SW-437 KIT

- Overall Dimensions: 48" W x 42" D x 55" H
- Includes: 1 SW37 SmartWasher® unit, 5 5-gallon jugs of SW4 cleaning fluid, and 1 multi-layer FL4 OzzyMat™ filter

Model No. AF288
Mfg. No. 14741
Price/Each \$



SMARTWASHER® CLEANING SOLUTIONS

Aqueous, pH neutral, non-corrosive, non-flammable, biodegradable and contains no VOCs. Solutions work in conjunction with filters when warmed to 105°F by the units. All cleaning solutions are certified as Clean Air Solvents by the South Coast Air Quality Management District (SCAQMD).

- **Industrial Grade Cleaning Solutions:** Removes the toughest industrial soils with minimal odour; US EPA Design for Environment (DFE recognized)
- **Automotive & Ink Grade Cleaning Solution:** Removes printers ink and automotive carbon and varnishes
- **Specialty Metals Cleaning Solution:** Maximum strength, low odour formula removes soils from both ferrous and non-ferrous metals; perfect for use on all aircraft metals



Model No.	Mfg. No.	Description	Container Size	Units /Case	NSF	Price /Each
AF129	14148	Industrial Grade Cleaning Solution	5-Gal. Jug	1	A1	
AF130	14156	Automotive & Ink Grade Cleaning Solution	5-Gal. Jug	1	A1	
AF131	14158	Specialty Metals Cleaning Solution	5-Gal. Jug	1	A1	

OZZYMAT™ MULTI-LAYER FILTER

- Four filters in one for heavy use applications
- For use with SmartWasher® parts cleaning system

Model No. AF286
Mfg. No. 14124
Price/Each \$



Types of Soil	AF129 Industrial Grade	AF130 Automotive & Ink Grade	AF131 Specialty Metals
Motor Oil	Excellent	Excellent	Excellent
Bearing Grease	Excellent	Fair	Excellent
Automotive Grease	Excellent	Good	Excellent
Impacted Grease	Excellent	Fair	Excellent
Asphalt	Good	Fair	Good
Creosote	Excellent	Fair	Excellent
Resin Products	Excellent	Good	Excellent
Hydraulic/Transmission Fluid	Excellent	Excellent	Excellent
Fifth Wheel Grease	Excellent	Fair	Excellent
Crude Oil	Excellent	Excellent	Excellent
Solder & Flux	Excellent	Excellent	Excellent
Automotive Varnish	Good	Excellent	Good
Burned-On Carbon	Excellent	Excellent	Good
Cutting Oils	Good	Excellent	Good
Ink/Toner	Good	Excellent	Good
Animal Fat	Excellent	Fair	Excellent



MINI PISTOL GREASE GUNS

DELUXE

- Single-hand-operated pistol grip
- Die cast grease gun head with dual discharge ports for use with steel extension as well as flexible hose
- Develops 3500 PSI
- Capacity: 3 oz grease cartridge or bulk fill
- Textured zinc plated finish for non-slip grip
- Includes: 4" steel extension and professional 4-jaw coupler with ball check

Model No. AC477

Price/Each \$

aurora tools®



AC477

PISTOL GREASE GUNS

HEAVY-DUTY

- Designed for use in general confined spaces or where access to grease nipples is restricted
- Heavy-duty die cast grease gun head
- Develops 5000 PSI
- Capacity: 14 oz (400 g) grease cartridge or suction fill
- AC475 comes complete with 5" steel extension and 4-jaw coupler with ball check
- AC476 comes complete with 18" flexible hose and 4-jaw coupler with ball check

Model No. AC475

Price/Each \$

Model No. AC476

Price/Each \$

aurora tools®



AC475

MINI GREASE GUNS

- Designed for use in general confined spaces, or where access to grease nipples is restricted
- Single-hand-operated push type grip
- Develops 1400 PSI
- Capacity: 3 oz. (85 g)

Model No. AD084

Price/Each \$

aurora tools®



AD084

AIR-OPERATED GREASE GUNS

- Ideal for use in factory maintenance
- Single shot of grease discharge with every press of the trigger
- Air operating range: 40 - 120 PSI
- Capacity: 14 oz. (400 g) grease cartridge or bulk fill
- Comes with 6" steel extension and professional 4-jaw coupler with ball check

Model No. AC478

Price/Each \$

aurora tools®



AC478

LEVER GREASE GUNS

STANDARD-DUTY

- Designed for use in general lubrication and daily maintenance work
- Capacity: 14 oz (400 g) grease cartridge or suction fill
- Complete with 6" steel extension and 4-jaw coupler with ball check
- Develops 6000 PSI

Model No. AC472

Price/Each \$

aurora tools®



AC472

HEAVY-DUTY

- Designed for punishing day-in and day-out heavy industrial application
- Built-in variable stroke feature for greasing fittings with limited access
- Die cast grease gun head fitted with bulk loader and air bleeder
- Extra heavy-duty zinc plated lever handle with ergonomic rubber grip
- Develops 10000 PSI
- Capacity: 14 oz. (400 g) grease cartridge, filler pump or suction fill
- Includes: 6" steel extension and 4-jaw coupler with ball check

Model No. AC473

Price/Each \$

aurora tools®



AC473

SUCTION GUNS

- A rugged transfer gun designed for use with gear oils to get them both into and out of gear boxes, transfer cases and differentials
- Capacity: 16 oz
- Complete with 12" flexible vinyl hose

Model No. AC494

Price/Each \$

aurora tools®




AC494

FLEXIBLE GREASE HOSES

- Standard grease hose is the most popular version of flexible grease hoses
- AC481 hose fitted with heavy-duty spring guard adds safety and convenience in fitment, prevents the hose from bending
- Threads: 1/8" NPT
- Working Pressure 3500 PSI
- For hand-operated grease guns only

aurora tools®



AC479

AC480

Model No.	Length" (End to End)	Price /Each
AC479	12	
AC480	18	
AC481	18	

PISTOL GRIP GREASE GUNS

PROFESSIONAL-DUTY

Develops 7500 PSI. Three-way loading: cartridge, suction or loader pump. Features automatic variable stroke/pressure, air vent, vinyl grip and loader fitting. Delivery: 1 oz. per 33 strokes.

Model No. AA690
Includes: rigid extension and coupler
Price/Each \$

Model No. AA691
Includes: 18" flexible hose and coupler
Price/Each \$



PNEUMATIC GREASE GUNS

Three way loading: cartridge, suction or loader pump. Features air vent, loader fitting, rigid extension and coupler.

Model No. AB821
Price/Each \$



LEVER GREASE GUNS

PROFESSIONAL-DUTY

Develops 10000 PSI. Three-way loading: 14 oz. cartridge, suction or loader pump. Features automatic variable stroke/pressure, air vent, vinyl grip, loader fitting. Delivery: 1 oz. per 21 strokes.

Model No. AA643
Includes: rigid extension and coupler
Price/Each \$

Model No. AB827
Includes: 18" hose and coupler
Price/Each \$

Model No. AB825
Includes: 24 oz. cylinder, rigid extension and coupler
Price/Each \$



AA643



HEAVY-DUTY/HIGH PRESSURE

Develops 10000 PSI. Three-way loading: cartridge, suction or loader pump. Features heavy-duty lever with adjustable linkage for high pressure or high volume operation and loader fitting. Gun outlet 1/8" NPTF.

Delivery: 1 oz. per 16 strokes in high volume mode.

Delivery: 1 oz. per 25 strokes in high pressure mode.

Model No. AB817
16-oz. gun only
Price/Each \$

Model No. AA692
16-oz. gun with rigid extension and coupler
Price/Each \$

Model No. AB816
24-oz. gun with rigid extension and coupler
Price/Each \$



AA692



SUCTION GUNS

16 oz. capacity. Includes flexible vinyl hose. Suitable for all purpose draining of non-corrosive lubricants.

Model No. AB833
Price/Each \$



12 V CORDLESS GREASE GUNS

Lightweight, powerful, professional quality. The most innovative grease gun ever designed, giving you faster more efficient lubrication:

- High-Pressure Delivery: up to 6500 PSI
- High Flow Rate: 5.25 oz. per minute @ 1000 PSI
- 3-Way Loading: 14-oz. cartridge, 16-oz. bulk or suction loaded
- Lightweight: 6.8 lbs.
- Comes with two batteries

Model No. AB812
Price/Each \$518.00



GREASE GUN EXTENSION HOSES

WARNING: For use with hand operated grease guns only.

- Economical and durable hose
- 12000 PSI burst pressure
- 1/8" NPTF(M) ends



AA693



Model No.	Length"	Working Pressure	Hose Type	Price /Each
AA693	12	4800 PSI	Single Wire Braid	
AA694	18	4800 PSI	Single Wire Braid	

LUBRICATING EQUIPMENT

PROFESSIONAL COUPLERS

- Hardened spring steel jaws and hardened body withstands high pressure without deformation
- Hexagonal nut allows easy tightening
- Threads: 1/8" NPT
- 4-jaw construction, 6000 PSI
- For hand-operated grease gun only

Model No. AC482
Price/Each \$

aurora tools



HEAVY-DUTY COUPLERS

- Hardened spring steel jaws & hardened body with double wall thickness withstands very high pressure without deformation
- Hexagonal nut allows easy tightening
- Threads: 1/8" NPT
- 4-jaw construction, 10000 PSI
- For hand and air operated equipment

Model No. AC483
Price/Each \$

aurora tools



HYDRAULIC COUPLERS - 360° SWIVEL

- Excellent coupler for effective lubrication of difficult and hard to reach grease fittings
- Swivels in full 360° circle and locks conveniently at any 45° position
- Spring loaded ball-check valve helps retain pressure
- Threads: 1/8" NPT
- 3-jaw construction, 7000 PSI

Model No. AC484
Price/Each \$

aurora tools



HYDRAULIC COUPLERS - RIGHT ANGLED

- Fits all standard grease gun
- Designed for right angled discharge of grease, very useful for greasing fittings with limited access or in low heights
- Threads: 1/8" NPT
- 10000 PSI

Model No. AC485
Price/Each \$

aurora tools




SEAL-OFF DISPENSERS

- Used with grease gun extension or hose for lubricating grease plugs
- Threads: 1/8" NPT

Model No. AC491
Price/Each \$

aurora tools



STEEL BEARING PACKERS

- For use with grease guns
- The design incorporates a grease nipple at one end which easily adapts to the grease gun coupler
- Grease bearings in cars boats, RV, etc. with a minimum inner diameter of 1/2" to a maximum outer dia of 5" and height from 1/4" to 2"

Model No. AC493
Price/Each \$

aurora tools



GREASE GUN HOLDERS

- Simple snap action clamp for safe storage of grease guns and suction guns

Model No. AC486
Price/Each \$

aurora tools



GREASE INJECTOR NEEDLES

- Lubricates in very tight spaces such as universal joints and sealed bearings
- Equipped with standard grease fitting without ball check and protective plastic holder
- 18-gauge needle thickness
- 1 1/2" long

Model No. AC487
Price/Each \$

aurora tools



NEEDLE NOSE DISPENSERS

- Used for dispensing a fine line of grease
- Can be attached directly to steel extensions or flexible hoses
- Threads: 1/8" NPT
- AC490 has a narrow needle with a diameter of (0.156") 3.96 mm
- AC489 has a 0.219" (5.56 mm) needle diameter

Model No.	Needle Length mm	Price /Each
AC489	15	
AC490	38	



NEEDLE NOSE ADAPTORS

- Used for dispensing a fine line of grease through the needle nose
- Tip diameter: 0.046" (1.168 mm)
- Needle length: 4"
- Quick connect action

Model No. AC488
Price/Each \$

aurora tools



EZEE-LUBE KITS

- The Ezee-Lube kit comprises of a range of quick-connect fittings designed to meet any and every greasing application lube accessories

Model No. AC492
Price/Each \$

aurora tools



aurora tools®

OIL CANS

- Oil can body is seamless drawn from heavy-gauge tin coated sheet
- Premium powder coated finish

Model No.	Capacity oz.	Spout Length"	Spout Type	Pump	Price /Each
LEVER TYPE					
AC514	6	6	Flexible	Steel	
AC515	10	6	Flexible	Steel	
AC589	13	7	Flexible	Steel	
AC516	16	7	Flexible	Steel	
AC592	16	9	Flexible	Steel	
AC593	16	9	Rigid	Steel	
AC590	23	8	Flexible	Steel	
AC594	33	9	Flexible	Steel	
AC595	33	9	Rigid	Steel	
PISTOL TYPE					
AC588	4	5	Flexible	Steel	
AC513	6	5	Flexible	Steel	
AC597	6	6	Flexible	Steel	
AC596	6	6	Rigid	Steel	
AC599	16	6	Flexible	Steel	
AC598	16	6	Rigid	Steel	
AC600	33	6	Rigid	Steel	



HYDRAULIC GREASE COUPLERS

Provides quick, positive and leakproof connection with hydraulic fittings.

AA862



Model No.	Type	Thread	Max. Pressure PSI	Price /Each
QG997	Standard	1/8" NPTF(F)	10 000	
AB742*	Standard	1/8" NPTF(F)	10 000	
QF621	Narrow	1/8" NPTF(F)	10 000	
AA862*	Narrow	1/8" NPTF(F)	10 000	

*Equipped with built-in check valve

MANUAL LUBRICATION PUMPS

VOLUME DELIVERY BUCKET PUMPS

For all oils and pressure gun lubricants. Delivery 1/3 oz. per stroke. Will develop up to 500 PSI. Equipped with 25-lb capacity (5 gallons) container. Adjustable leverage adapts pump to lubricant and operating conditions. Pump outlet: 3/8" NPTF(F).

Model No. AA699
Price/Each \$



MULTI-PRESSURE BUCKET PUMPS

Variable pressure 2500 to 5000 PSI for 35-lb capacity (5 gallons). Adjustable leverage (three positions) adapts pump to all lubricant and operating conditions. Approximate delivery 1/3 oz. per stroke. Suitable for oil or grease. Hose length: 5'.

Coupler type: hydraulic (narrow). Includes hose assembly (Mfg. No. 322434)

Model No. AA698
Price/Each \$



PORTA-CARTS

- Used with AA699 and AA698 series pumps
- Speeds lubrication service where machines are widely separated
- Reduces operator fatigue
- Overall width: 18"

Model No. AA702
Price/Each \$

VOLUME DELIVERY LOADER PUMPS

- For grease guns with Alemite loader fitting
- Delivery: 1 lbs. per 6 strokes
- Includes loader extension and loader fitting
- For 35-lb pail
- Equipped with cover and flexible follower

Model No. AB814
Price/Each \$



DUAL LEVERAGE DISPENSERS

- For fluid gear lubricants
- Attach directly onto original containers
- Delivery: 1 pint per 6 strokes
- Pump outlet: 1/2" NPTF(F).
- For 5-gallon pail
- Includes: 5 1/2' hose with curved nozzle and pail cover

Model No. AB815
Price/Each \$



LUBRICATING EQUIPMENT



GREASE FILLER PUMPS

- An ideal grease filling solution to easily load bulk or combination grease guns from bulk grease pails
- Full economy in buying bulk grease
- Pail capacity: 5 gallons
- Rubber lining follower plate for use with most bucket types

Model No. AD383
Price/Each \$

aurora tools®



BUCKET GREASERS

- High volume, high pressure grease pump
- Uses low cost bulk grease
- Delivers 3 g/stroke or 1 oz. in less than 10 strokes at pressures up to 2000 PSI
- Comes complete with 22-lb built-in steel grease bucket

Model No. AC495
Price/Each \$

aurora tools®



AIR-OPERATED GREASE PUMPS

- Ideal for applications having continuous need for high pressure grease
- 50:1 ratio pump
- Recommended air pressure between 60 and 125 PSI
- Air inlet: 1/4" NPT (female)
- Grease outlet: 1/4" NPT (female)
- Fits 5-gallon and 16-gallon pails
- Comes complete with drum cover, rubber-lined follower plate, 7' of high pressure grease hose, Z swivel and grease control valve

Model No. AC496
For 25-50-lb. pails
Price/Each \$

Model No. AC497
For 120-lb. pail
Price/Each \$

aurora tools®



SWIVELS

- Installed between the delivery hose and grease control valve, swivels permit easy handling of control valves and prevent damage to hose caused by twisting
- 6000 PSI

aurora tools®

Model No.	Thread Specifications	Price /Each
AC499	1/4" NPT (F) - 1/4" NPT (M)	
AC500	1/4" NPT (F) - 1/8" NPT (M)	




GREASE CONTROL VALVES

- Premium quality
- For use with power-operated equipment
- Provides continuous grease flow with trigger fully depressed
- Inlet thread specification: 1/4" NPT (female)
- Outlet thread specification: 1/8" NPT (female)
- 7500 PSI
- Comes complete with 6" steel extension and heavy-duty coupler

Model No. AC498
Price/Each \$

aurora tools®



EASY-OUT TOOLS

- Handy, dual-purpose tool for removing worn and broken grease fittings, as well as retapping holes for installing new grease fittings

aurora tools®

Model No.	Tap Rethreads	Price /Each
AC511	1/4"-28	
AC512	1/8"-27	



GREASE FITTINGS

- Manufactured to the most stringent quality standards
- QS 9000 approved
- 10 fittings per package



aurora tools®



SAE Priced per Package

Model No.	Description	Price /Each
1/4" - 28 SAE-LT PIPE THREADS		
AC501	Short - Straight	
AC502	Short - 45°	
AC503	Short - 90°	
1/8" - 27 PIPE THREADS		
AC504	Short - Straight	
AC505	Short - 45°	
AC506	Short - 90°	
DRIVE FITTING		
AC507	For 3/16" Drill	

METRIC Priced per Package

Model No.	Description	Price /Each
M6 X 1 PIPE THREADS		
AD202	Straight	
AD203	90°	
M8 X 1 PIPE THREADS		
AD204	Straight	
AD205	90°	
M10 X 1 PIPE THREADS		
AD206	Straight	
AD207	90°	

SETS

Model No.	Description	Contains	Price /Each
AC509	80 Pcs of SAE Grease Fittings	15 Pcs of 1/4" 28 SAE LT Straight 10 Pcs of 1/4" 28 SAE LT 45° Angle 10 Pcs of 1/4" 28 SAE LT 90° Angle 25 Pcs of 1/8" 27 NPT Straight 10 Pcs of 1/8" 27 NPT 45° Angle 10 Pcs of 1/8" 27 NPT 90° Angle	
AC510	80 Pcs of Metric Grease Fittings	20 Pcs of M6 x 1 Straight 10 Pcs of M6 x 1 90° Angle 15 Pcs of M8 x 1 Straight 10 Pcs of M8 x 1 90° Angle 15 Pcs of M10 x 1 Straight 10 Pcs of M10 x 1 90° Angle	

VEHICLE FITTING ASSORTMENTS

- Box contains six types of popular fittings
- An identifying chart is included in the cover



AA720

ASSORTMENT INCLUDES:

Model No.	Type	Thread	Quantity
AA677	Str.	1/8" P.T.F.	24
AA686	45°	1/8" P.T.F.	12
AA680	90°	1/8" P.T.F.	12
AA684	Str.	1/4"-28 Taper	24
AA683	45°	1/4"-28 Taper	12
AA689	90°	1/4"-28 Taper	12

Model No. AA720 Price/Each \$

METRIC FITTING ASSORTMENTS

- Box contains six types of popular metric fittings
- An identifying chart is included in the cover
- Thread conforms to German Standard DIN 71412



AB820

ASSORTMENT INCLUDES:

Model No.	Type	Thread	Quantity
AB845	Str.	6	10
AB839	45°	6	6
AB840	90°	6	6
AB844	Str.	8	6
AB841	90°	8	6
AB842	Str.	10	10

Model No. AB820 Price/Each \$

POCKET PACK FITTING ASSORTMENTS

- Box contains six types of popular fittings
- An identifying chart is included in the cover



AB826

ASSORTMENT INCLUDES:

Model No.	Type	Thread	Quantity
AA677	Str.	1/8" PTF	12
AA686	45°	1/8" PTF	6
AA680	90°	1/8" PTF	6
AA684	Str.	1/4"-28 Taper	12
AA683	45°	1/4"-28 Taper	6
AA689	90°	1/4"-28 Taper	6

Model No. AB826 Price/Each \$

LUBRICATION BULK FITTINGS 1/4" - 28 TAPER THREADS

- Used on most cars and trucks and on many industrial machines
- Features dirt excluding ball check
- Maximum pressure: 10 000 PSI


It is recommended that SAE-LT taper threads be assembled into 1/4" - 28 UNF, Class 3B, straight threaded holes having a modified maximum minor diameter of 0.2151" to insure 75% minimum thread height.

SAE-LT - conforms to Society of Automotive Engineers Lubrication thread specification.




1/8" PIPE THREADS


- Used on many industrial machines and heavy equipment
- Features dirt excluding ball check
- Maximum pressure: 10 000 PSI




AA684




AA685



AA497




AA683




AA689


Model No.	Mfg. No.	Type	Overall Length"	Shank Length"	Hex Size"	Price /Each
AA684	1641-B	Str.	35/64	3/16	5/16	
AA685	1652-B	Str.	11/16	23/64	5/16	
AA497	1698-B	Str.	1 1/8	25/32	5/16	
AA683	1637-B1	45°	13/16	13/64	3/8	
AA689	1911-B1	90°	3/4	13/64	3/8	




AA677




AA676




AA678



AA686



AA679



AA680


Model No.	Mfg. No.	Type	Overall Length"	Shank Length"	Hex Size"	Price /Each
AA677	1610-BL	Str.	11/16	19/64	7/16	
AA676	1607-B	Str.	1 1/4	25/32	7/16	
AA678	1611-B	30°	29/32	19/64	7/16	
AA686	1688-B	45°	57/64	19/64	7/16	
AA679	1612-B	65°	27/32	19/64	7/16	
AA680	1613-B	90°	27/32	19/64	7/16	

DRIVE FITTINGS


- Used extensively to avoid tapping costs in a wide variety of applications
- Alemite serrated shank grips securely and simplifies the replacement of damaged fittings in old or oversized holes
- Recommended only for low and medium pressures

IMPORTANT

Actual drill sizes cannot be shown because drilling varies with hardness of metal. Drill sizes indicated on drawings are merely a guide. Exact drill size can only be determined by sample drilling of the actual metal. When drilled to proper tolerance, the serrated edge of the fitting will provide a secure, lasting grip.



AA687




AA688


Model No.	Mfg. No.	Type	Overall Length"	Shank Length"	Drill Dia."	Price /Each
AA687	1728-B	Str.	33/64	1/4	3/16	
AA688	1743-B	Str.	35/64	1/4	1/4	

1/4" PIPE THREADS

- Widely used for larger bearings on farm machinery and heavy industrial equipment
- Recommended for heavy lubricants in cold weather
- Features dirt excluding ball check
- Maximum pressure: 10 000 PSI



AA681



AA682

Model No.	Mfg. No.	Type	Overall Length"	Shank Length"	Hex Size"	Price /Each
AA681	1627-B	Str.	7/8	27/64	9/16	
AA682	1629-B	67 1/2°	31/32	11/32	9/16	

GASKET CUTTERS



EXTENSION GASKET CUTTERS

- Hefty brass cutting head slides easily over a variety of gasket materials
- Modular extension design allows you to quickly adjust your cutting size
- Special cutting blades are held securely, ensuring consistent and repetitive cuts in material up to 3/4" thick
- Choose from 10 convenient kits to accommodate your cutting requirements

ALLPAX®

GASKET CUTTER KITS (METRIC)

NO. 1

- Cuts 6 mm to 330 mm in diameter

PARTS INCLUDED:

Cutter block & head assembly	19 mm long centre pin
Cutter head screws (2)	457 mm cutting board
Gasket cutter blades (6)	Cutting knob for small diameters
Pivot post	Post with offset pin
Knurled nuts (2)	Piercing tool
Fibre washers (2)	Hex key
13 mm short centre pin	

Weight: 10.4 lbs.

Model No. TLZ377 Mfg. No. AX6110
Price/Each \$

NO. 2

- Cuts 6 mm to 635 mm in diameter

PARTS INCLUDED:

Cutter block & head assembly	19 mm long centre pin
Cutter head screws (2)	Extension bar 330 mm to 635 mm
Gasket cutter blades (6)	457 mm cutting board
Pivot post	Cutting knob for small diameters
Pivot post for extension bars	Post with offset pin
Knurled nuts (3)	Piercing tool
Fibre washers (3)	Hex key
13 mm short centre pin	

Weight: 10.5 lbs.

Model No. TLZ378 Mfg. No. AX6120
Price/Each \$

NO. 3

- Cuts 6 mm to 940 mm in diameter

PARTS INCLUDED:

Cutter block & head assembly	19 mm long centre pin
Cutter head screws (2)	Extension bar 330 mm to 635 mm
Gasket cutter blades (6)	Extension bar over 635 mm
Pivot post	457 mm cutting board
Pivot post for extension bars	Cutting knob for small diameters
Knurled nuts (3)	Post with offset pin
Knurled nuts for extension bar	Piercing tool
Fibre washers (3)	Hex key
13 mm short centre pin	

Weight: 10.8 lbs.

Model No. TLZ379 Mfg. No. AX6130
Price/Each \$

NO. 4

- Cuts 6 mm to 1245 mm in diameter

PARTS INCLUDED:

Cutter block & head assembly	19 mm long centre pin
Cutter head screws (2)	Extension bar 330 mm to 635 mm
Gasket cutter blades (6)	Extension bar over 635 mm (2)
Pivot post	457 mm cutting board
Pivot post for extension bars	Cutting knob for small diameters
Knurled nuts (3)	Post with offset pin
Knurled nuts for extension bars (2)	Piercing tool
Fibre washers (3)	Hex key
13 mm short centre pin	

Weight: 11.8 lbs.

Model No. TLZ375 Mfg. No. AX6140
Price/Each \$

NO. 5

- Cuts 6 mm to 1550 mm in diameter

PARTS INCLUDED:

Cutter block & head assembly	19 mm long centre pin
Cutter head screws (2)	Extension bar 330 mm to 635 mm
Gasket cutter blades (6)	Extension bar over 635 mm (3)
Pivot post	457 mm cutting board
Pivot post for extension bars	Cutting knob for small diameters
Knurled nuts (3)	Post with offset pin
Knurled nuts for extension bars (3)	Piercing tool
Fibre washers (3)	Hex key
13 mm short centre pin	

Weight: 11.8 lbs.

Model No. TLZ376 Mfg. No. AX6150
Price/Each \$



GASKET CUTTER KITS (IMPERIAL)

NO. 1

- Cuts 1/4" I.D. to 13" in diameter

PARTS INCLUDED:

Cutter block & head assembly	3/4" long centre pin
Cutter head screws (2)	18" cutting board
Gasket cutter blades (6)	Cutting knob for small diameters
Pivot post	Post with offset pin
Knurled nuts (2)	Piercing tool
Fibre washers (2)	Hex key
1/2" short centre pin	

Weight: 10.4 lbs.

Model No. TLZ370 Mfg. No. AX6010
Price/Each \$

NO. 2

- Cuts 1/4" to 25" in diameter

PARTS INCLUDED:

Cutter block & head assembly	3/4" long centre pin
Cutter head screws (2)	Extension bar 13" to 25"
Gasket cutter blades (6)	18" cutting board
Pivot post	Cutting knob for small diameters
Pivot post for extension bars	Post with offset pin
Knurled nuts (3)	Piercing tool
Fibre washers (3)	Hex key
1/2" short centre pin	

Weight: 10.5 lbs.

Model No. TLZ371 Mfg. No. AX6020
Price/Each \$

NO. 3

- Cuts 1/4" to 37" in diameter

PARTS INCLUDED:

Cutter block & head assembly	3/4" long centre pin
Cutter head screws (2)	Extension bar 13" to 25"
Gasket cutter blades (6)	Extension bar over 25"
Pivot post	18" cutting board
Pivot post for extension bars	Cutting knob for small diameters
Knurled nuts (3)	Post with offset pin
Knurled nuts for extension bar	Piercing tool
Fibre washers (3)	Hex key
1/2" short centre pin	

Weight: 10.8 lbs.

Model No. TLZ372 Mfg. No. AX6030
Price/Each \$

NO. 4

- Cuts 1/4" to 49" in diameter

PARTS INCLUDED:

Cutter block & head assembly	3/4" long centre pin
Cutter head screws (2)	Extension bar 13" to 25"
Gasket cutter blades (6)	Extension bar over 25" (2)
Pivot post	18" cutting board
Pivot post for extension bars	Cutting knob for small diameters
Knurled nuts (3)	Post with offset pin
Knurled nuts for extension bars (2)	Piercing tool
Fibre washers (3)	Hex key
1/2" short centre pin	

Weight: 11.8 lbs.

Model No. TLZ373 Mfg. No. AX6040
Price/Each \$

NO. 5

- Cuts 1/4" to 61" in diameter

PARTS INCLUDED:

Cutter block & head assembly	3/4" long centre pin
Cutter head screws (2)	Extension bar 13" to 25"
Gasket cutter blades (6)	Extension bar over 25" (3)
Pivot post	18" cutting board
Pivot post for extension bars	Cutting knob for small diameters
Knurled nuts (3)	Post with offset pin
Knurled nuts for extension bars (3)	Piercing tool
Fibre washers (3)	Hex key
1/2" short centre pin	

Weight: 11.8 lbs.

Model No. TLZ374 Mfg. No. AX6050
Price/Each \$



AEROX™

www.aeroxsupply.com

Automotive Repair Tools & Products

AEROX SUPPLY INC.

6660 KENNEDY ROAD,
SUITE#201, MISSISSAUGA,
ONTARIO- L5T 2M9
PH#905-226-9239
INFO@AEROXSUPPLY.COM